


Rough Horsetail

Equisetum hyemale

Native	GB	IR
2000–19	174	89
1987–99	122	60
1970–86	106	41
1930–69	93	23
pre-1930	109	57


Alien	GB	IR
2000–19	24	1
1987–99	3	0
1970–86	4	0
1930–69	4	0
pre-1930	1	0



Branched Horsetail

Equisetum ramosissimum

Alien	GB	IR
2000–19	● 3	0
1987–99	● 2	0
1970–86	● 2	0
1930–69	● 1	0
pre-1930	● 2	0




Variegated Horsetail

Equisetum variegatum

Native	GB	IR
2000–19	118	122
1987–99	107	89
1970–86	91	26
1930–69	94	43
pre-1930	76	28


Alien	GB	IR
2000–19	0	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0



Shady Horsetail

Equisetum pratense


Native	GB	IR
2000–19	126	24
1987–99	91	18
1970–86	81	16
1930–69	77	12
pre-1930	52	17



Wood Horsetail

Equisetum sylvaticum

Native	GB	IR
2000–19	1284	347
1987–99	1204	248
1970–86	858	70
1930–69	1124	144
pre-1930	260	85




Stag's-horn Clubmoss

Lycopodium clavatum

Native	GB	IR
2000–19	673	21
1987–99	526	17
1970–86	495	11
1930–69	529	31
pre-1930	308	55


Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	2	0
1930–69	0	0
pre-1930	1	0



Interrupted Clubmoss

Lycopodium annotinum

Native	GB	IR
2000–19	148	0
1987–99	91	0
1970–86	75	0
1930–69	90	0
pre-1930	63	0




Marsh Clubmoss

Lycopodiella inundata

Native	GB	IR
2000–19	70	7
1987–99	66	5
1970–86	66	11
1930–69	82	6
pre-1930	196	10


Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	3	0
1930–69	2	0
pre-1930	3	0



Alpine Clubmoss

Diphasiastrum alpinum


Native	GB	IR
2000–19	458	25
1987–99	376	17
1970–86	245	17
1930–69	363	20
pre-1930	149	37



Lesser Clubmoss

Selaginella selaginoides


Native	GB	IR
2000–19	876	204
1987–99	792	199
1970–86	485	66
1930–69	754	138
pre-1930	202	87



Quillwort

Isoetes lacustris


Native	GB	IR
2000–19	● 303	124
1987–99	● 405	84
1970–86	● 221	43
1930–69	● 237	56
pre-1930	○ 156	56



Spring Quillwort

Isoetes echinospora


Native	GB	IR
2000–19	104	32
1987–99	113	10
1970–86	60	10
1930–69	71	7
pre-1930	58	18



Land Quillwort

Isoetes histrix


Native	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	8	0
1930–69	6	0
pre-1930	7	0



Small Adder's-tongue

Ophioglossum azoricum


Native	GB	IR
2000–19	99	14
1987–99	47	6
1970–86	23	0
1930–69	28	1
pre-1930	27	7



Least Adder's-tongue

Ophioglossum lusitanicum


Native	GB	IR
2000–19	4	0
1987–99	3	0
1970–86	4	0
1930–69	2	0
pre-1930	3	0



Moonwort

Botrychium lunaria

Native	GB	IR
2000–19	543	27
1987–99	561	34
1970–86	452	23
1930–69	574	36
pre-1930	436	102




Pillwort

Pilularia globulifera

Native	GB	IR
2000–19	93	14
1987–99	99	9
1970–86	86	12
1930–69	96	10
pre-1930	237	13

Alien	GB	IR
2000–19	5	0
1987–99	2	0
1970–86	4	0
1930–69	5	0
pre-1930	4	0




Royal Fern

Osmunda regalis

Native	GB	IR
2000–19	538	577
1987–99	509	475
1970–86	377	97
1930–69	378	334
pre-1930	225	120

Alien	GB	IR
2000–19	138	1
1987–99	74	1
1970–86	55	0
1930–69	35	1
pre-1930	26	2




Maidenhair Fern

Adiantum capillus-veneris

Native	GB	IR
2000–19	30	21
1987–99	25	16
1970–86	26	14
1930–69	21	15
pre-1930	32	17


Alien	GB	IR
2000–19	132	14
1987–99	64	8
1970–86	48	4
1930–69	42	3
pre-1930	23	2



Jersey Fern

Anogramma leptophylla

Native	GB	IR
2000–19	5	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	1	0




Parsley Fern

Cryptogramma crispa

Native	GB	IR
2000–19	313	7
1987–99	300	6
1970–86	239	8
1930–69	314	13
pre-1930	156	18

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




Killarney Fern (gametophyte)

Trichomanes speciosum

Native	GB	IR
2000–19	46	31
1987–99	159	10
1970–86	3	0
1930–69	0	0
pre-1930	4	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Killarney Fern (sporophyte)

Trichomanes speciosum

Native	GB	IR
2000–19	17	24
1987–99	13	19
1970–86	5	10
1930–69	5	20
pre-1930	12	32

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Tunbridge Filmy-fern

Hymenophyllum tunbrigense

Native	GB	IR
2000–19	129	89
1987–99	141	52
1970–86	89	15
1930–69	138	58
pre-1930	85	51

Alien	GB	IR
2000–19	0	1
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	1




Wilson's Filmy-fern

Hymenophyllum wilsonii

Native	GB	IR
2000–19	437	145
1987–99	417	102
1970–86	272	44
1930–69	428	101
pre-1930	139	81

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Intermediate Polypody

Polypodium interjectum

Native	GB	IR
2000–19	1461	712
1987–99	1029	443
1970–86	636	91
1930–69	285	79
pre-1930	53	23

Alien	GB	IR
2000–19	4	0
1987–99	3	0
1970–86	1	0
1930–69	2	0
pre-1930	0	0




Southern Polypody

Polypodium cambricum

Native	GB	IR
2000–19	164	150
1987–99	135	118
1970–86	109	49
1930–69	74	45
pre-1930	43	22

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




Marsh Fern

Thelypteris palustris

Native	GB	IR
2000–19	94	22
1987–99	85	19
1970–86	84	21
1930–69	75	15
pre-1930	113	32

Alien	GB	IR
2000–19	5	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	1	0




Lemon-scented Fern

Oreopteris limbosperma

Native	GB	IR
2000–19	1385	106
1987–99	1276	80
1970–86	870	34
1930–69	1156	35
pre-1930	333	72

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Beech Fern

Phegopteris connectilis

Native	GB	IR
2000–19	853	45
1987–99	797	42
1970–86	572	16
1930–69	729	24
pre-1930	236	55

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Green Spleenwort

Asplenium viride

Native	GB	IR
2000–19	316	31
1987–99	318	27
1970–86	256	9
1930–69	302	16
pre-1930	106	24

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




Forked Spleenwort

Asplenium septentrionale

Native	GB	IR
2000–19	35	1
1987–99	29	2
1970–86	25	2
1930–69	30	2
pre-1930	44	0


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	1



Black Spleenwort

Asplenium adiantum-nigrum

Native	GB	IR
2000–19	2037	586
1987–99	1796	550
1970–86	1185	108
1930–69	1526	424
pre-1930	406	135




Irish Spleenwort

Asplenium onopteris

Native	GB	IR
2000–19	0	10
1987–99	0	6
1970–86	0	6
1930–69	0	5
pre-1930	0	26


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Lanceolate Spleenwort

Asplenium obovatum w

Native	GB	IR
2000–19	120	8
1987–99	104	8
1970–86	73	5
1930–69	92	5
pre-1930	110	17




Rustyback

Asplenium ceterach

Native	GB	IR
2000–19	928	689
1987–99	842	660
1970–86	596	82
1930–69	782	536
pre-1930	269	150


Alien	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	2	0
1930–69	1	0
pre-1930	2	0



Alpine Lady-fern

Athyrium distentifolium

Native	GB	IR
2000–19	70	0
1987–99	69	0
1970–86	58	0
1930–69	49	0
pre-1930	34	0




Oak Fern

Gymnocarpium Dryopteris

Native	GB	IR
2000–19	693	0
1987–99	670	0
1970–86	522	2
1930–69	604	3
pre-1930	268	7

Alien	GB	IR
2000–19	3	0
1987–99	1	0
1970–86	3	0
1930–69	2	0
pre-1930	2	1




Limestone Fern

Gymnocarpium robertianum

Native	GB	IR
2000–19	61	2
1987–99	60	2
1970–86	68	0
1930–69	65	2
pre-1930	58	0

Alien	GB	IR
2000–19	8	1
1987–99	6	1
1970–86	11	0
1930–69	11	0
pre-1930	9	1




Brittle Bladder-fern

Cystopteris fragilis

Native	GB	IR
2000–19	796	103
1987–99	772	102
1970–86	601	39
1930–69	757	71
pre-1930	331	100

Alien	GB	IR
2000–19	37	1
1987–99	11	1
1970–86	12	0
1930–69	16	0
pre-1930	19	0




Diaphanous Bladder-fern

Cystopteris diaphanaw

Native	GB	IR
2000–19	5	1
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0


Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Dickie's Bladder-fern

Cystopteris dickieana


Native	GB	IR
2000–19	10	0
1987–99	5	0
1970–86	1	0
1930–69	1	0
pre-1930	3	0



Mountain Bladder-fern

Cystopteris montana


Native	GB	IR
2000–19	14	0
1987–99	13	0
1970–86	14	0
1930–69	14	0
pre-1930	15	0



Alpine Woodsia

Woodsia alpina


Native	GB	IR
2000–19	13	0
1987–99	14	0
1970–86	16	0
1930–69	11	0
pre-1930	12	0



Oblong Woodsia

Woodsia ilvensis


Native	GB	IR
2000–19	●	7 0
1987–99	●	8 0
1970–86	●	6 0
1930–69	●	6 0
pre-1930	○	10 0



Ostrich Fern

Matteuccia struthiopteris


Alien	GB	IR
2000–19	99	6
1987–99	59	2
1970–86	36	3
1930–69	9	2
pre-1930	2	0



Mountain Male-fern

Dryopteris oreades

Native	GB	IR
2000–19	207	2
1987–99	191	2
1970–86	147	4
1930–69	138	2
pre-1930	69	3




Rigid Buckler-fern

Dryopteris submontane

Native	GB	IR
2000–19	33	0
1987–99	26	0
1970–86	29	0
1930–69	22	0
pre-1930	14	0

Alien	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Narrow Male-fern

Dryopteris cambrensis

Native	GB	IR
2000–19	1557	282
1987–99	1251	207
1970–86	903	72
1930–69	874	104
pre-1930	257	87

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Hay-scented Buckler-fern

Dryopteris aemula

Native	GB	IR
2000–19	420	392
1987–99	330	289
1970–86	182	63
1930–69	263	160
pre-1930	128	127

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Crested Buckler-fern

Dryopteris cristata

Native	GB	IR
2000–19	6	0
1987–99	6	0
1970–86	11	0
1930–69	16	0
pre-1930	25	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Soft Shield-fern

Polystichum setifewrum

Native	GB	IR
2000–19	1464	817
1987–99	1109	691
1970–86	770	142
1930–69	662	397
pre-1930	208	95

Alien	GB	IR
2000–19	25	0
1987–99	10	0
1970–86	7	0
1930–69	2	0
pre-1930	3	0




Hard Shield-fern

Polystichum aculeatum

Native	GB	IR
2000–19	1536	269
1987–99	1281	236
1970–86	959	82
1930–69	1022	70
pre-1930	311	96

Alien	GB	IR
2000–19	15	0
1987–99	2	0
1970–86	3	0
1930–69	1	0
pre-1930	2	0




Holly-fern

Polystichum lonchitis

Native	GB	IR
2000–19	123	14
1987–99	116	16
1970–86	97	12
1930–69	138	11
pre-1930	78	15


Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	4	0
1930–69	1	0
pre-1930	2	0



Water Fern

Azolla filiculoides


Alien	GB	IR
2000–19	522	74
1987–99	629	17
1970–86	267	8
1930–69	181	5
pre-1930	76	1



Japanese Larch

Larix kaempferi


Alien	GB	IR
2000–19	1207	114
1987–99	791	34
1970–86	180	1
1930–69	55	0
pre-1930	9	0



European Silver-fir

Abies alba


Alien	GB	IR
2000–19	362	227
1987–99	230	28
1970–86	52	3
1930–69	17	1
pre-1930	13	0



Giant Fir

Abies grandis

Alien	GB	IR
2000–19	567	72
1987–99	327	11
1970–86	108	1
1930–69	12	0
pre-1930	5	0



Lodgepole Pine

Pinus contorta

Alien	GB	IR
2000–19	1022	380
1987–99	479	123
1970–86	86	0
1930–69	20	0
pre-1930	8	0

