


Birthwort

Aristolochia clematitis w

Alien		GB	IR
2000–19	●	18	1
1987–99	●	19	0
1970–86	●	16	0
1930–69	●	30	0
pre-1930	●	46	0




Least Water-lily

Nuphar pumila

Native		GB	IR
2000–19	●	31	0
1987–99	●	51	0
1970–86	●	30	0
1930–69	●	26	0
pre-1930	○	33	0

Alien		GB	IR
2000–19	●	0	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	1	0
pre-1930	●	0	0




In flower: June to August

Soft Hornwort

Ceratophyllum submersum

Native	GB	IR
2000–19	123	9
1987–99	132	3
1970–86	105	0
1930–69	96	0
pre-1930	63	0

Alien	GB	IR
2000–19	7	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Green Hellebore

Helleborus viridis

Native	GB	IR
2000–19	175	0
1987–99	186	0
1970–86	138	0
1930–69	179	0
pre-1930	111	0

Alien	GB	IR
2000–19	138	14
1987–99	97	6
1970–86	63	5
1930–69	87	6
pre-1930	136	5




In flower: March to April

Globeflower

Trollius europaeus

Native	GB	IR
2000–19	587	7
1987–99	572	7
1970–86	474	4
1930–69	617	4
pre-1930	243	7

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	2	0
1930–69	1	0
pre-1930	3	0




In flower: June to August

Larkspur

Consolida ajacis

Alien		GB	IR
2000–19	●	228	3
1987–99	●	206	2
1970–86	●	154	2
1930–69	●	119	0
pre-1930	●	131	0




In flower: June to September

Baneberry

Actaea spicata

Native	GB	IR
2000–19	14	0
1987–99	22	0
1970–86	24	0
1930–69	27	0
pre-1930	26	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	3	0
1930–69	4	0
pre-1930	10	0




In flower: May to June

Hairy Buttercup
Ranunculus sardous

Native	GB	IR
2000–19	359	0
1987–99	310	0
1970–86	203	0
1930–69	253	0
pre-1930	263	0

Alien	GB	IR
2000–19	38	1
1987–99	26	0
1970–86	12	1
1930–69	5	0
pre-1930	15	0




In flower: June to October

Rough-fruited Buttercup

Ranunculus muricatus

Alien	GB	IR
2000–19	6	0
1987–99	5	0
1970–86	5	0
1930–69	9	1
pre-1930	10	0




In flower: March to June

St. Martin's Buttercup

Ranunculus marginatus

Alien	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	2	0
1930–69	3	0
pre-1930	2	0




In flower: June to July

Small-flowered Buttercup

Ranunculus parviflorus

Native	GB	IR
2000–19	317	0
1987–99	268	0
1970–86	203	0
1930–69	235	0
pre-1930	297	0

Alien	GB	IR
2000–19	13	16
1987–99	4	5
1970–86	1	4
1930–69	5	12
pre-1930	7	20




In flower: May to June

Corn Buttercup

Ranunculus arvensis

Alien	GB	IR
2000–19	103	0
1987–99	190	0
1970–86	333	0
1930–69	605	0
pre-1930	442	2




In flower: May to November

Jersey Buttercup

Ranunculus paludosus

Native	GB	IR
2000–19	1	0
1987–99	4	0
1970–86	0	0
1930–69	2	0
pre-1930	2	0




In flower: May to June

Creeping Spearwort

Ranunculus reptans

Native	GB	IR
2000–19	3	0
1987–99	4	0
1970–86	11	0
1930–69	1	0
pre-1930	7	0




In flower: June to August

Adder's-tongue Spearwort

Ranunculus ophioglossifolius

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	5	0


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



In flower: May to July

Ranunculus baudotii

Native	GB	IR
2000–19	185	35
1987–99	223	37
1970–86	199	12
1930–69	195	18
pre-1930	167	26




In flower: May to September

Thread-leaved Water-crowfoot

Ranunculus trichophyllus

Native	GB	IR
2000–19	657	119
1987–99	678	164
1970–86	546	33
1930–69	633	67
pre-1930	334	90




In flower: May to June

Pond Water-crowfoot

Ranunculus peltatus

Native	GB	IR
2000–19	516	53
1987–99	616	96
1970–86	521	34
1930–69	464	60
pre-1930	307	33


Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: April to August

Fan-leaved Water-crowfoot

Ranunculus circinatus




In flower: May to August

Pheasant's-eye

Adonis annua

Alien		GB	IR
2000–19	●	36	0
1987–99	●	34	0
1970–86	●	41	0
1930–69	●	98	0
pre-1930	●	197	3




In flower: July to December

Mousetail

Myosurus minimus

Native	GB	IR
2000–19	119	0
1987–99	121	0
1970–86	98	0
1930–69	140	0
pre-1930	235	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	2	0




In flower: June to July

Alpine Meadow-rue

Thalictrum alpinum

Native	GB	IR
2000–19	351	11
1987–99	306	11
1970–86	206	7
1930–69	308	5
pre-1930	67	12

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Rough Poppy

Roemeria hispida

Alien	GB	IR
2000–19	150	2
1987–99	172	0
1970–86	155	3
1930–69	178	4
pre-1930	200	30




In flower: March to August

Few-flowered Fumitory

Fumaria vaillantii

Alien		GB	IR
2000–19	●	55	0
1987–99	●	49	0
1970–86	●	50	0
1930–69	●	66	0
pre-1930	●	52	0




In flower: May to October

Fine-leaved Fumitory

Fumaria parviflora

Alien	GB	IR
2000–19	71	0
1987–99	51	0
1970–86	53	0
1930–69	61	0
pre-1930	83	0




In flower: May to October

Martin's Ramping-fumitory

Fumaria reuteri

Alien	GB	IR
2000–19	21	0
1987–99	4	0
1970–86	6	0
1930–69	14	0
pre-1930	8	0




In flower: May to October

Purple Ramping-fumitory

Fumaria purpurea

Native	GB	IR
2000–19	183	73
1987–99	83	17
1970–86	68	6
1930–69	71	15
pre-1930	115	25

Alien	GB	IR
2000–19	1	2
1987–99	0	5
1970–86	0	2
1930–69	0	1
pre-1930	0	6



In flower: July to October