


# Birthwort

*Aristolochia clematitis* w

Alien	GB	IR
2000–19	18	1
1987–99	19	0
1970–86	16	0
1930–69	30	0
pre-1930	46	0




# Least Water-lily

*Nuphar pumila*

Native	GB	IR
2000–19	31	0
1987–99	51	0
1970–86	30	0
1930–69	26	0
pre-1930	33	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to August

# Soft Hornwort

*Ceratophyllum submersum*

Native	GB	IR
2000–19	123	9
1987–99	132	3
1970–86	105	0
1930–69	96	0
pre-1930	63	0

Alien	GB	IR
2000–19	7	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




# Green Hellebore

*Helleborus viridis*

Native	GB	IR
2000–19	175	0
1987–99	186	0
1970–86	138	0
1930–69	179	0
pre-1930	111	0

Alien	GB	IR
2000–19	138	14
1987–99	97	6
1970–86	63	5
1930–69	87	6
pre-1930	136	5



In flower: March to April


# Globeflower

*Trollius europaeus*

Native	GB	IR
2000–19	587	7
1987–99	572	7
1970–86	474	4
1930–69	617	4
pre-1930	243	7

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	2	0
1930–69	1	0
pre-1930	3	0




In flower: June to August

# Love-in-a-mist

*Nigella damascena*

Alien	GB	IR
2000–19	740	34
1987–99	274	1
1970–86	55	0
1930–69	14	0
pre-1930	12	0




In flower: April to June

# Larkspur

*Consolida ajacis*

Alien	GB	IR
2000–19	228	3
1987–99	206	2
1970–86	154	2
1930–69	119	0
pre-1930	131	0




In flower: June to September

# Baneberry

*Actaea spicata*

Native	GB	IR
2000–19	14	0
1987–99	22	0
1970–86	24	0
1930–69	27	0
pre-1930	26	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	3	0
1930–69	4	0
pre-1930	10	0



In flower: May to June




# Hairy Buttercup

*Ranunculus sardous*

Native	GB	IR
2000–19	359	0
1987–99	310	0
1970–86	203	0
1930–69	253	0
pre-1930	263	0

Alien	GB	IR
2000–19	38	1
1987–99	26	0
1970–86	12	1
1930–69	5	0
pre-1930	15	0




In flower: June to October

# Rough-fruited Buttercup

*Ranunculus muricatus*

Alien	GB	IR
2000–19	6	0
1987–99	5	0
1970–86	5	0
1930–69	9	1
pre-1930	10	0




In flower: March to June

# St. Martin's Buttercup

*Ranunculus marginatus*

Alien	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	2	0
1930–69	3	0
pre-1930	2	0




In flower: June to July

# Small-flowered Buttercup

*Ranunculus parviflorus*

Native	GB	IR
2000–19	317	0
1987–99	268	0
1970–86	203	0
1930–69	235	0
pre-1930	297	0

Alien	GB	IR
2000–19	13	16
1987–99	4	5
1970–86	1	4
1930–69	5	12
pre-1930	7	20




In flower: May to June

# Corn Buttercup

*Ranunculus arvensis*

Alien	GB	IR
2000–19	103	0
1987–99	190	0
1970–86	333	0
1930–69	605	0
pre-1930	442	2




In flower: May to November

# Jersey Buttercup

*Ranunculus paludosus*

Native	GB	IR
2000–19	1	0
1987–99	4	0
1970–86	0	0
1930–69	2	0
pre-1930	2	0



In flower: May to June


# Celery-leaved Buttercup

*Ranunculus sceleratus*

Native	GB	IR
2000–19	1385	351
1987–99	1341	308
1970–86	996	73
1930–69	1173	108
pre-1930	215	70

Alien	GB	IR
2000–19	6	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: May to September

# Creeping Spearwort

*Ranunculus reptans*

Native	GB	IR
2000–19	● 3	0
1987–99	● 4	0
1970–86	● 11	0
1930–69	● 1	0
pre-1930	○ 7	0



In flower: June to August




# Adder's-tongue Spearwort

*Ranunculus ophioglossifolius*

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	5	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May to July

# Three-lobed Crowfoot

*Ranunculus tripartitus*

Native	GB	IR
2000–19	43	1
1987–99	31	0
1970–86	24	0
1930–69	43	0
pre-1930	63	1




In flower: March to May

# Brackish Water-crowfoot

*Ranunculus baudotii*

Native	GB	IR
2000–19	● 185	35
1987–99	● 223	37
1970–86	● 199	12
1930–69	● 195	18
pre-1930	○ 167	26




In flower: May to September

# Thread-leaved Water-crowfoot

*Ranunculus trichophyllus*

Native	GB	IR
2000–19	657	119
1987–99	678	164
1970–86	546	33
1930–69	633	67
pre-1930	334	90




In flower: May to June

# Pond Water-crowfoot

*Ranunculus peltatus*

Native	GB	IR
2000–19	516	53
1987–99	616	96
1970–86	521	34
1930–69	464	60
pre-1930	307	33

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to August

# Fan-leaved Water-crowfoot

*Ranunculus circinatus*

Native	GB	IR
2000–19	● 273	62
1987–99	● 301	43
1970–86	● 277	15
1930–69	○ 310	15
pre-1930	○ 265	32




In flower: May to August

# Pheasant's-eye

*Adonis annua*

Alien	GB	IR
2000–19	36	0
1987–99	34	0
1970–86	41	0
1930–69	98	0
pre-1930	197	3




In flower: July to December

# Mousetail

*Myosurus minimus*

Native	GB	IR
2000–19	119	0
1987–99	121	0
1970–86	98	0
1930–69	140	0
pre-1930	235	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	2	0



In flower: June to July




# Alpine Meadow-rue

*Thalictrum alpinum*

Native	GB	IR
2000–19	351	11
1987–99	306	11
1970–86	206	7
1930–69	308	5
pre-1930	67	12

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

# Rough Poppy

*Roemeria hispida*

Alien	GB	IR
2000–19	150	2
1987–99	172	0
1970–86	155	3
1930–69	178	4
pre-1930	200	30




In flower: March to August

# Few-flowered Fumitory

*Fumaria vaillantii*

Alien	GB	IR
2000–19	55	0
1987–99	49	0
1970–86	50	0
1930–69	66	0
pre-1930	52	0




In flower: May to October

# Fine-leaved Fumitory

*Fumaria parviflora*

Alien	GB	IR
2000–19	71	0
1987–99	51	0
1970–86	53	0
1930–69	61	0
pre-1930	83	0




In flower: May to October

# Martin's Ramping-fumitory

*Fumaria reuteri*

Alien	GB	IR
2000–19	21	0
1987–99	4	0
1970–86	6	0
1930–69	14	0
pre-1930	8	0




In flower: May to October

# Purple Ramping-fumitory

*Fumaria purpurea*

Native	GB	IR
2000–19	183	73
1987–99	83	17
1970–86	68	6
1930–69	71	15
pre-1930	115	25

Alien	GB	IR
2000–19	1	2
1987–99	0	5
1970–86	0	2
1930–69	0	1
pre-1930	0	6



In flower: July to October