


Dwarf Birch

Betula nana

Native	GB	IR
2000-19	93	0
1987-99	75	0
1970-86	82	0
1930-69	70	0
pre-1930	47	0


Alien	GB	IR
2000-19	5	0
1987-99	1	0
1970-86	2	0
1930-69	2	0
pre-1930	0	0



Good-King-Henry

Blitum bonus-henricus

Alien	GB	IR
2000–19	490	9
1987–99	702	22
1970–86	576	6
1930–69	1023	37
pre-1930	416	42




In flower: May to July

Oak-leaved Goosefoot

Oxybasis glauca

Alien	GB	IR
2000–19	97	3
1987–99	38	3
1970–86	31	0
1930–69	75	0
pre-1930	75	0




In flower: July to September

Maple-leaved Goosefoot

Chenopodium hybridum

Alien	GB	IR
2000–19	212	1
1987–99	129	0
1970–86	124	0
1930–69	130	0
pre-1930	129	0




In flower: August to October

Upright Goosefoot

Oxybasis urtica

Alien	GB	IR
2000–19	24	0
1987–99	11	0
1970–86	10	0
1930–69	68	0
pre-1930	202	1




In flower: August to September

Grey Goosefoot

Chenopodium opulifolium

Alien	GB	IR
2000–19	6	0
1987–99	7	0
1970–86	10	0
1930–69	50	0
pre-1930	67	0




In flower: August to October

Nettle-leaved Goosefoot

Chenopodium murale

Alien	GB	IR
2000–19	120	0
1987–99	137	4
1970–86	130	3
1930–69	229	3
pre-1930	194	3




In flower: July to October

Long-stalked Orache

Atriplex longipes

Native	GB	IR
2000–19	30	13
1987–99	29	1
1970–86	27	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	2	0
1930–69	1	0
pre-1930	0	0




In flower: July to August

Early Orache

Atriplex praecox

Native	GB	IR
2000–19	70	6
1987–99	31	0
1970–86	34	0
1930–69	5	0
pre-1930	6	0




In flower: June to July

Shrubby Orache

Atriplex halimus

Alien	GB	IR
2000–19	49	0
1987–99	32	0
1970–86	9	0
1930–69	12	0
pre-1930	17	0




In flower: July to October

Pedunculate Sea-purslane

Atriplex pedunculata

Native	GB	IR
2000–19	●	1 0
1987–99	●	2 0
1970–86	●	2 0
1930–69	●	3 0
pre-1930	○	22 0

Alien	GB	IR
2000–19	●	0 0
1987–99	●	1 0
1970–86	●	0 0
1930–69	●	0 0
pre-1930	○	2 0




In flower: September to October

Glaucous Glasswort

Salicornia obscura

Native	GB	IR
2000–19	16	0
1987–99	11	0
1970–86	6	0
1930–69	7	0
pre-1930	0	0




In flower: August to September

Yellow Glasswort

Salicornia fragilis

Native	GB	IR
2000–19	68	15
1987–99	67	11
1970–86	47	4
1930–69	35	31
pre-1930	22	1




In flower: August to September

Long-spiked Glasswort

Salicornia dolichostachya

Native	GB	IR
2000–19	95	13
1987–99	107	6
1970–86	70	0
1930–69	88	19
pre-1930	21	1




In flower: July to September

Shiny Glasswort

Salicornia emerici

Native	GB	IR
2000–19	11	6
1987–99	9	0
1970–86	8	1
1930–69	18	0
pre-1930	0	0




In flower: August to September

Blinks

Montia fontana

Native	GB	IR
2000–19	2036	540
1987–99	1891	433
1970–86	1127	68
1930–69	1644	271
pre-1930	594	85

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	2	0
1930–69	1	0
pre-1930	1	0




In flower: May to October

Common Purslane

Portulaca oleracea

Alien	GB	IR
2000–19	90	0
1987–99	23	0
1970–86	21	0
1930–69	15	0
pre-1930	17	0




In flower: June to September

English Sandwort

Arenaria norvegica subsp. *anglica*

Native	GB	IR
2000–19	●	0
1987–99	●	0
1970–86	●	0
1930–69	●	0
pre-1930	○	0




In flower: June to July

Arctic Sandwort

Arenaria norvegica subsp. norvegica

Native	GB	IR
2000–19	10	1
1987–99	10	0
1970–86	11	0
1930–69	8	0
pre-1930	2	0




In flower: June to July

Fringed Sandwort

Arenaria ciliata

Native	GB	IR
2000–19	●	0 2
1987–99	●	0 1
1970–86	●	0 1
1930–69	●	0 2
pre-1930	○	0 2




In flower: June to July

Recurved Sandwort

Minuartia recurva

Native	GB	IR
2000–19	●	0 2
1987–99	●	0 1
1970–86	●	0 1
1930–69	●	0 1
pre-1930	○	0 0




In flower: June to August

Mountain Sandwort

Sabulina rubella

Native	GB	IR
2000–19	5	0
1987–99	5	0
1970–86	3	0
1930–69	5	0
pre-1930	6	0




In flower: June to August

Teesdale Sandwort

Sabulina stricta

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	○	1 0




In flower: June to July

Cyphel

Cherleria sedoides

Native	GB	IR
2000–19	46	0
1987–99	45	0
1970–86	33	0
1930–69	59	0
pre-1930	32	0




In flower: June to August

Wood Stitchwort

Stellaria nemorum

Native	GB	IR
2000–19	334	0
1987–99	326	0
1970–86	229	0
1930–69	266	0
pre-1930	139	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: May to June

Greater Chickweed

Stellaria neglecta

Native	GB	IR
2000–19	579	2
1987–99	562	0
1970–86	418	1
1930–69	455	0
pre-1930	154	3

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to July

Bog Stitchwort

Stellaria alsine

Native	GB	IR
2000–19	2439	812
1987–99	2357	709
1970–86	1558	127
1930–69	2224	520
pre-1930	273	92




In flower: May to June

Starwort Mouse-ear

Cerastium cerastoides

Native	GB	IR
2000–19	21	0
1987–99	16	0
1970–86	18	0
1930–69	20	0
pre-1930	16	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: July to August

Alpine Mouse-ear

Cerastium alpinum

Native	GB	IR
2000–19	41	0
1987–99	47	0
1970–86	34	0
1930–69	68	0
pre-1930	45	0




In flower: June to August

Arctic Mouse-ear

Cerastium nigrescens

Native	GB	IR
2000–19	32	0
1987–99	31	0
1970–86	22	0
1930–69	35	0
pre-1930	21	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to August

Upright Chickweed

Moenchia erecta

Native	GB	IR
2000–19	196	0
1987–99	201	0
1970–86	150	0
1930–69	206	0
pre-1930	271	0

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	3	0




In flower: May to June

Snow Pearlwort

Sagina nivalis

Native	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	4	0
1930–69	3	0
pre-1930	3	0




In flower: June to August

Heath Pearlwort

Sagina subulate

Native	GB	IR
2000–19	498	40
1987–99	416	14
1970–86	209	27
1930–69	400	11
pre-1930	212	24

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: June to August

Alpine Pearlwort

Sagina saginoides

Native	GB	IR
2000–19	24	0
1987–99	21	0
1970–86	25	0
1930–69	34	0
pre-1930	32	0




In flower: June to August

Perennial Knawel

Scleranthus perennis subsp. *perennis*

Native	GB	IR
2000–19	●	0
1987–99	●	0
1970–86	●	0
1930–69	●	0
pre-1930	○	0




In flower: June to August

Strapwort

Corrigiola litoralis

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0

Alien	GB	IR
2000–19	2	0
1987–99	4	0
1970–86	9	0
1930–69	14	0
pre-1930	15	0




In flower: July to August

Fringed Rupturewort

Herniaria ciliolata

Native	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	6	0
1930–69	8	0
pre-1930	9	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Corn Spurrey

Spergula arvensis

Native	GB	IR
2000–19	9	0
1987–99	9	0
1970–86	4	0
1930–69	4	0
pre-1930	1	0

Alien	GB	IR
2000–19	1905	500
1987–99	1842	503
1970–86	1156	59
1930–69	2231	456
pre-1930	390	121




In flower: June to August

Greek Sea-spurrey

Spergularia bocconeii

Alien	GB	IR
2000–19	38	2
1987–99	14	0
1970–86	9	0
1930–69	13	0
pre-1930	15	0




In flower: May to September

Sticky Catchfly

Silene Viscaria

Native	GB	IR
2000–19	15	0
1987–99	16	0
1970–86	15	0
1930–69	16	0
pre-1930	24	0

Alien	GB	IR
2000–19	5	0
1987–99	6	0
1970–86	0	0
1930–69	3	0
pre-1930	4	0




In flower: June to August

Alpine Catchfly

Silene suecica

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	2	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to July

Berry Catchfly

Silene baccifera

Alien	GB	IR
2000–19	●	2 0
1987–99	●	4 0
1970–86	●	4 0
1930–69	●	6 0
pre-1930	●	6 0




In flower: May to September

Nottingham Catchfly

Silene nutans

Native	GB	IR
2000–19	38	0
1987–99	38	0
1970–86	40	0
1930–69	37	0
pre-1930	49	0

Alien	GB	IR
2000–19	1	0
1987–99	6	0
1970–86	2	0
1930–69	9	1
pre-1930	22	0




In flower: May to July

Moss Campion

Silene acaulis

Native		GB	IR
2000–19	●	170	9
1987–99	●	180	5
1970–86	●	105	6
1930–69	●	186	2
pre-1930	○	44	7

Alien		GB	IR
2000–19	●	1	0
1987–99	●	0	0
1970–86	●	0	0
1930–69	●	0	0
pre-1930	●	0	0




In flower: May to July

Small-flowered Catchfly

Silene gallica

Alien	GB	IR
2000–19	114	6
1987–99	102	8
1970–86	116	1
1930–69	318	12
pre-1930	370	18




In flower: June to October

Sand Catchfly

Silene conica

Native	GB	IR
2000–19	23	0
1987–99	28	0
1970–86	40	0
1930–69	45	0
pre-1930	50	0

Alien	GB	IR
2000–19	5	0
1987–99	3	0
1970–86	2	0
1930–69	11	0
pre-1930	44	0




In flower: May to July

Childing Pink

Petrorhagia nanteuilii

Native	GB	IR
2000–19	5	0
1987–99	5	0
1970–86	4	0
1930–69	6	0
pre-1930	7	0

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	3	0
1930–69	4	0
pre-1930	1	0




In flower: June to August

Cheddar Pink

Dianthus gratianopolitanus

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	2	0

Alien	GB	IR
2000–19	3	0
1987–99	7	0
1970–86	1	0
1930–69	5	0
pre-1930	7	0




In flower: June to July

Pink

Dianthus plumarius

Alien	GB	IR
2000–19	14	0
1987–99	16	0
1970–86	19	0
1930–69	18	1
pre-1930	20	1




In flower: June to August

Jersey Pink

Dianthus gallicus

Alien	GB	IR
2000–19	● 1	0
1987–99	● 1	0
1970–86	● 0	0
1930–69	● 1	0
pre-1930	● 1	0




In flower: June to August

Deptford Pink

Dianthus armeria

Native	GB	IR
2000–19	38	1
1987–99	36	1
1970–86	38	0
1930–69	105	0
pre-1930	243	1

Alien	GB	IR
2000–19	32	0
1987–99	15	0
1970–86	11	0
1930–69	25	0
pre-1930	47	0



In flower: July to August