


Water-pepper

Persicaria hydropiper

Native	GB	IR
2000–19	1830	680
1987–99	1744	605
1970–86	1154	93
1930–69	1680	509
pre-1930	289	103

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: July to November

Tasteless Water-pepper

Persicaria mitis

Native	GB	IR
2000–19	77	18
1987–99	64	28
1970–86	78	11
1930–69	90	10
pre-1930	110	4

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to October

Small Water-pepper

Persicaria minor

Native	GB	IR
2000–19	136	55
1987–99	115	68
1970–86	114	28
1930–69	94	23
pre-1930	169	27




In flower: August to September

Alpine Bistort

Bistorta vivipara

Native	GB	IR
2000–19	308	4
1987–99	302	4
1970–86	246	0
1930–69	328	3
pre-1930	118	5

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: June to August

Iceland-purslane

Koenigia islandica

Native	GB	IR
2000–19	5	0
1987–99	6	0
1970–86	5	0
1930–69	6	0
pre-1930	1	0




In flower: June to August

Sea Knotgrass

Polygonum maritimum

Native	GB	IR
2000–19	15	0
1987–99	10	0
1970–86	3	1
1930–69	8	0
pre-1930	17	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	2	0




In flower: July to October

Ray's Knotgrass

Polygonum oxyspermum

Native	GB	IR
2000–19	211	68
1987–99	174	42
1970–86	122	13
1930–69	144	29
pre-1930	145	39

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to September

Northern Knotgrass

Polygonum boreale

Native	GB	IR
2000–19	118	0
1987–99	70	0
1970–86	13	0
1930–69	62	0
pre-1930	9	0

Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: July to September

Cornfield Knotgrass

Polygonum rurivagum

Alien	GB	IR
2000–19	350	0
1987–99	154	0
1970–86	135	0
1930–69	105	0
pre-1930	69	0




In flower: August to November

Mountain Sorrel

Oxyria digynaw

Native	GB	IR
2000–19	223	18
1987–99	213	19
1970–86	146	6
1930–69	250	7
pre-1930	64	12

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	1	0
pre-1930	0	0




In flower: July to September

Giant Knotweed

Reynoutria sachalinensis

Alien	GB	IR
2000–19	296	75
1987–99	347	48
1970–86	223	20
1930–69	221	19
pre-1930	59	7




In flower: August to October

Russian-vine

Fallopia baldschuanica

Alien	GB	IR
2000–19	1035	68
1987–99	638	10
1970–86	246	5
1930–69	190	0
pre-1930	37	0




In flower: September to October

Copse-bindweed

Fallopia dumetorum

Native	GB	IR
2000–19	20	0
1987–99	23	0
1970–86	27	0
1930–69	34	0
pre-1930	45	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	3	0




In flower: July to September

Monk's-rhubarb

Rumex alpinus

Alien	GB	IR
2000–19	101	0
1987–99	99	0
1970–86	68	0
1930–69	109	1
pre-1930	52	0




In flower: June to August

Scottish Dock

Rumex aquaticus

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	1	0




In flower: June to July

Northern Dock

Rumex longifolius

Native	GB	IR
2000–19	541	0
1987–99	436	0
1970–86	228	0
1930–69	262	0
pre-1930	114	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Greek Dock

Rumex cristatus

Alien	GB	IR
2000–19	117	0
1987–99	73	0
1970–86	24	0
1930–69	16	0
pre-1930	1	0




In flower: June to July

Patience Dock

Rumex patientia

Alien	GB	IR
2000–19	22	0
1987–99	23	0
1970–86	24	0
1930–69	28	0
pre-1930	8	0




In flower: May to June

Shore Dock

Rumex rupestris

Native	GB	IR
2000–19	27	0
1987–99	28	0
1970–86	23	0
1930–69	30	0
pre-1930	38	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

Fiddle Dock

Rumex pulcher

Native	GB	IR
2000–19	396	0
1987–99	400	0
1970–86	257	0
1930–69	301	0
pre-1930	131	0

Alien	GB	IR
2000–19	9	7
1987–99	4	2
1970–86	3	2
1930–69	20	3
pre-1930	28	11




In flower: April to October

Marsh Dock

Rumex palustris

Native		GB	IR
2000–19	●	164	0
1987–99	●	153	0
1970–86	●	109	0
1930–69	●	123	0
pre-1930	○	86	0

Alien		GB	IR
2000–19	●	4	0
1987–99	●	6	0
1970–86	●	6	0
1930–69	●	10	0
pre-1930	○	7	0




In flower: July to September

Golden Dock

Rumex maritimus

Native	GB	IR
2000–19	262	10
1987–99	242	12
1970–86	195	6
1930–69	174	5
pre-1930	180	8

Alien	GB	IR
2000–19	7	0
1987–99	5	0
1970–86	6	0
1930–69	3	0
pre-1930	14	0




In flower: June to September

Lax-flowered Sea-lavender

Limonium humile

Native	GB	IR
2000–19	77	127
1987–99	69	95
1970–86	52	44
1930–69	62	72
pre-1930	19	32

Alien	GB	IR
2000–19	0	1
1987–99	0	1
1970–86	0	1
1930–69	0	1
pre-1930	0	1




In flower: July to September

Matted Sea-lavender

Limonium bellidifolium

Native	GB	IR
2000–19	6	0
1987–99	6	0
1970–86	7	0
1930–69	6	0
pre-1930	14	0




In flower: June to September

Broad-leaved Sea-lavender

Limonium auriculae-ursifolium

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: June to September

Alderney Sea-lavender

Limonium normannicum

Native	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	2	0




In flower: June to September

Jersey Thrift

Armeria arenaria

Native	GB	IR
2000–19	3	0
1987–99	5	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0

Alien	GB	IR
2000–19	3	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to September

Peony

Paeonia mascula

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower: April to May

Six-stamened Waterwort

Elatine hexandra

Native	GB	IR
2000–19	124	89
1987–99	136	37
1970–86	98	15
1930–69	70	29
pre-1930	83	36




In flower: July to September

Eight-stamened Waterwort

Elatine hydropiper

Native	GB	IR
2000–19	23	3
1987–99	23	12
1970–86	18	8
1930–69	9	11
pre-1930	12	5




In flower: July to August

Stinking Tutsan

Hypericum hircinum

Alien	GB	IR
2000–19	225	47
1987–99	68	15
1970–86	22	2
1930–69	30	7
pre-1930	32	2




In flower: May to August

Imperforate St John's-wort

Hypericum maculatum

Native	GB	IR
2000–19	1049	363
1987–99	895	260
1970–86	578	37
1930–69	560	37
pre-1930	407	72

Alien	GB	IR
2000–19	0	0
1987–99	4	0
1970–86	4	0
1930–69	1	0
pre-1930	1	0




In flower: June to August

Wavy St John's-wort

Hypericum undulatum

Native	GB	IR
2000-19	76	0
1987-99	56	0
1970-86	44	0
1930-69	53	0
pre-1930	46	0

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower: August to September

Trailing St John's-wort

Hypericum humifusum

Native	GB	IR
2000–19	1354	369
1987–99	1317	326
1970–86	882	57
1930–69	1269	165
pre-1930	374	76




In flower: June to September

Toadflax-leaved St John's-wort

Hypericum linariifolium

Native	GB	IR
2000–19	14	0
1987–99	16	0
1970–86	11	0
1930–69	14	0
pre-1930	18	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to September

Slender St John's-wort

Hypericum pulchrum

Native	GB	IR
2000–19	2235	915
1987–99	2195	834
1970–86	1400	151
1930–69	2121	649
pre-1930	350	127




In flower: June to August

Pale St John's-wort

Hypericum montanum

Native	GB	IR
2000–19	113	0
1987–99	141	0
1970–86	151	0
1930–69	146	0
pre-1930	136	0

Alien	GB	IR
2000–19	0	0
1987–99	3	0
1970–86	1	0
1930–69	2	0
pre-1930	3	0




In flower: June to September

Marsh St John's-wort

Hypericum elodes

Native	GB	IR
2000-19	394	220
1987-99	392	193
1970-86	296	25
1930-69	378	169
pre-1930	187	59

Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower: June to September

Irish St John's-wort

Hypericum canadense

Alien	GB	IR
2000–19	●	0 7
1987–99	●	0 2
1970–86	●	0 3
1930–69	●	0 3
pre-1930	●	0 1




In flower: July to August

Small Mallow

Malva pusilla

Alien	GB	IR
2000–19	16	7
1987–99	19	4
1970–86	16	0
1930–69	55	4
pre-1930	65	1




In flower: July to September

Smaller Tree-mallow

Malva multiflora

Alien	GB	IR
2000–19	32	1
1987–99	23	1
1970–86	16	1
1930–69	12	0
pre-1930	21	0




In flower: May to July

Rough Mallow

Malva setigera

Alien	GB	IR
2000–19	25	0
1987–99	43	0
1970–86	22	0
1930–69	29	0
pre-1930	46	0




In flower: July to August

Pitcherplant

Sarracenia purpurea

Alien	GB	IR
2000–19	17	11
1987–99	12	5
1970–86	5	8
1930–69	2	6
pre-1930	1	2




In flower: June

Great Sundew

Drosera anglica

Native	GB	IR
2000–19	417	186
1987–99	367	191
1970–86	230	56
1930–69	409	140
pre-1930	202	99

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: July to August

Spotted Rock-rose

Tuberaria guttata

Native	GB	IR
2000–19	9	9
1987–99	9	8
1970–86	6	4
1930–69	5	3
pre-1930	4	6




In flower: May to July

White Rock-rose

Helianthemum apenninum

Native	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	4	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	2	0
1930–69	3	0
pre-1930	1	0




In flower: May to July

Hoary Rock-rose

Helianthemum oelandicum

Native	GB	IR
2000–19	17	8
1987–99	17	7
1970–86	16	9
1930–69	16	5
pre-1930	12	8




In flower: May to July

Teesdale Violet

Viola rupestris

Native	GB	IR
2000–19	5	0
1987–99	7	0
1970–86	7	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May to December

Pale Dog-violet

Viola lactea

Native	GB	IR
2000–19	91	12
1987–99	88	13
1970–86	72	4
1930–69	115	9
pre-1930	119	5




In flower: May to June

Fen Violet

Viola stagnina

Native	GB	IR
2000–19	3	11
1987–99	4	11
1970–86	4	8
1930–69	9	8
pre-1930	17	8




In flower: May to June

Marsh Violet

Viola palustris

Native	GB	IR
2000–19	1663	524
1987–99	1682	471
1970–86	1075	86
1930–69	1566	353
pre-1930	353	94




In flower: April to July

Dwarf Pansy

Viola kitaibeliana

Native	GB	IR
2000–19	8	0
1987–99	9	0
1970–86	6	0
1930–69	7	0
pre-1930	7	0




In flower: April to July

Sea-heath

Frankenia laevis

Native	GB	IR
2000–19	29	0
1987–99	27	0
1970–86	23	0
1930–69	33	0
pre-1930	51	0

Alien	GB	IR
2000–19	29	0
1987–99	12	0
1970–86	7	0
1930–69	3	0
pre-1930	5	0




In flower: July to August

Bay Willow

Salix pentandra

Native	GB	IR
2000–19	527	217
1987–99	501	227
1970–86	359	63
1930–69	402	151
pre-1930	162	72

Alien	GB	IR
2000–19	242	11
1987–99	169	10
1970–86	82	1
1930–69	125	7
pre-1930	71	10




Dark-leaved Willow

Salix myrsinifolia

Native	GB	IR
2000–19	173	15
1987–99	145	12
1970–86	164	12
1930–69	91	3
pre-1930	84	7

Alien	GB	IR
2000–19	5	0
1987–99	4	1
1970–86	2	0
1930–69	6	0
pre-1930	9	0




Tea-leaved Willow

Salix phylicifolia

Native	GB	IR
2000–19	310	4
1987–99	276	2
1970–86	233	1
1930–69	260	2
pre-1930	102	5

Alien	GB	IR
2000–19	11	0
1987–99	4	0
1970–86	2	0
1930–69	2	0
pre-1930	1	0




Creeping Willow

Salix repens

Native	GB	IR
2000–19	1276	393
1987–99	1209	348
1970–86	790	87
1930–69	1122	242
pre-1930	347	83

Alien	GB	IR
2000–19	6	0
1987–99	5	0
1970–86	0	0
1930–69	3	0
pre-1930	0	0




Downy Willow

Salix lapponum

Native	GB	IR
2000–19	81	0
1987–99	56	0
1970–86	68	0
1930–69	74	0
pre-1930	36	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Woolly Willow

Salix lanata

Native	GB	IR
2000–19	11	0
1987–99	11	0
1970–86	10	0
1930–69	10	0
pre-1930	8	0

Alien	GB	IR
2000–19	16	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Mountain Willow

Salix arbuscula

Native	GB	IR
2000–19	24	0
1987–99	27	0
1970–86	22	0
1930–69	27	0
pre-1930	15	0


Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Whortle-leaved Willow

Salix myrsinites


Native	GB	IR
2000–19	44	0
1987–99	41	0
1970–86	50	0
1930–69	48	0
pre-1930	26	0



Dwarf Willow

Salix herbacea

Native	GB	IR
2000–19	326	48
1987–99	295	33
1970–86	181	3
1930–69	284	36
pre-1930	101	46



Net-leaved Willow

Salix reticulata

Native	GB	IR
2000–19	16	0
1987–99	18	0
1970–86	14	0
1930–69	17	0
pre-1930	13	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0

