


London-rocket

Sisymbrium irio

Alien	GB	IR
2000–19	23	6
1987–99	22	1
1970–86	20	1
1930–69	28	1
pre-1930	50	4




In flower: May to December

False London-rocket

Sisymbrium loeselii

Alien	GB	IR
2000–19	36	0
1987–99	38	1
1970–86	29	0
1930–69	35	0
pre-1930	38	0




In flower: May to November

Tall Rocket

Sisymbrium altissimum

Alien	GB	IR
2000–19	189	5
1987–99	324	11
1970–86	299	7
1930–69	415	10
pre-1930	155	12




In flower: May to October

Flixweed

Descurainia Sophia

Alien	GB	IR
2000–19	288	4
1987–99	318	20
1970–86	270	7
1930–69	303	3
pre-1930	250	15




In flower: May to October

Warty-cabbage

Bunias orientalis

Alien	GB	IR
2000–19	67	0
1987–99	73	0
1970–86	60	0
1930–69	99	0
pre-1930	103	3




In flower: May to September

Treacle-mustard

Erysimum cheiranthoides

Alien	GB	IR
2000–19	542	44
1987–99	560	53
1970–86	453	8
1930–69	619	21
pre-1930	232	13




In flower: May to November

Dame's-violet

Hesperis matronalis

Alien	GB	IR
2000–19	1484	482
1987–99	1376	455
1970–86	861	42
1930–69	886	122
pre-1930	210	20




In flower: May to August

Hoary Stock

Matthiola incana

Alien	GB	IR
2000–19	102	3
1987–99	84	2
1970–86	45	1
1930–69	51	0
pre-1930	43	0




In flower: April to June

Small-flowered Winter-cress

Barbarea stricta

Alien	GB	IR
2000–19	59	0
1987–99	53	0
1970–86	41	0
1930–69	35	0
pre-1930	47	0




In flower: May to September

Medium-flowered Winter-cress

Barbarea intermedia

Alien	GB	IR
2000–19	681	216
1987–99	503	168
1970–86	322	39
1930–69	261	55
pre-1930	111	23




In flower: March to July

American Winter-cress

Barbarea verna

Alien	GB	IR
2000–19	451	46
1987–99	342	7
1970–86	199	7
1930–69	200	7
pre-1930	137	15




In flower: March to July

Narrow-fruited Water-cress

Nasturtium microphyllum

Native	GB	IR
2000–19	607	257
1987–99	686	278
1970–86	479	48
1930–69	687	152
pre-1930	174	32

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to October

Marsh Yellow-cress

Rorippa palustris

Native	GB	IR
2000–19	1124	306
1987–99	1058	267
1970–86	765	68
1930–69	828	96
pre-1930	253	79

Alien	GB	IR
2000–19	9	0
1987–99	4	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: May to October

Northern Yellow-cress

Rorippa islandica

Native	GB	IR
2000–19	178	37
1987–99	58	29
1970–86	21	9
1930–69	9	2
pre-1930	3	9

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: July to October

Creeping Yellow-cress

Rorippa sylvestris

Native	GB	IR
2000–19	790	96
1987–99	830	79
1970–86	633	38
1930–69	597	42
pre-1930	192	25

Alien	GB	IR
2000–19	12	0
1987–99	11	0
1970–86	11	0
1930–69	11	1
pre-1930	4	0




In flower: June to October

Great Yellow-cress

Rorippa amphibia

Native	GB	IR
2000–19	396	161
1987–99	420	137
1970–86	302	43
1930–69	394	57
pre-1930	130	62

Alien	GB	IR
2000–19	13	0
1987–99	11	0
1970–86	11	0
1930–69	6	0
pre-1930	11	0




In flower: June to September

Narrow-leaved Bitter-cress

Cardamine impatiens

Native	GB	IR
2000–19	83	1
1987–99	80	1
1970–86	87	1
1930–69	73	0
pre-1930	101	0

Alien	GB	IR
2000–19	2	1
1987–99	6	2
1970–86	6	3
1930–69	10	1
pre-1930	11	2




In flower: May to August

Northern Rock-cress

Arabidopsis petraea

Native	GB	IR
2000–19	49	2
1987–99	47	2
1970–86	39	2
1930–69	65	2
pre-1930	48	2




In flower: June to August

Sand Rock-cress

Arabidopsis arenosa

Alien	GB	IR
2000–19	2	1
1987–99	1	0
1970–86	4	0
1930–69	3	0
pre-1930	1	0




In flower: June to August

Tower Cress

Pseudoturritis turrita

Alien	GB	IR
2000–19	4	1
1987–99	6	0
1970–86	3	0
1930–69	3	0
pre-1930	22	1




In flower: May to July

Alpine Rock-cress

Arabis alpina

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	○	1 0

Alien	GB	IR
2000–19	●	1 0
1987–99	●	2 0
1970–86	●	0 0
1930–69	●	0 0
pre-1930	○	0 0




In flower: May to July

Garden Arabis

Arabis caucasica

Alien	GB	IR
2000–19	238	7
1987–99	246	5
1970–86	115	0
1930–69	97	2
pre-1930	44	0




In flower: March to June

Bristol Rock-cress

Arabis scabra

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	2	0
1930–69	4	0
pre-1930	2	0




In flower: March to June

Small Alison

Alyssum alyssoides

Alien	GB	IR
2000–19	14	2
1987–99	11	0
1970–86	12	0
1930–69	31	1
pre-1930	190	6




In flower: May to September

Hoary Alison

Berteroa incana

Alien	GB	IR
2000–19	7	0
1987–99	12	0
1970–86	15	0
1930–69	37	0
pre-1930	110	2




In flower: May to October

Yellow Whitlowgrass

Draba aizoides

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	1	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: February to April

Rock Whitlowgrass

Draba norvegica

Native	GB	IR
2000–19	16	0
1987–99	21	0
1970–86	16	0
1930–69	21	0
pre-1930	10	0




In flower: July to August

Hoary Whitlowgrass

Draba incana

Native	GB	IR
2000–19	120	14
1987–99	127	17
1970–86	110	8
1930–69	159	9
pre-1930	91	27

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May to August

Wall Whitlowgrass

Drabella muralis

Native	GB	IR
2000–19	24	0
1987–99	30	0
1970–86	23	0
1930–69	25	0
pre-1930	23	0

Alien	GB	IR
2000–19	75	45
1987–99	83	22
1970–86	81	7
1930–69	89	8
pre-1930	77	22




In flower: April to August

Glabrous Whitlowgrass

Erophila glabrescens

Native	GB	IR
2000–19	397	46
1987–99	236	14
1970–86	44	11
1930–69	56	7
pre-1930	109	11




In flower: March to May

Hairy Whitlowgrass

Erophila majuscula

Native	GB	IR
2000–19	68	4
1987–99	48	2
1970–86	3	1
1930–69	23	0
pre-1930	69	10

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: March to May

Pyrenean Scurvygrass

Cochlearia pyrenaica

Native	GB	IR
2000–19	124	4
1987–99	112	3
1970–86	80	0
1930–69	82	3
pre-1930	39	4




In flower: May to August

Mountain Scurvygrass

Cochlearia micacea

Native	GB	IR
2000–19	11	0
1987–99	19	0
1970–86	9	0
1930–69	15	0
pre-1930	22	0




In flower: May to July

Gold-of-pleasure

Camelina sativa

Alien	GB	IR
2000–19	129	3
1987–99	48	6
1970–86	61	0
1930–69	67	2
pre-1930	196	12




In flower: May to November

Hutchinsia

Hwornungia petraea

Native	GB	IR
2000–19	33	0
1987–99	40	0
1970–86	32	0
1930–69	31	0
pre-1930	39	0

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	2	0
pre-1930	3	2




In flower: February to May

Perfoliate Penny-cress

Microthlaspi perfoliatum

Native	GB	IR
2000–19	4	0
1987–99	6	0
1970–86	4	0
1930–69	6	0
pre-1930	11	0

Alien	GB	IR
2000–19	5	0
1987–99	4	0
1970–86	5	0
1930–69	17	0
pre-1930	22	0




In flower: March to May

Alpine Penny-cress

Noccaea caerulescens

Native	GB	IR
2000–19	38	0
1987–99	50	0
1970–86	51	0
1930–69	46	0
pre-1930	47	0




In flower: April to August

Garlic Penny-cress

Thlaspi alliaceum

Alien	GB	IR
2000–19	13	1
1987–99	9	0
1970–86	11	0
1930–69	3	0
pre-1930	1	0




In flower: May to August

Smith's Pepperwort

Lepidium heterophyllum

Native	GB	IR
2000–19	701	200
1987–99	729	228
1970–86	461	49
1930–69	728	146
pre-1930	293	66

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	3	0
1930–69	3	0
pre-1930	2	0




In flower: May to September

Garden Cress

Lepidium sativum

Alien	GB	IR
2000–19	111	8
1987–99	99	6
1970–86	131	2
1930–69	121	1
pre-1930	128	4




In flower: May to November

Narrow-leaved Pepperwort

Lepidium ruderales

Alien	GB	IR
2000–19	441	8
1987–99	280	7
1970–86	172	2
1930–69	250	0
pre-1930	285	1




In flower: April to November

Awlwort

Subularia aquatica

Native		GB	IR
2000–19	●	142	9
1987–99	●	215	6
1970–86	●	109	8
1930–69	○	142	7
pre-1930	○	121	25

Alien		GB	IR
2000–19	●	0	0
1987–99	●	1	0
1970–86	●	1	0
1930–69	○	0	0
pre-1930	○	0	0




In flower: June to September

Perennial Wall-rocket

Diplotaxis tenuifolia

Alien	GB	IR
2000–19	456	23
1987–99	365	1
1970–86	279	0
1930–69	331	0
pre-1930	146	2




In flower: May to September

Garden Rocket

Eruca vesicaria

Alien	GB	IR
2000–19	110	7
1987–99	51	1
1970–86	16	0
1930–69	30	0
pre-1930	55	4




In flower: May to November

Hairy Rocket

Erucastrum gallicum

Alien	GB	IR
2000–19	37	4
1987–99	57	24
1970–86	64	2
1930–69	63	0
pre-1930	43	1




In flower: May to November

Isle-of-Man Cabbage

Coincya monensis subsp. *monensis*

Native	GB	IR
2000–19	31	0
1987–99	35	0
1970–86	29	0
1930–69	29	0
pre-1930	30	0

Alien	GB	IR
2000–19	1	0
1987–99	5	0
1970–86	5	0
1930–69	3	0
pre-1930	7	0




In flower: May to September

Wallflower Cabbage

Coincya monensis subsp. *cheiranthos*

Alien	GB	IR
2000–19	43	0
1987–99	48	0
1970–86	31	0
1930–69	31	0
pre-1930	61	0




In flower: May to September

Hoary Mustard

Hirschfeldia incana

Alien	GB	IR
2000–19	682	35
1987–99	360	16
1970–86	121	8
1930–69	91	1
pre-1930	36	2




In flower: May to September

Bastard Cabbage

Rapistrum rugosum

Alien	GB	IR
2000–19	279	31
1987–99	192	13
1970–86	148	6
1930–69	169	3
pre-1930	108	3




In flower: May to October

Sea Radish

Raphanus raphanistrum subsp. *maritimus*

Native	GB	IR
2000–19	355	165
1987–99	298	90
1970–86	141	31
1930–69	153	37
pre-1930	57	31

Alien	GB	IR
2000–19	41	2
1987–99	7	0
1970–86	2	0
1930–69	2	0
pre-1930	2	0



In flower: May to October