


White Mignonette

Reseda alba

Alien	GB	IR
2000–19	54	1
1987–99	49	1
1970–86	31	0
1930–69	45	1
pre-1930	63	2




In flower: June to August

Labrador-tea

Rhododendron groenlandicum

Alien	GB	IR
2000–19	13	0
1987–99	12	0
1970–86	13	0
1930–69	10	0
pre-1930	5	0




In flower: June to July

Trailing Azalea

Kalmia procumbens

Native	GB	IR
2000–19	149	0
1987–99	128	0
1970–86	86	0
1930–69	145	0
pre-1930	35	0




In flower: May to July

Blue Heath

Phyllodoce caerulea

Native	GB	IR
2000–19	●	0
1987–99	●	0
1970–86	●	0
1930–69	●	0
pre-1930	○	0




In flower: June to July

St Dabeoc's Heath

Daboecia cantabrica

Native	GB	IR
2000-19	0	39
1987-99	0	34
1970-86	0	4
1930-69	0	1
pre-1930	0	2

Alien	GB	IR
2000-19	17	1
1987-99	7	0
1970-86	0	0
1930-69	6	0
pre-1930	4	0




In flower: July to September

Bog-rosemary

Andromeda polifolia

Native	GB	IR
2000–19	133	133
1987–99	135	105
1970–86	126	35
1930–69	111	66
pre-1930	110	46

Alien	GB	IR
2000–19	1	1
1987–99	0	0
1970–86	0	1
1930–69	0	0
pre-1930	0	0




In flower: May to September

Shallon

Gaultheria shallon

Alien	GB	IR
2000–19	204	23
1987–99	158	6
1970–86	63	6
1930–69	68	2
pre-1930	14	2




In flower: May to June

Strawberry-tree

Arbutus unedo

Native	GB	IR
2000–19	0	14
1987–99	0	10
1970–86	0	2
1930–69	0	3
pre-1930	0	9

Alien	GB	IR
2000–19	119	11
1987–99	47	2
1970–86	23	1
1930–69	12	0
pre-1930	11	1




In flower: September to December

Bearberry

Arctostaphylos uva-ursi

Native	GB	IR
2000–19	379	31
1987–99	316	28
1970–86	223	1
1930–69	348	6
pre-1930	134	16




In flower: July to September

Alpine Bearberry

Arctostaphylos alpinus

Native	GB	IR
2000–19	121	0
1987–99	95	0
1970–86	74	0
1930–69	89	0
pre-1930	50	0




In flower: May to August

Cornish Heath

Erica vagans

Native	GB	IR
2000–19	5	1
1987–99	5	1
1970–86	6	1
1930–69	5	1
pre-1930	5	0

Alien	GB	IR
2000–19	50	3
1987–99	26	1
1970–86	13	1
1930–69	24	1
pre-1930	25	3




In flower: July to August

Mackay's Heath

Erica mackaiana

Alien	GB	IR
2000–19	1	8
1987–99	0	9
1970–86	0	5
1930–69	0	6
pre-1930	0	5




In flower: August to September

Dorset Heath

Erica ciliaris

Native	GB	IR
2000–19	14	0
1987–99	13	0
1970–86	14	0
1930–69	15	0
pre-1930	16	0

Alien	GB	IR
2000–19	5	1
1987–99	3	1
1970–86	4	1
1930–69	6	1
pre-1930	4	1




In flower: June to September

Irish Heath

Erica Erigena

Alien	GB	IR
2000–19	6	16
1987–99	1	12
1970–86	2	16
1930–69	2	16
pre-1930	3	19




In flower: March to June

Portuguese Heath

Erica lusitanica

Alien	GB	IR
2000–19	23	1
1987–99	11	0
1970–86	7	0
1930–69	9	0
pre-1930	5	0




In flower: January to April

Cranberry

Vaccinium oxycoccos

Native	GB	IR
2000–19	537	218
1987–99	562	174
1970–86	376	79
1930–69	420	86
pre-1930	208	87

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	1	0




In flower: June to August

Small Cranberry

Vaccinium microcarpum

Native	GB	IR
2000–19	71	0
1987–99	76	0
1970–86	57	0
1930–69	35	0
pre-1930	16	0




In flower: June to August

Bog Bilberry

Vaccinium uliginosum

Native	GB	IR
2000–19	212	0
1987–99	183	0
1970–86	119	0
1930–69	177	0
pre-1930	49	0




In flower: May to June

Common Wintergreen

Pyrola minor

Native	GB	IR
2000–19	307	24
1987–99	274	17
1970–86	256	12
1930–69	307	18
pre-1930	288	29

Alien	GB	IR
2000–19	7	0
1987–99	9	0
1970–86	5	0
1930–69	2	0
pre-1930	1	0




In flower: June to August

Intermediate Wintergreen

Pyrola media

Native	GB	IR
2000–19	136	10
1987–99	85	12
1970–86	98	10
1930–69	126	14
pre-1930	147	31




In flower: June to August

Round-leaved Wintergreen

Pyrola rotundifolia

Native	GB	IR
2000–19	29	11
1987–99	35	10
1970–86	33	6
1930–69	43	4
pre-1930	51	4

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	1	0
pre-1930	3	0




In flower: July to September

Serrated Wintergreen

Orthilia secunda

Native	GB	IR
2000–19	131	4
1987–99	108	2
1970–86	106	2
1930–69	125	2
pre-1930	87	5




In flower: July to August

One-flowered Wintergreen

Moneses uniflora

Native	GB	IR
2000–19	12	0
1987–99	13	0
1970–86	11	0
1930–69	11	0
pre-1930	25	0




In flower: June to August

Yellow Bird's-nest

Hypopitys monotropa

Native	GB	IR
2000–19	162	17
1987–99	116	8
1970–86	112	7
1930–69	174	10
pre-1930	182	11

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	1	0




In flower: June to August

Diapensia

Diapensia lapponica

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	0	0




In flower: May to June

Bird's-eye Primrose

Primula farinosa

Native	GB	IR
2000–19	47	0
1987–99	59	0
1970–86	63	0
1930–69	67	0
pre-1930	64	0

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	3	0
1930–69	1	0
pre-1930	3	0




In flower: May to June

Scottish Primrose

Primula scotica

Native	GB	IR
2000–19	25	0
1987–99	33	0
1970–86	30	0
1930–69	29	0
pre-1930	33	0

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	2	0
pre-1930	2	0




In flower: June to September

Water-violet

Hottonia palustris

Native	GB	IR
2000–19	262	1
1987–99	262	1
1970–86	202	1
1930–69	297	2
pre-1930	217	2

Alien	GB	IR
2000–19	21	6
1987–99	12	4
1970–86	4	1
1930–69	5	2
pre-1930	2	4




In flower: May to June

Dotted Loosestrife

Lysimachia punctata

Alien	GB	IR
2000–19	1544	135
1987–99	1027	47
1970–86	405	3
1930–69	207	1
pre-1930	44	1




In flower: July to October

Tufted Loosestrife

Lysimachia thyrsoiflora

Native	GB	IR
2000–19	36	0
1987–99	36	0
1970–86	25	0
1930–69	24	0
pre-1930	37	0

Alien	GB	IR
2000–19	28	0
1987–99	6	0
1970–86	6	0
1930–69	6	0
pre-1930	6	0




In flower: June to July

Chickweed-wintergreen

Lysimachia europaea

Native	GB	IR
2000–19	423	0
1987–99	380	0
1970–86	271	0
1930–69	361	0
pre-1930	160	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: June to July

Bog Pimpernel

Lysimachia tenella

Native	GB	IR
2000–19	933	579
1987–99	909	521
1970–86	684	99
1930–69	891	408
pre-1930	374	103

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower: June to August

Chaffweed

Lysimachia minima

Native	GB	IR
2000–19	303	76
1987–99	213	30
1970–86	165	8
1930–69	302	33
pre-1930	219	46

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to July

Downy Currant

Ribes spicatum

Native	GB	IR
2000–19	58	0
1987–99	61	0
1970–86	65	0
1930–69	51	0
pre-1930	46	0

Alien	GB	IR
2000–19	16	0
1987–99	12	0
1970–86	10	0
1930–69	16	0
pre-1930	13	0




In flower: April to May

Mountain Currant

Ribes alpinum

Native	GB	IR
2000–19	27	0
1987–99	26	0
1970–86	24	0
1930–69	32	0
pre-1930	28	0

Alien	GB	IR
2000–19	185	0
1987–99	160	0
1970–86	99	1
1930–69	106	1
pre-1930	107	0




In flower: April to May

Pigmyweed

Crassula aquatica

Native	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	3	0
pre-1930	1	0




In flower: July to September

Roseroot

Rhodiola rosea

Native		GB	IR
2000–19	●	430	85
1987–99	●	401	52
1970–86	●	242	17
1930–69	○	401	36
pre-1930	○	83	35

Alien		GB	IR
2000–19	●	31	0
1987–99	●	20	0
1970–86	●	11	0
1930–69	○	3	0
pre-1930	○	3	0




In flower: May to August

Caucasian Stonecrop

Phedimus spurius

Alien	GB	IR
2000–19	772	41
1987–99	475	21
1970–86	220	3
1930–69	138	3
pre-1930	42	1




In flower: June to August

Rock Stonecrop

Petrosedum forsterianum

Native	GB	IR
2000–19	68	0
1987–99	80	0
1970–86	79	0
1930–69	58	0
pre-1930	46	0

Alien	GB	IR
2000–19	360	80
1987–99	285	54
1970–86	120	3
1930–69	88	19
pre-1930	79	27




In flower: June to July

Tasteless Stonecrop

Sedum sexangulare


Alien	GB	IR
2000–19	64	5
1987–99	21	1
1970–86	9	1
1930–69	17	0
pre-1930	30	0



In flower: July to August

Orpine

Hylotelephium telephium




In flower: July to September

Hairy Stonecrop

Sedum villosum

Native	GB	IR
2000–19	95	0
1987–99	100	0
1970–86	107	0
1930–69	124	0
pre-1930	148	0




In flower: June to July

Thick-leaved Stonecrop

Sedum dasyphyllum

Alien	GB	IR
2000–19	126	5
1987–99	110	6
1970–86	49	2
1930–69	75	4
pre-1930	99	3




In flower: June to July

Marsh Saxifrage

Saxifraga hirculus

Native	GB	IR
2000–19	13	7
1987–99	7	5
1970–86	7	2
1930–69	9	6
pre-1930	18	11

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower: August to October

Alpine Saxifrage

Micranthes nivalis

Native	GB	IR
2000–19	45	1
1987–99	42	1
1970–86	37	1
1930–69	49	1
pre-1930	41	1




In flower: June to August

St Patrick's-cabbage

Saxifraga spathularis

Native	GB	IR
2000–19	0	125
1987–99	0	106
1970–86	0	24
1930–69	0	98
pre-1930	0	49


Alien	GB	IR
2000–19	11	2
1987–99	7	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: May to July

Londonpride

Saxifraga spathularis x *umbrosa*




In flower: May to July

Kidney Saxifrage

Saxifraga hirsute

Native	GB	IR
2000–19	0	32
1987–99	0	24
1970–86	0	9
1930–69	0	21
pre-1930	0	22

Alien	GB	IR
2000–19	50	11
1987–99	62	8
1970–86	28	5
1930–69	18	5
pre-1930	6	3




In flower: May to July

Purple Saxifrage

Saxifraga oppositifolia

Native	GB	IR
2000–19	223	20
1987–99	211	18
1970–86	147	13
1930–69	222	10
pre-1930	49	18

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: March to August

Highland Saxifrage

Saxifraga rivularis

Native	GB	IR
2000–19	11	0
1987–99	14	0
1970–86	12	0
1930–69	12	0
pre-1930	10	0




In flower: May to August

Drooping Saxifrage

Saxifraga cernua

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	3	0




In flower: June to August

Mossy Saxifrage

Saxifraga hypnoides

Native	GB	IR
2000–19	265	50
1987–99	276	44
1970–86	208	26
1930–69	315	26
pre-1930	96	28

Alien	GB	IR
2000–19	59	0
1987–99	48	0
1970–86	28	0
1930–69	12	0
pre-1930	13	1




In flower: April to July

Irish Saxifrage

Saxifraga rosacea

Native	GB	IR
2000–19	0	15
1987–99	0	15
1970–86	1	19
1930–69	0	16
pre-1930	1	20

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower: May to July

Tufted Saxifrage

Saxifraga cespitosa

Native	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	9	0
1930–69	9	0
pre-1930	6	0




In flower: June to August

Celandine Saxifrage

Saxifraga cymbalaria

Alien	GB	IR
2000–19	50	7
1987–99	32	4
1970–86	34	4
1930–69	29	2
pre-1930	12	0




In flower: April to September

Alternate-leaved Golden-saxifrage

Chrysosplenium alternifolium

Native	GB	IR
2000–19	569	0
1987–99	565	0
1970–86	453	0
1930–69	415	0
pre-1930	218	0




In flower: April to July

Grass-of-Parnassus

Parnassia palustris

Native	GB	IR
2000–19	687	191
1987–99	707	211
1970–86	510	70
1930–69	785	160
pre-1930	367	97

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: July to October