


# Bridewort

*Spiraea salicifolia*

Alien	GB	IR
2000–19	122	27
1987–99	139	33
1970–86	110	5
1930–69	59	0
pre-1930	48	1




In flower: June to September

# Cloudberry

*Rubus chamaemorus*


Native	GB	IR
2000–19	364	1
1987–99	310	1
1970–86	227	1
1930–69	309	1
pre-1930	258	1



# Stone Bramble

*Rubus saxatilis*

Native	GB	IR
2000–19	503	95
1987–99	525	80
1970–86	407	28
1930–69	499	55
pre-1930	411	97




# Shrubby Cinquefoil

*Dasiphora fruticosa*

Native	GB	IR
2000–19	5	9
1987–99	6	5
1970–86	7	8
1930–69	5	3
pre-1930	7	7

Alien	GB	IR
2000–19	186	5
1987–99	69	6
1970–86	17	0
1930–69	5	0
pre-1930	8	0




In flower: June to July

# Rock Cinquefoil

*Potentilla rupestris*

Native	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	4	0
1930–69	3	0
pre-1930	2	0

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower: May to June

# Sulphur Cinquefoil

*Potentilla recta*

Alien	GB	IR
2000–19	241	0
1987–99	186	0
1970–86	108	1
1930–69	114	0
pre-1930	73	1




In flower: June to July

## Ternate-leaved Cinquefoil

*Potentilla norvegica*

Alien	GB	IR
2000–19	28	1
1987–99	37	1
1970–86	53	1
1930–69	78	1
pre-1930	104	2




In flower: June to September

# Alpine Cinquefoil

*Potentilla crantzii*

Native	GB	IR
2000–19	67	0
1987–99	70	0
1970–86	67	0
1930–69	68	0
pre-1930	40	0

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: June to July




# Spring Cinquefoil

*Potentilla verna*

Native	GB	IR
2000–19	56	0
1987–99	81	0
1970–86	55	0
1930–69	69	0
pre-1930	67	0

Alien	GB	IR
2000–19	11	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to June

# Trailing Tormentil

*Potentilla anglica*

Native	GB	IR
2000–19	979	768
1987–99	908	613
1970–86	543	98
1930–69	765	402
pre-1930	229	98

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to September

# Mountain Cinquefoil

*Potentilla montana*

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: April to June

# Hautbois Strawberry

*Fragaria moschata*


Alien	GB	IR
2000–19	51	7
1987–99	53	1
1970–86	17	0
1930–69	52	0
pre-1930	84	1



# Sibbaldia

## *Sibbaldia procumbens*

Native	GB	IR
2000–19	98	0
1987–99	88	0
1970–86	83	0
1930–69	111	0
pre-1930	43	0




# Mountain Avens

*Dryas octopetala*

Native	GB	IR
2000–19	73	24
1987–99	74	23
1970–86	60	11
1930–69	76	1
pre-1930	31	8

Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

## Water Avens

### *Geum rivale*

Native	GB	IR
2000–19	1502	297
1987–99	1435	216
1970–86	1035	73
1930–69	1443	112
pre-1930	308	79

Alien	GB	IR
2000–19	23	0
1987–99	11	0
1970–86	3	0
1930–69	3	0
pre-1930	3	0




In flower: May to September

# Fragrant Agrimony

*Agrimonia procera*

Native	GB	IR
2000–19	524	122
1987–99	465	60
1970–86	384	16
1930–69	488	87
pre-1930	215	48

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to August



# Bastard Agrimony

*Aremonia agrimonoides*

Alien	GB	IR
2000–19	4	0
1987–99	5	0
1970–86	6	0
1930–69	20	0
pre-1930	16	0




In flower: June to July

# Great Burnet

*Sanguisorba officinalis*

Native	GB	IR
2000–19	787	7
1987–99	800	7
1970–86	611	4
1930–69	718	7
pre-1930	216	10

Alien	GB	IR
2000–19	29	2
1987–99	6	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower: June to September

## Fodder Burnet

*Poterium sanguisorba subsp. balearicum*

Alien	GB	IR
2000–19	571	27
1987–99	299	0
1970–86	97	0
1930–69	142	0
pre-1930	107	2




In flower: May to August

# Bronze Pirri-pirri-bur

*Acaena anserinifolia*

Alien	GB	IR
2000–19	39	6
1987–99	10	2
1970–86	8	4
1930–69	15	2
pre-1930	14	1




In flower: June to July

# Intermediate Lady's-mantle

*Alchemilla xanthochlora*

Native	GB	IR
2000–19	822	182
1987–99	765	192
1970–86	564	76
1930–69	788	99
pre-1930	238	27

Alien	GB	IR
2000–19	4	0
1987–99	1	0
1970–86	8	0
1930–69	4	0
pre-1930	2	0




# Hairy Lady's-mantle

*Alchemilla filicaulis* subsp. *vestita*

Native	GB	IR
2000–19	892	186
1987–99	914	205
1970–86	623	75
1930–69	759	140
pre-1930	274	36


Alien	GB	IR
2000–19	2	0
1987–99	4	0
1970–86	0	0
1930–69	2	0
pre-1930	1	0



# Slender Lady's-mantle

*Alchemilla filicaulis* subsp. *filicaulis*

Native	GB	IR
2000–19	186	10
1987–99	192	2
1970–86	111	0
1930–69	185	0
pre-1930	55	1




# Smooth Lady's-mantle

*Alchemilla glabra*

Native	GB	IR
2000–19	1157	174
1987–99	1104	175
1970–86	737	60
1930–69	1051	114
pre-1930	218	35

Alien	GB	IR
2000–19	10	0
1987–99	17	0
1970–86	8	0
1930–69	15	0
pre-1930	7	0






# Clustered Lady's-mantle

*Alchemilla glomerulans*


Native	GB	IR
2000–19	44	0
1987–99	24	0
1970–86	21	0
1930–69	39	0
pre-1930	12	0



# Rock Lady's-mantle

*Alchemilla wichurae*

Native	GB	IR
2000–19	61	0
1987–99	39	0
1970–86	27	0
1930–69	48	0
pre-1930	16	0




# Silky Lady's-mantle

*Alchemilla glaucescens*

Native	GB	IR
2000–19	18	2
1987–99	16	3
1970–86	10	1
1930–69	16	2
pre-1930	5	1

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	3	0




# Velvet Lady's-mantle

*Alchemilla monticola*

Native	GB	IR
2000–19	7	0
1987–99	4	0
1970–86	5	0
1930–69	9	0
pre-1930	4	0


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	2	0
pre-1930	1	0



# Large-toothed Lady's-mantle

*Alchemilla subcrenata*

Native	GB	IR
2000–19	6	0
1987–99	2	0
1970–86	2	0
1930–69	8	0
pre-1930	1	0




# Starry Lady's-mantle

*Alchemilla acutiloba*

Native	GB	IR
2000–19	16	0
1987–99	10	0
1970–86	9	0
1930–69	13	0
pre-1930	0	0

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




# Shining Lady's-mantle

*Alchemilla micans*

Native	GB	IR
2000-19	2	0
1987-99	2	0
1970-86	2	0
1930-69	0	0
pre-1930	0	0


Alien	GB	IR
2000-19	0	0
1987-99	2	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0



# Crimean Lady's-mantle

*Alchemilla tythantha*

Alien	GB	IR
2000–19	2	0
1987–99	5	0
1970–86	1	0
1930–69	3	0
pre-1930	1	0






# Alpine Lady's-mantle

*Alchemilla alpina*

Native	GB	IR
2000-19	331	4
1987-99	311	3
1970-86	221	4
1930-69	340	2
pre-1930	84	4


Alien	GB	IR
2000-19	9	0
1987-99	4	0
1970-86	4	0
1930-69	2	0
pre-1930	1	0



# Silver Lady's-mantle

*Alchemilla conjuncta*


Alien	GB	IR
2000–19	66	0
1987–99	43	0
1970–86	28	0
1930–69	22	0
pre-1930	21	0



# Short-styled Field-rose

*Rosa stylosa*

Native	GB	IR
2000–19	267	31
1987–99	270	23
1970–86	129	6
1930–69	132	5
pre-1930	142	1




In flower: June to July

# Northern Dog-rose

*Rosa caesia*

Native	GB	IR
2000–19	272	4
1987–99	180	6
1970–86	108	0
1930–69	93	5
pre-1930	176	4




In flower: June to July

# Glaucous Dog-rose

*Rosa vosagiaca*

Native	GB	IR
2000–19	610	8
1987–99	465	26
1970–86	223	7
1930–69	183	1
pre-1930	277	5

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	1	0




In flower: June to July

# Round-leaved Dog-rose

*Rosa tomentella*

Native	GB	IR
2000–19	87	0
1987–99	78	2
1970–86	63	1
1930–69	57	0
pre-1930	109	0




In flower: June to July

# Harsh Downy-rose

*Rosa tomentosa*

Native	GB	IR
2000–19	223	47
1987–99	261	15
1970–86	149	5
1930–69	136	7
pre-1930	236	22

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower: June to July

# Soft Downy-rose

*Rosa mollis*

Native	GB	IR
2000–19	437	9
1987–99	334	35
1970–86	219	6
1930–69	147	4
pre-1930	214	6

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



In flower: June to July




# Sherard's Downy-rose

*Rosa sherardii*

Native	GB	IR
2000–19	951	383
1987–99	839	308
1970–86	372	76
1930–69	361	39
pre-1930	421	39

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower: June to July

# Sweet-briar

*Rosa rubiginosa*

Native	GB	IR
2000–19	790	98
1987–99	406	39
1970–86	207	21
1930–69	208	9
pre-1930	255	23




In flower: June to July

# Small-flowered Sweet-briar

*Rosa micrantha*

Native	GB	IR
2000–19	295	52
1987–99	268	54
1970–86	139	6
1930–69	158	0
pre-1930	213	8

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	2	0




In flower: June to July

# Dwarf Cherry

*Prunus cerasus*


Alien	GB	IR
2000–19	269	330
1987–99	315	202
1970–86	202	28
1930–69	358	158
pre-1930	277	78



# St Lucie Cherry

*Prunus mahaleb*

Alien	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	4	0
1930–69	4	0
pre-1930	1	0




# Plymouth pear

*Pyrus cordata*

Native	GB	IR
2000–19	3	0
1987–99	4	0
1970–86	2	0
1930–69	5	0
pre-1930	7	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




# Arran Service-tree

*Sorbus pseudofennica*

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




# Arran Whitebeam

*Sorbus arranensis*

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0

Alien	GB	IR
2000-19	3	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0






# False Rowan

*Sorbus pseudomeinichii*

Native	GB	IR
2000–19	● 1	○ 0
1987–99	● 0	○ 0
1970–86	● 0	○ 0
1930–69	○ 0	○ 0
pre-1930	○ 0	○ 0




# Ley's Whitebeam

*Sorbus leyana*

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	1	0


Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



# Least Whitebeam

*Sorbus minima*


Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0



# English Whitebeam

*Sorbus anglica*


Native	GB	IR
2000–19	13	1
1987–99	13	1
1970–86	12	1
1930–69	11	1
pre-1930	8	1



# Thin-leaved Whitebeam

*Sorbus leptophylla*


Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	1	0



# Wilmott's Whitebeam

*Sorbus wilmottiana*

Native	GB	IR
2000–19	●	0
1987–99	●	0
1970–86	●	0
1930–69	●	0
pre-1930	○	0




# Round-leaved Whitebeam

*Sorbus eminens*

Native	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	6	0
1930–69	4	0
pre-1930	4	0

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




# Irish Whitebeam

*Sorbus hibernica*

Native	GB	IR
2000–19	0	133
1987–99	0	51
1970–86	0	40
1930–69	0	47
pre-1930	0	30

Alien	GB	IR
2000–19	2	2
1987–99	0	2
1970–86	0	0
1930–69	0	1
pre-1930	0	0






# Grey-leaved Whitebeam

*Sorbus porrigentiformis*

Native	GB	IR
2000–19	29	0
1987–99	24	0
1970–86	24	0
1930–69	20	0
pre-1930	26	0


Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



# White's whitebeam

*Sorbus whiteana*

Native	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




# Rock Whitebeam

*Sorbus rupicola*

Native	GB	IR
2000–19	73	7
1987–99	73	6
1970–86	53	6
1930–69	64	12
pre-1930	39	10


Alien	GB	IR
2000–19	1	1
1987–99	0	0
1970–86	2	0
1930–69	0	0
pre-1930	2	0



# Lancastrian whitebeam

*Sorbus lancastriensis*


Native	GB	IR
2000–19	6	0
1987–99	9	0
1970–86	8	0
1930–69	4	0
pre-1930	4	0



# Bloody Whitebeam

*Sorbus vexan*


Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	2	0
pre-1930	1	0



# Somerset Whitebeam

*Sorbus subcuneata*

Native	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	4	0
1930–69	3	0
pre-1930	2	0




# Devon Whitebeam

*Sorbus devoniensis*

Native	GB	IR
2000–19	28	9
1987–99	29	8
1970–86	20	2
1930–69	18	6
pre-1930	20	6

Alien	GB	IR
2000–19	2	8
1987–99	0	3
1970–86	0	1
1930–69	0	2
pre-1930	0	1




# Bristol Whitebeam

*Sorbus bristoliensis*

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0






# Broad-leaved Whitebeam

*Sorbus latifolia*

Alien	GB	IR
2000–19	71	2
1987–99	43	1
1970–86	25	1
1930–69	10	1
pre-1930	12	1




# Wild Service-tree

*Sorbus torminalis*

Native	GB	IR
2000–19	492	0
1987–99	477	0
1970–86	332	0
1930–69	385	0
pre-1930	158	0


Alien	GB	IR
2000–19	116	4
1987–99	41	0
1970–86	12	0
1930–69	21	2
pre-1930	11	0



# Juneberry

*Amelanchier lamarckii*


Alien	GB	IR
2000–19	289	4
1987–99	134	1
1970–86	50	0
1930–69	50	0
pre-1930	3	0



# Willow-leaved Cotoneaster

*Cotoneaster salicifolius*


Alien	GB	IR
2000–19	269	12
1987–99	113	3
1970–86	36	0
1930–69	3	0
pre-1930	7	0



# Entire-leaved Cotoneaster

*Cotoneaster integrifolius*


Alien	GB	IR
2000–19	474	149
1987–99	427	85
1970–86	136	12
1930–69	195	33
pre-1930	55	6



# Wild Cotoneaster

*Cotoneaster cambricus*


Native	GB	IR
2000–19	●	0
1987–99	●	0
1970–86	●	0
1930–69	●	0
pre-1930	○	0



# Firethorn

*Pyracantha coccinea*

Alien	GB	IR
2000–19	483	23
1987–99	182	1
1970–86	28	1
1930–69	11	0
pre-1930	8	0



# Medlar

*Mespilus germanica*

Alien	GB	IR
2000–19	114	0
1987–99	70	0
1970–86	29	0
1930–69	35	0
pre-1930	35	1

