


Parrot's-feather

Myriophyllum aquaticum

Alien	GB	IR
2000–19	476	40
1987–99	299	6
1970–86	35	0
1930–69	2	0
pre-1930	7	0




Alternate Water-milfoil

Myriophyllum alterniflorum

Native	GB	IR
2000–19	1040	253
1987–99	1025	226
1970–86	702	60
1930–69	669	103
pre-1930	359	98

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




Spiked Water-milfoil

Myriophyllum spicatum

Native	GB	IR
2000-19	1042	314
1987-99	1077	281
1970-86	764	81
1930-69	818	102
pre-1930	283	111

Alien	GB	IR
2000-19	1	0
1987-99	2	0
1970-86	1	0
1930-69	3	0
pre-1930	1	0




Whorled Water-milfoil

Myriophyllum verticillatum

Native	GB	IR
2000–19	128	78
1987–99	118	66
1970–86	103	16
1930–69	163	29
pre-1930	242	68


Alien	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	5	0
1930–69	0	0
pre-1930	1	0



Grass-poly

Lythrum hyssopifolia

Alien	GB	IR
2000–19	23	0
1987–99	17	1
1970–86	20	0
1930–69	37	0
pre-1930	90	4




In flower June to July

Water-purslane

Lythrum portula

Native	GB	IR
2000–19	1036	244
1987–99	858	206
1970–86	564	43
1930–69	697	130
pre-1930	433	89




In flower June to October

Spear-leaved Willowherb

Epilobium lanceolatum

Native		GB	IR
2000–19	●	319	0
1987–99	●	245	0
1970–86	●	212	0
1930–69	●	228	0
pre-1930	○	81	0

Alien		GB	IR
2000–19	●	23	0
1987–99	●	7	0
1970–86	●	4	0
1930–69	●	11	0
pre-1930	○	8	0




In flower July to September

Pale Willowherb

Epilobium roseum

Native	GB	IR
2000–19	746	74
1987–99	528	20
1970–86	455	3
1930–69	570	4
pre-1930	228	5

Alien	GB	IR
2000–19	5	0
1987–99	15	1
1970–86	4	0
1930–69	10	0
pre-1930	1	2




In flower July to August

Marsh Willowherb

Epilobium palustre

Native	GB	IR
2000–19	2189	814
1987–99	2111	735
1970–86	1410	120
1930–69	1977	432
pre-1930	354	100

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower July to August

Alpine Willowherb

Epilobium anagallidifolium

Native	GB	IR
2000–19	179	0
1987–99	148	0
1970–86	117	0
1930–69	180	0
pre-1930	39	0




In flower July to August

Chickweed Willowherb

Epilobium alsinifolium

Native	GB	IR
2000–19	130	1
1987–99	126	0
1970–86	126	1
1930–69	138	1
pre-1930	69	1




In flower July to August

New Zealand Willowherb

Epilobium brunnescens

Alien	GB	IR
2000–19	1280	539
1987–99	1044	385
1970–86	658	77
1930–69	598	161
pre-1930	227	36




In flower May to October

Hampshire-purslane

Ludwigia palustris

Native	GB	IR
2000-19	8	0
1987-99	5	0
1970-86	4	0
1930-69	5	0
pre-1930	9	0

Alien	GB	IR
2000-19	3	0
1987-99	3	0
1970-86	1	0
1930-69	1	0
pre-1930	2	0




In flower June

Water-primrose

Ludwigia grandiflora

Alien	GB	IR
2000–19	31	2
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower June to July

Small-flowered Evening-primrose

Oenothera cambrica

Alien	GB	IR
2000–19	291	4
1987–99	209	0
1970–86	58	0
1930–69	17	0
pre-1930	15	0




In flower June to September

Alpine Enchanter's-nightshade

Circaea alpina

Native	GB	IR
2000–19	20	0
1987–99	21	0
1970–86	22	0
1930–69	15	0
pre-1930	14	0




In flower July to August

Red-osier Dogwood

Cornus sericea

Alien	GB	IR
2000–19	863	234
1987–99	374	95
1970–86	133	11
1930–69	92	23
pre-1930	38	0




Dwarf Cornel

Cornus suecica

Native		GB	IR
2000–19	●	199	0
1987–99	●	156	0
1970–86	●	100	0
1930–69	●	156	0
pre-1930	○	38	0

Alien		GB	IR
2000–19	●	1	0
1987–99	●	0	0
1970–86	●	2	0
1930–69	●	1	0
pre-1930	○	1	0




Bastard-toadflax

Thesium humifusum

Native	GB	IR
2000-19	88	0
1987-99	100	0
1970-86	87	0
1930-69	99	0
pre-1930	131	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	1	0




In flower June to August

Irish Spurge

Euphorbia hyberna

Native	GB	IR
2000–19	0	128
1987–99	0	130
1970–86	0	9
1930–69	0	16
pre-1930	0	17


Alien	GB	IR
2000–19	9	0
1987–99	4	2
1970–86	2	1
1930–69	2	1
pre-1930	2	0



Sweet Spurge

Euphorbia dulcis


Alien	GB	IR
2000–19	95	5
1987–99	47	0
1970–86	28	0
1930–69	34	0
pre-1930	29	0



Broad-leaved Spurge

Euphorbia platyphyllos


Alien	GB	IR
2000–19	193	0
1987–99	133	0
1970–86	111	0
1930–69	117	0
pre-1930	89	0



Upright Spurge

Euphorbia stricta


Alien	GB	IR
2000–19	128	2
1987–99	42	0
1970–86	12	0
1930–69	8	0
pre-1930	7	0



Dwarf Spurge

Euphorbia exigua

Alien	GB	IR
2000–19	651	31
1987–99	636	21
1970–86	531	16
1930–69	802	43
pre-1930	274	82




Portland Spurge

Euphorbia portlandica

Native	GB	IR
2000–19	129	73
1987–99	128	59
1970–86	97	19
1930–69	118	38
pre-1930	72	35


Alien	GB	IR
2000–19	5	0
1987–99	5	0
1970–86	1	0
1930–69	0	0
pre-1930	3	0



Leafy Spurge

Euphorbia esula


Alien	GB	IR
2000–19	28	0
1987–99	30	0
1970–86	24	0
1930–69	30	0
pre-1930	24	0



Twiggy Spurge

Euphorbia esula x *waldsteinii*

	GB	IR
2000–19	78	0
1987–99	106	1
1970–86	86	1
1930–69	102	0
pre-1930	39	0




Pale Flax

Linum bienne

Native	GB	IR
2000–19	217	72
1987–99	233	45
1970–86	167	15
1930–69	189	41
pre-1930	118	30

Alien	GB	IR
2000–19	49	9
1987–99	19	12
1970–86	16	5
1930–69	21	0
pre-1930	12	1




In flower May to September

Allseed

Linum radiola

Native	GB	IR
2000–19	295	87
1987–99	230	60
1970–86	147	11
1930–69	290	55
pre-1930	338	51

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower July to August

Chalk Milkwort

Polygala calcarea

Native	GB	IR
2000–19	108	0
1987–99	128	0
1970–86	106	0
1930–69	128	0
pre-1930	58	0




In flower May to June

Dwarf Milkwort

Polygala amarella

Native	GB	IR
2000–19	9	0
1987–99	12	0
1970–86	14	0
1930–69	12	0
pre-1930	10	0




In flower June to August

Bermuda-buttercup

Oxalis pes-caprae

Alien	GB	IR
2000–19	25	1
1987–99	17	0
1970–86	16	0
1930–69	7	0
pre-1930	1	0




In flower May to June

Upright Yellow-sorrel

Oxalis stricta

Alien	GB	IR
2000–19	293	36
1987–99	198	26
1970–86	120	2
1930–69	214	0
pre-1930	102	1




In flower June to August

Pale Pink-sorrel

Oxalis incarnata

Alien	GB	IR
2000–19	246	48
1987–99	138	5
1970–86	52	0
1930–69	25	0
pre-1930	7	1




In flower May to July

Garden Pink-sorrel

Oxalis latifolia

Alien	GB	IR
2000–19	105	5
1987–99	70	2
1970–86	21	0
1930–69	20	0
pre-1930	8	0




In flower May to September

Large-flowered Pink-sorrel

Oxalis debilis

Alien	GB	IR
2000–19	200	13
1987–99	131	10
1970–86	46	1
1930–69	71	1
pre-1930	11	0




In flower July to September

Pencilled Crane's-bill

Geranium versicolor

Alien	GB	IR
2000–19	344	20
1987–99	199	7
1970–86	102	7
1930–69	132	5
pre-1930	106	4




In flower May to October

Knotted Crane's-bill

Geranium nodosum

Alien	GB	IR
2000–19	73	1
1987–99	19	1
1970–86	9	0
1930–69	22	0
pre-1930	24	1




In flower June to October

Wood Crane's-bill

Geranium sylvaticum

Native		GB	IR
2000–19	●	589	3
1987–99	●	526	2
1970–86	●	403	2
1930–69	●	534	2
pre-1930	○	141	3

Alien		GB	IR
2000–19	●	43	0
1987–99	●	23	0
1970–86	●	21	2
1930–69	●	16	7
pre-1930	○	24	3




In flower June to July

Long-stalked Crane's-bill

Geranium columbinum

Native	GB	IR
2000–19	550	42
1987–99	592	29
1970–86	414	11
1930–69	576	14
pre-1930	269	21

Alien	GB	IR
2000–19	5	1
1987–99	5	2
1970–86	2	0
1930–69	4	2
pre-1930	1	8




In flower June to July

Bloody Crane's-bill

Geranium sanguineum

Native	GB	IR
2000-19	232	45
1987-99	218	41
1970-86	152	10
1930-69	202	18
pre-1930	107	14

Alien	GB	IR
2000-19	432	8
1987-99	209	2
1970-86	94	1
1930-69	69	0
pre-1930	57	1




In flower May to October

Dusky Crane's-bill

Geranium phaeum

Alien	GB	IR
2000–19	463	46
1987–99	251	33
1970–86	187	8
1930–69	298	11
pre-1930	244	12




In flower May to June

Little-Robin

Geranium purpureum

Native	GB	IR
2000-19	77	12
1987-99	48	5
1970-86	31	3
1930-69	39	4
pre-1930	35	3

Alien	GB	IR
2000-19	0	0
1987-99	2	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower May to September

Sticky Stork's-bill

Erodium lebelii

Native	GB	IR
2000-19	40	11
1987-99	39	7
1970-86	22	4
1930-69	39	3
pre-1930	32	4

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0




In flower May to September

Sea Stork's-bill

Erodium maritimum

Native	GB	IR
2000-19	188	19
1987-99	165	17
1970-86	88	7
1930-69	121	13
pre-1930	107	26

Alien	GB	IR
2000-19	13	0
1987-99	5	0
1970-86	4	0
1930-69	1	0
pre-1930	11	0




In flower June to September

Touch-me-not Balsam

Impatiens noli-tangere

Native	GB	IR
2000-19	12	0
1987-99	16	0
1970-86	17	0
1930-69	15	0
pre-1930	13	0

Alien	GB	IR
2000-19	38	0
1987-99	34	0
1970-86	20	0
1930-69	29	0
pre-1930	73	0




In flower July to September

Orange Balsam

Impatiens capensis

Alien	GB	IR
2000–19	379	0
1987–99	275	0
1970–86	173	0
1930–69	219	0
pre-1930	48	0




In flower June to August

Floating Pennywort

Hydrocotyle ranunculoides

Alien	GB	IR
2000–19	235	12
1987–99	49	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



In flower June to July