


# Astrantia

## *Astrantia major*

Alien	GB	IR
2000–19	183	1
1987–99	65	1
1970–86	53	1
1930–69	62	0
pre-1930	31	0




In flower May to July

# Field Eryngo

*Eryngium campestre*

Alien	GB	IR
2000–19	16	0
1987–99	12	0
1970–86	16	0
1930–69	20	1
pre-1930	34	2




In flower July to August

# Golden Chervil

*Chaerophyllum aureum*

Alien	GB	IR
2000–19	10	0
1987–99	5	0
1970–86	3	0
1930–69	7	0
pre-1930	5	0




In flower June to July

# Great Pignut

*Bunium bulbocastanum*

Native	GB	IR
2000-19	10	0
1987-99	11	0
1970-86	12	0
1930-69	11	0
pre-1930	11	0

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	2	0




In flower June to July

# Greater Burnet-saxifrage

*Pimpinella major*

Native	GB	IR
2000–19	495	113
1987–99	453	90
1970–86	337	10
1930–69	433	34
pre-1930	137	24

Alien	GB	IR
2000–19	10	0
1987–99	6	0
1970–86	5	0
1930–69	5	1
pre-1930	9	0




In flower July to August

# Tubular Water-dropwort

*Oenanthe fistulosa*

Native	GB	IR
2000–19	391	50
1987–99	463	53
1970–86	405	28
1930–69	587	47
pre-1930	264	51

Alien	GB	IR
2000–19	2	0
1987–99	3	1
1970–86	0	0
1930–69	0	1
pre-1930	1	1




In flower July to September

# Parsley Water-dropwort

*Oenanthe lachenalii*

Native	GB	IR
2000–19	333	84
1987–99	358	86
1970–86	230	27
1930–69	357	55
pre-1930	176	48

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0



In flower June to September


# Corky-fruited Water-dropwort

*Oenanthe pimpinelloides*

Native	GB	IR
2000–19	251	0
1987–99	202	0
1970–86	143	0
1930–69	146	0
pre-1930	43	0

Alien	GB	IR
2000–19	2	7
1987–99	2	5
1970–86	2	1
1930–69	0	0
pre-1930	0	1



In flower June to August




# Narrow-leaved Water-dropwort

*Oenanthe silaifolia*

Native	GB	IR
2000-19	45	0
1987-99	38	0
1970-86	38	0
1930-69	36	0
pre-1930	39	0

Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower June

# River Water-dropwort

*Oenanthe fluviatilis*

Native	GB	IR
2000–19	80	38
1987–99	135	31
1970–86	110	5
1930–69	104	11
pre-1930	141	7




In flower July to September

# Sweet Cicely

*Myrrhis odorata*

Alien	GB	IR
2000–19	912	71
1987–99	916	88
1970–86	577	39
1930–69	825	56
pre-1930	223	41




In flower May to June

# Spignel

*Meum athamanticum*

Native	GB	IR
2000-19	86	0
1987-99	85	0
1970-86	78	0
1930-69	92	0
pre-1930	89	0

Alien	GB	IR
2000-19	5	0
1987-99	2	1
1970-86	2	0
1930-69	1	0
pre-1930	2	0



In flower June to July


# Bladderseed

*Physospermum cornubiense*

Native	GB	IR
2000-19	8	0
1987-99	10	0
1970-86	7	0
1930-69	10	0
pre-1930	12	0

Alien	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0




In flower July to August

# Slender Hare's-ear

*Bupleurum tenuissimum*

Native	GB	IR
2000-19	74	0
1987-99	71	0
1970-86	75	0
1930-69	99	0
pre-1930	115	0

Alien	GB	IR
2000-19	3	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	2	0




In flower July to September

# Sickle-leaved Hare's-ear

*Bupleurum falcatum*

Alien	GB	IR
2000–19	1	0
1987–99	7	0
1970–86	4	0
1930–69	2	0
pre-1930	4	0




In flower July to October

# Small Hare's-ear

*Bupleurum baldense*

Native	GB	IR
2000-19	8	0
1987-99	8	0
1970-86	7	0
1930-69	8	0
pre-1930	10	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	3	0




In flower June to July



# False Thorough-wax

*Bupleurum subovatum*

Alien	GB	IR
2000–19	20	0
1987–99	19	0
1970–86	101	1
1930–69	52	1
pre-1930	60	2




In flower June to October

# Thorow-wax

*Bupleurum rotundifolium*

Alien	GB	IR
2000–19	47	0
1987–99	16	0
1970–86	15	0
1930–69	107	0
pre-1930	225	0



In flower June to July


# Greater Water-parsnip

*Sium latifolium*

Native	GB	IR
2000–19	67	32
1987–99	71	26
1970–86	88	12
1930–69	156	14
pre-1930	192	15

Alien	GB	IR
2000–19	5	0
1987–99	2	0
1970–86	2	0
1930–69	4	0
pre-1930	1	0




In flower July to August

# Creeping Marshwort

*Helosciadium repens*

Native	GB	IR
2000-19	3	0
1987-99	2	0
1970-86	3	0
1930-69	3	0
pre-1930	3	0

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	1	0
1930-69	0	0
pre-1930	0	0




In flower July to September

# Wild Celery

*Apium graveolens*

Native	GB	IR
2000–19	282	62
1987–99	317	43
1970–86	249	8
1930–69	334	30
pre-1930	185	50

Alien	GB	IR
2000–19	45	0
1987–99	29	0
1970–86	16	0
1930–69	22	0
pre-1930	30	0




In flower June to August

# Lesser Marshwort

*Helosciadium inundatum*

Native	GB	IR
2000–19	413	206
1987–99	468	251
1970–86	383	68
1930–69	496	132
pre-1930	464	81

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0



In flower June to August


# Pepper-saxifrage

*Silaum silaus*

Native	GB	IR
2000–19	647	0
1987–99	740	0
1970–86	531	0
1930–69	750	0
pre-1930	218	0

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	1	1
pre-1930	1	2



In flower June to August


# Honewort

*Trinia glauca*

Native	GB	IR
2000-19	5	0
1987-99	5	0
1970-86	6	0
1930-69	5	0
pre-1930	5	0

Alien	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	0	0



In flower May to June




# Corn Parsley

*Sison segetum*

Native	GB	IR
2000-19	392	0
1987-99	316	0
1970-86	214	0
1930-69	282	0
pre-1930	160	0

Alien	GB	IR
2000-19	5	0
1987-99	4	1
1970-86	2	0
1930-69	2	0
pre-1930	3	0




In flower August to September

# Garden Parsley

*Petroselinum crispum*

Alien	GB	IR
2000–19	250	27
1987–99	184	23
1970–86	118	3
1930–69	177	13
pre-1930	176	18



In flower June to August


# Stone Parsley

*Sison amomum*

Native	GB	IR
2000–19	747	0
1987–99	667	0
1970–86	408	0
1930–69	630	0
pre-1930	137	0

Alien	GB	IR
2000–19	5	0
1987–99	1	0
1970–86	0	0
1930–69	3	0
pre-1930	5	0




In flower July to September

# Cowbane

*Cicuta virosa*

Native	GB	IR
2000-19	78	123
1987-99	72	124
1970-86	52	44
1930-69	52	51
pre-1930	102	27

Alien	GB	IR
2000-19	5	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower July to August

# Bullwort

*Ammi majus*

Alien	GB	IR
2000–19	152	13
1987–99	119	4
1970–86	47	0
1930–69	49	0
pre-1930	25	0




In flower June to October

# Longleaf

*Falcaria vulgaris*

Alien	GB	IR
2000–19	25	0
1987–99	34	0
1970–86	24	1
1930–69	43	0
pre-1930	21	1



In flower July to September


# Hog's Fennel

*Peucedanum officinale*

Native	GB	IR
2000-19	8	0
1987-99	7	0
1970-86	6	0
1930-69	5	0
pre-1930	6	0

Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower July to September

# Cambridge Milk-parsley

*Selinum carvifolia*

Native	GB	IR
2000-19	2	0
1987-99	2	0
1970-86	3	0
1930-69	3	0
pre-1930	2	0

Alien	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	2	0



In flower July to October




# Whorled Caraway

*Trocdaris verticillata*

Native	GB	IR
2000–19	239	25
1987–99	251	26
1970–86	136	9
1930–69	197	21
pre-1930	72	24

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower July to August

# Caraway

*Carum carvi*

Alien	GB	IR
2000–19	14	5
1987–99	49	4
1970–86	50	1
1930–69	105	6
pre-1930	243	24



In flower June to July


# Scots Lovage

*Ligusticum scoticum*

Native		GB	IR
2000–19	●	319	15
1987–99	●	282	16
1970–86	●	155	4
1930–69	●	261	15
pre-1930	○	135	22

Alien		GB	IR
2000–19	●	0	0
1987–99	●	0	0
1970–86	●	1	0
1930–69	●	0	0
pre-1930	○	0	0




In flower June to July

# Lovage

*Levisticum officinale*

Alien	GB	IR
2000–19	60	0
1987–99	38	0
1970–86	17	1
1930–69	7	0
pre-1930	14	0




In flower July to August

# Hartwort

*Tordylium maximum*

Alien	GB	IR
2000–19	2	1
1987–99	3	0
1970–86	3	0
1930–69	5	0
pre-1930	7	0




In flower June to July

# Spreading Hedge-parsley

*Torilis arvensis*

Alien	GB	IR
2000–19	99	0
1987–99	87	0
1970–86	87	0
1930–69	235	0
pre-1930	240	0



In flower July to August


# Marsh Gentian

*Gentiana pneumonanthe*

Native	GB	IR
2000–19	35	0
1987–99	49	0
1970–86	49	0
1930–69	53	0
pre-1930	105	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0



In flower July to October


# Spring Gentian

*Gentiana verna*

Native	GB	IR
2000–19	4	25
1987–99	4	22
1970–86	4	6
1930–69	4	3
pre-1930	6	1

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower April to June



# Alpine Gentian

*Gentiana nivalis*

Native	GB	IR
2000–19	● 3	○ 0
1987–99	● 3	○ 0
1970–86	● 3	○ 0
1930–69	● 4	○ 0
pre-1930	● 4	○ 0




In flower June to August

# Lesser Centaury

*Centaureum pulchellum*

Native	GB	IR
2000–19	364	8
1987–99	323	8
1970–86	182	8
1930–69	286	5
pre-1930	139	13



In flower June to September


# Seaside Centaury

*Centaureum littorale*

Native	GB	IR
2000-19	70	2
1987-99	70	2
1970-86	47	2
1930-69	61	3
pre-1930	57	2

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower July to August

# Slender Centaury

*Centaureum tenuiflorum*

Native	GB	IR
2000–19	● 3	○ 0
1987–99	● 2	○ 0
1970–86	● 2	○ 0
1930–69	○ 3	○ 0
pre-1930	○ 3	○ 0




In flower July to September

# Perennial Centaury

*Centaureum portense*

Native	GB	IR
2000-19	2	0
1987-99	1	0
1970-86	1	0
1930-69	3	0
pre-1930	2	0

Alien	GB	IR
2000-19	4	0
1987-99	2	0
1970-86	3	0
1930-69	0	0
pre-1930	1	0




In flower July to August

# Field Gentian

*Gentianella campestris*

Native	GB	IR
2000–19	472	68
1987–99	418	75
1970–86	298	21
1930–69	553	74
pre-1930	420	72



In flower July to October


# Fringed Gentian

*Gentianopsis ciliata*

Native	GB	IR
2000-19	●	1 0
1987-99	●	1 0
1970-86	●	1 0
1930-69	●	0 0
pre-1930	○	2 0

Alien	GB	IR
2000-19	●	0 0
1987-99	●	0 0
1970-86	●	0 0
1930-69	●	0 0
pre-1930	○	1 0




In flower August to October

# Yellow Centaury

*Cicendia filiformis*

Native	GB	IR
2000–19	35	34
1987–99	27	33
1970–86	30	4
1930–69	37	12
pre-1930	57	13




In flower June to October



# Guernsey Centaury

*Exaculum pusillum*

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0




In flower July to September

# Thorn-apple

*Datura stramonium*

Alien	GB	IR
2000–19	657	21
1987–99	417	1
1970–86	343	8
1930–69	501	6
pre-1930	199	1




In flower July to October

# Cock's-eggs

*Salpichroa organifolia*

Alien	GB	IR
2000–19	12	1
1987–99	8	1
1970–86	8	0
1930–69	7	0
pre-1930	1	0




In flower June to August

# Small Nightshade

*Solanum triflorum*

Alien	GB	IR
2000–19	13	0
1987–99	3	0
1970–86	6	0
1930–69	9	0
pre-1930	12	0




In flower July to September

# Hairy Bindweed

*Calystegia pulchra*

Alien	GB	IR
2000–19	546	136
1987–99	470	88
1970–86	368	31
1930–69	242	10
pre-1930	65	5




In flower July to September

# Greater Dodder

*Cuscuta europaea*

Native	GB	IR
2000–19	45	0
1987–99	52	0
1970–86	42	0
1930–69	39	0
pre-1930	80	0

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	1	0
1930–69	5	0
pre-1930	13	0




In flower August to September

# Yellow Dodder

*Cuscuta campestris*

Alien	GB	IR
2000–19	43	0
1987–99	10	0
1970–86	20	0
1930–69	13	0
pre-1930	10	0



In flower July to September


# Fringed Water-lily

*Nymphaoides peltata*

Native	GB	IR
2000–19	37	0
1987–99	35	0
1970–86	20	0
1930–69	32	0
pre-1930	34	0

Alien	GB	IR
2000–19	538	16
1987–99	463	11
1970–86	161	2
1930–69	93	2
pre-1930	85	4



In flower July to August




# Jacob's-ladder

*Polemonium caeruleum*

Native	GB	IR
2000–19	15	0
1987–99	15	0
1970–86	14	0
1930–69	14	0
pre-1930	15	0

Alien	GB	IR
2000–19	368	4
1987–99	234	2
1970–86	145	0
1930–69	112	2
pre-1930	115	3



In flower June to July


# Purple Gromwell

*Aegonychon purpureocaeruleum*

Native	GB	IR
2000–19	15	0
1987–99	15	0
1970–86	14	0
1930–69	14	0
pre-1930	23	0

Alien	GB	IR
2000–19	29	0
1987–99	15	1
1970–86	8	0
1930–69	12	0
pre-1930	9	0




In flower May to June

# Purple Viper's-bugloss

*Echium plantagineum*

Alien	GB	IR
2000–19	150	3
1987–99	42	0
1970–86	23	0
1930–69	35	0
pre-1930	41	0



In flower May to August


# Narrow-leaved Lungwort

*Pulmonaria longifolia*

Native	GB	IR
2000-19	16	0
1987-99	18	0
1970-86	18	0
1930-69	18	0
pre-1930	17	0

Alien	GB	IR
2000-19	4	0
1987-99	5	0
1970-86	3	0
1930-69	9	0
pre-1930	10	0




In flower April to May

# Tuberous Comfrey

*Symphytum tuberosum*

Alien	GB	IR
2000–19	659	60
1987–99	482	22
1970–86	286	6
1930–69	377	7
pre-1930	124	5




In flower June to July

# Alkanet

*Anchusa officinalis*

Alien	GB	IR
2000–19	91	4
1987–99	46	1
1970–86	26	1
1930–69	43	0
pre-1930	62	1




In flower June to September

# Creeping Forget-me-not

*Myosotis secunda*

Native	GB	IR
2000–19	1554	479
1987–99	1427	398
1970–86	828	60
1930–69	1094	201
pre-1930	289	64

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower May to August

# Pale Forget-me-not

*Myosotis stolonifera*

Native	GB	IR
2000–19	97	0
1987–99	96	0
1970–86	84	0
1930–69	57	0
pre-1930	20	0



In flower June to August




# Alpine Forget-me-not

*Myosotis alpestris*

Native	GB	IR
2000–19	5	0
1987–99	5	0
1970–86	5	0
1930–69	6	0
pre-1930	7	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower July to September

# Upright Forget-me-not

*Myosotis stricta*


Native	GB	IR
2000–19	● 1	○ 0
1987–99	● 0	○ 0
1970–86	● 0	○ 0
1930–69	● 0	○ 0
pre-1930	● 0	○ 0



# Blue-eyed-Mary

*Omphalodes verna*

Alien	GB	IR
2000–19	58	1
1987–99	36	1
1970–86	17	0
1930–69	35	0
pre-1930	26	0




In flower March to May

# Common Fiddleneck

*Amsinckia micrantha*

Alien	GB	IR
2000–19	516	3
1987–99	309	2
1970–86	173	0
1930–69	33	0
pre-1930	31	0




In flower July to August

# Green Hound's-tongue

*Cynoglossum germanicum*

Native	GB	IR
2000-19	13	0
1987-99	5	0
1970-86	4	0
1930-69	8	0
pre-1930	48	0

Alien	GB	IR
2000-19	5	0
1987-99	2	0
1970-86	0	0
1930-69	4	0
pre-1930	3	0




In flower May to July

# Oysterplant

*Mertensia maritima*

Native	GB	IR
2000–19	74	11
1987–99	74	11
1970–86	92	6
1930–69	83	11
pre-1930	177	25



In flower June to August