


Downy Woundwort

Stachys germanica

Native	GB	IR
2000-19	3	0
1987-99	3	0
1970-86	5	0
1930-69	5	0
pre-1930	10	0

Alien	GB	IR
2000-19	2	0
1987-99	1	0
1970-86	1	0
1930-69	6	0
pre-1930	12	0




In flower July to August

Limestone Woundwort

Stachys alpina

Alien	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower June to August

Annual Yellow-woundwort

Stachys annua

Alien	GB	IR
2000–19	7	0
1987–99	4	0
1970–86	9	0
1930–69	27	0
pre-1930	44	0




In flower June to October

Perennial Yellow-woundwort

Stachys recta

Alien	GB	IR
2000–19	1	0
1987–99	3	0
1970–86	1	0
1930–69	3	0
pre-1930	2	0




In flower July to September

Northern Dead-nettle

Lamium confertum

Alien	GB	IR
2000–19	208	31
1987–99	212	18
1970–86	113	3
1930–69	218	12
pre-1930	103	34




In flower May to September

Bifid Hemp-nettle

Galeopsis bifida

Native	GB	IR
2000–19	1311	104
1987–99	950	96
1970–86	371	8
1930–69	259	41
pre-1930	89	14

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	3	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Red Hemp-nettle

Galeopsis angustifolia

Alien	GB	IR
2000–19	80	8
1987–99	97	11
1970–86	174	4
1930–69	369	7
pre-1930	404	31




In flower July to October

Downy Hemp-nettle

Galeopsis segetum

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	2	0
1930–69	4	0
pre-1930	38	1




In flower July to October

Large-flowered Hemp-nettle

Galeopsis speciosa

Alien	GB	IR
2000–19	381	25
1987–99	435	37
1970–86	403	12
1930–69	676	47
pre-1930	333	31




In flower July to September

Bastard Balm

Melittis melissophyllum

Native	GB	IR
2000-19	69	0
1987-99	69	0
1970-86	69	0
1930-69	89	0
pre-1930	64	0

Alien	GB	IR
2000-19	3	0
1987-99	0	0
1970-86	2	0
1930-69	0	0
pre-1930	7	0




In flower May to July

White Horehound

Marrubium vulgare

Native	GB	IR
2000–19	30	0
1987–99	33	0
1970–86	27	0
1930–69	35	0
pre-1930	26	0

Alien	GB	IR
2000–19	55	1
1987–99	91	1
1970–86	98	0
1930–69	200	4
pre-1930	330	22




In flower June to November

Wall Germander

Teucrium chamaedrrys

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	2	0
pre-1930	2	0

Alien	GB	IR
2000-19	32	1
1987-99	21	1
1970-86	21	0
1930-69	24	1
pre-1930	51	2




In flower July to September

Cut-leaved Germander

Teucrium botrys

Alien	GB	IR
2000–19	7	1
1987–99	7	0
1970–86	8	0
1930–69	10	0
pre-1930	10	0




In flower July to September

Pyramidal Bugle

Ajuga pyramidalis

Native	GB	IR
2000–19	61	7
1987–99	51	6
1970–86	41	6
1930–69	57	2
pre-1930	45	4




In flower May to July

Ground-pine

Ajuga chamaepitys

Native	GB	IR
2000-19	17	0
1987-99	15	0
1970-86	20	0
1930-69	31	0
pre-1930	37	0

Alien	GB	IR
2000-19	0	0
1987-99	5	0
1970-86	3	0
1930-69	0	0
pre-1930	7	0




In flower May to September

Cat-mint

Nepeta cataria

Alien	GB	IR
2000–19	178	2
1987–99	181	0
1970–86	133	0
1930–69	256	1
pre-1930	255	9




In flower June to November

Large-flowered Selfheal

Prunella grandiflora

Alien	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower June to September

Cut-leaved Selfheal

Prunella laciniata

Alien	GB	IR
2000–19	13	2
1987–99	14	1
1970–86	10	0
1930–69	46	0
pre-1930	28	0




In flower June to August

Balm

Melissa officinalis

Alien	GB	IR
2000–19	1061	61
1987–99	543	18
1970–86	206	2
1930–69	280	18
pre-1930	124	7




In flower June to August

Skullcap

Scutellaria galericulata

Native	GB	IR
2000–19	1427	184
1987–99	1397	147
1970–86	954	50
1930–69	1306	78
pre-1930	321	67

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower June to September

Lesser Skullcap

Scutellaria minor

Native	GB	IR
2000–19	601	108
1987–99	586	82
1970–86	377	9
1930–69	501	89
pre-1930	212	32




In flower July to October

Basil Thyme

Clinopodium acinos

Native	GB	IR
2000–19	220	0
1987–99	259	0
1970–86	261	0
1930–69	398	0
pre-1930	222	0

Alien	GB	IR
2000–19	5	16
1987–99	4	20
1970–86	1	7
1930–69	5	10
pre-1930	9	20




In flower May to September

Common Calamint

Clinopodium ascendens

Native	GB	IR
2000–19	518	52
1987–99	462	41
1970–86	338	5
1930–69	400	23
pre-1930	174	18

Alien	GB	IR
2000–19	38	1
1987–99	17	1
1970–86	3	0
1930–69	12	0
pre-1930	8	1




In flower July to September

Lesser Calamint

Clinopodium nepeta

Native	GB	IR
2000-19	68	0
1987-99	67	0
1970-86	62	0
1930-69	62	0
pre-1930	67	0

Alien	GB	IR
2000-19	9	0
1987-99	2	0
1970-86	1	0
1930-69	0	0
pre-1930	5	0




In flower July to August

Wood Calamint

Clinopodium menthifolium

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower July to September

Corn Mint

Mentha arvensis

Native	GB	IR
2000-19	1371	213
1987-99	1383	222
1970-86	1063	41
1930-69	1576	297
pre-1930	327	82

Alien	GB	IR
2000-19	4	0
1987-99	2	0
1970-86	1	0
1930-69	1	0
pre-1930	0	0




In flower May to October

Whorled Mint

Mentha aquatica x arvensis


	GB	IR
2000–19	● 878	● 212
1987–99	● 827	● 153
1970–86	● 483	● 31
1930–69	● 605	● 64
pre-1930	○ 482	○ 33



In flower August to October

Peppermint

Mentha aquatica x spicata




In flower July to October

Round-leaved Mint

Mentha suaveolens

Native	GB	IR
2000–19	66	0
1987–99	65	0
1970–86	37	0
1930–69	63	0
pre-1930	56	0

Alien	GB	IR
2000–19	213	84
1987–99	175	39
1970–86	136	12
1930–69	144	56
pre-1930	138	26




In flower August to September

Apple-mint

Mentha spicata x suaveolens

	GB	IR
2000–19	1017	26
1987–99	772	21
1970–86	405	0
1930–69	441	8
pre-1930	222	3




Pennyroyal

Mentha pulegium

Native	GB	IR
2000–19	27	8
1987–99	22	5
1970–86	18	4
1930–69	97	5
pre-1930	212	39

Alien	GB	IR
2000–19	123	3
1987–99	53	0
1970–86	19	0
1930–69	25	0
pre-1930	72	1




In flower August to October

Corsican Mint

Mentha requienii

Alien	GB	IR
2000–19	51	14
1987–99	27	3
1970–86	13	1
1930–69	16	3
pre-1930	3	4




In flower June to August

Motherwort

Leonurus cardiaca

Alien	GB	IR
2000–19	56	0
1987–99	29	0
1970–86	24	0
1930–69	61	1
pre-1930	193	4




In flower July to September

Various-leaved Water-starwort

Callitriche platycarpa

Native	GB	IR
2000–19	562	117
1987–99	635	129
1970–86	552	25
1930–69	339	37
pre-1930	194	25




Autumnal Water-starwort

Callitriche hermaphrodita

Native	GB	IR
2000–19	189	49
1987–99	217	72
1970–86	228	29
1930–69	181	31
pre-1930	110	38


Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Short-leaved Water-starwort

Callitriche truncata


Native	GB	IR
2000–19	46	2
1987–99	33	2
1970–86	23	1
1930–69	24	1
pre-1930	18	1



Narrow-fruited Water-starwort

Callitriche palustris

Native	GB	IR
2000-19	6	2
1987-99	0	1
1970-86	0	0
1930-69	0	0
pre-1930	0	0




Shoreweed

Littorella uniflora

Native	GB	IR
2000-19	960	344
1987-99	1000	337
1970-86	650	91
1930-69	768	210
pre-1930	394	85

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower June to August

Water Figwort

Scrophularia auriculata

Native	GB	IR
2000–19	1573	640
1987–99	1392	409
1970–86	1046	35
1930–69	1257	225
pre-1930	160	72

Alien	GB	IR
2000–19	60	0
1987–99	13	0
1970–86	3	0
1930–69	5	0
pre-1930	0	0




In flower June to September

Green Figwort

Scrophularia umbrosa

Native	GB	IR
2000–19	125	6
1987–99	128	9
1970–86	120	4
1930–69	88	6
pre-1930	75	3

Alien	GB	IR
2000–19	4	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower July to September

White Mullein

Verbascum lychnitis

Native	GB	IR
2000-19	22	0
1987-99	24	0
1970-86	24	0
1930-69	25	0
pre-1930	25	0

Alien	GB	IR
2000-19	56	2
1987-99	49	0
1970-86	31	0
1930-69	31	0
pre-1930	79	0




In flower July to August

Hoary Mullein

Verbascum pulverulentum

Native	GB	IR
2000-19	42	0
1987-99	41	0
1970-86	35	0
1930-69	20	0
pre-1930	34	0

Alien	GB	IR
2000-19	42	0
1987-99	23	0
1970-86	16	0
1930-69	10	0
pre-1930	15	0




In flower July to August

Twiggy Mullein

Verbascum virgatum

Alien	GB	IR
2000–19	190	33
1987–99	170	8
1970–86	126	1
1930–69	128	1
pre-1930	141	6




In flower June to October

Moth Mullein

Verbascum blattaria

Alien	GB	IR
2000–19	259	4
1987–99	124	0
1970–86	40	0
1930–69	92	1
pre-1930	206	1




In flower June to October

Mudwort

Limosella aquatica

Native		GB	IR
2000-19	●	113	12
1987-99	●	77	7
1970-86	●	47	8
1930-69	●	41	3
pre-1930	○	145	5

Alien		GB	IR
2000-19	●	0	0
1987-99	●	0	0
1970-86	●	0	0
1930-69	●	0	0
pre-1930	○	1	0




In flower June to October

Welsh Mudwort

Limosella australis

Native	GB	IR
2000–19	5	0
1987–99	4	0
1970–86	3	0
1930–69	4	0
pre-1930	3	0




In flower June to October

Blood-drop-emlets

Erythranthe lutea

Alien	GB	IR
2000–19	52	2
1987–99	53	4
1970–86	90	0
1930–69	136	2
pre-1930	54	1




In flower July to September

Musk

Erythranthe moschata

Alien	GB	IR
2000–19	171	7
1987–99	187	5
1970–86	174	3
1930–69	182	6
pre-1930	64	2




In flower June to September

Weasel's-snout

Misopates orontium

Alien	GB	IR
2000–19	260	10
1987–99	255	4
1970–86	190	6
1930–69	310	11
pre-1930	205	17




In flower July to October

Small Toadflax

Chaenorhinum minus

Alien	GB	IR
2000–19	970	131
1987–99	1013	85
1970–86	806	13
1930–69	1063	72
pre-1930	264	46




In flower May to October

Trailing Snapdragon

Asarina procumbens

Alien	GB	IR
2000–19	66	0
1987–99	31	0
1970–86	18	0
1930–69	3	0
pre-1930	2	0




In flower June to August

Straw Foxglove

Digitalis lutea

Alien	GB	IR
2000–19	38	0
1987–99	14	0
1970–86	9	0
1930–69	3	0
pre-1930	5	0




In flower June to September

Sharp-leaved Fluellen

Kickxia elatine

Alien	GB	IR
2000–19	796	42
1987–99	690	20
1970–86	465	11
1930–69	641	12
pre-1930	211	26




In flower July to October

Pale Toadflax

Linaria repens

Alien	GB	IR
2000–19	457	15
1987–99	485	8
1970–86	376	10
1930–69	407	7
pre-1930	155	15




In flower June to September

Sand Toadflax

Linaria arenaria

Alien	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	1	0
1930–69	1	0
pre-1930	2	0




In flower June to September

Jersey Toadflax

Linaria pelisseriana

Alien	GB	IR
2000–19	3	0
1987–99	0	0
1970–86	1	0
1930–69	6	0
pre-1930	13	0




In flower May to July

Prostrate Toadflax

Linaria supina

Alien	GB	IR
2000-19	8	0
1987-99	14	0
1970-86	14	0
1930-69	10	0
pre-1930	21	0




In flower June to September

Fairy Foxglove

Erinus alpinus

Alien	GB	IR
2000–19	● 357	100
1987–99	● 249	50
1970–86	● 149	12
1930–69	● 117	4
pre-1930	○ 57	2




In flower May to October

Large Speedwell

Veronica teucrium

Alien	GB	IR
2000–19	29	0
1987–99	12	0
1970–86	6	0
1930–69	6	0
pre-1930	7	2




In flower May to August

Alpine Speedwell

Veronica alpina

Native	GB	IR
2000–19	19	0
1987–99	20	0
1970–86	28	0
1930–69	24	0
pre-1930	18	0




In flower July to August

Rock Speedwell

Veronica fruticans

Native	GB	IR
2000-19	13	0
1987-99	17	0
1970-86	15	0
1930-69	13	0
pre-1930	15	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower July to August

Marsh Speedwell

Veronica scutellata

Native	GB	IR
2000-19	1411	495
1987-99	1326	455
1970-86	919	102
1930-69	1189	228
pre-1930	542	83

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower June to August

American Speedwell

Veronica peregrina

Alien	GB	IR
2000–19	161	86
1987–99	72	29
1970–86	58	6
1930–69	61	8
pre-1930	37	14




In flower April to July

Cornish Moneywort

Sibthorpia europaea

Native	GB	IR
2000–19	92	8
1987–99	90	7
1970–86	81	5
1930–69	76	3
pre-1930	84	9

Alien	GB	IR
2000–19	5	0
1987–99	3	1
1970–86	1	1
1930–69	4	3
pre-1930	4	0



In flower July to October