


Greater Yellow-rattle

Rhinanthus angustifolius

Alien	GB	IR
2000–19	14	0
1987–99	11	0
1970–86	11	0
1930–69	11	0
pre-1930	74	0




In flower June to September

Montane Eyebright

Euphrasia officinalis subsp. *monticola*

Native	GB	IR
2000–19	27	1
1987–99	18	0
1970–86	34	0
1930–69	34	0
pre-1930	9	1




In flower June to July

Cumbrian Eyebright

Euphrasia rivularis

Native	GB	IR
2000–19	13	0
1987–99	10	0
1970–86	7	0
1930–69	10	0
pre-1930	6	0




In flower June to September

Cornish Eyebright

Euphrasia vigursii

Native	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	25	0
1930–69	21	0
pre-1930	24	0




In flower June to September

Western Eyebright

Euphrasia tetraquetra

Native	GB	IR
2000–19	220	134
1987–99	174	84
1970–86	95	20
1930–69	237	62
pre-1930	89	16




In flower May to September

Chalk Eyebright

Euphrasia pseudokernereri

Native	GB	IR
2000–19	86	1
1987–99	81	1
1970–86	69	0
1930–69	128	3
pre-1930	65	2




In flower July to September

Confused Eyebright

Euphrasia confusa

Native	GB	IR
2000–19	645	34
1987–99	400	25
1970–86	408	7
1930–69	642	15
pre-1930	222	4




In flower July to September

Upland Eyebright

Euphrasia frigida

Native	GB	IR
2000–19	69	2
1987–99	41	2
1970–86	41	4
1930–69	90	6
pre-1930	26	4




In flower July to August

Foula Eyebright

Euphrasia foulaensis

Native	GB	IR
2000–19	104	1
1987–99	54	0
1970–86	48	0
1930–69	102	0
pre-1930	52	0




In flower July to August

Welsh Eyebright

Euphrasia cambrica

Native	GB	IR
2000–19	1	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower June to July

Ostenfeld's Eyebright

Euphrasia ostenfeldii

Native	GB	IR
2000–19	40	1
1987–99	16	0
1970–86	20	0
1930–69	33	0
pre-1930	11	0




In flower July to September

Marshall's Eyebright

Euphrasia marshallii

Native	GB	IR
2000–19	21	0
1987–99	10	0
1970–86	16	0
1930–69	25	0
pre-1930	12	0




In flower July to August

Pugsley's Eyebright

Euphrasia rotundifolia

Native		GB	IR
2000–19	●	3	0
1987–99	●	2	0
1970–86	●	1	0
1930–69	●	3	0
pre-1930	○	3	0




In flower July to August

Campbell's Eyebright

Euphrasia campbelliae

Native	GB	IR
2000–19	10	0
1987–99	6	0
1970–86	3	0
1930–69	10	0
pre-1930	0	0




In flower July

Slender Eyebright

Euphrasia micrantha

Native	GB	IR
2000–19	589	123
1987–99	392	88
1970–86	354	21
1930–69	653	120
pre-1930	275	39




In flower July to September

Scottish Eyebright

Euphrasia scottica

Native	GB	IR
2000–19	472	60
1987–99	321	38
1970–86	265	12
1930–69	283	36
pre-1930	121	9




In flower July to August

Heslop-Harrison's Eyebright

Euphrasia heslop-harrisonii


Native	GB	IR
2000–19	31	1
1987–99	15	0
1970–86	8	0
1930–69	11	0
pre-1930	6	0



In flower August

Irish Eyebright
Euphrasia salisburgensis

Native	GB	IR
2000–19	0	47
1987–99	0	31
1970–86	0	20
1930–69	0	17
pre-1930	0	31




In flower July to August

Small Cow-wheat *Melampyrum sylvaticum*

Native	GB	IR
2000–19	21	1
1987–99	22	3
1970–86	19	3
1930–69	32	4
pre-1930	56	16

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower June to August

Field Cow-wheat

Melampyrum arvense

Alien	GB	IR
2000–19	5	0
1987–99	8	0
1970–86	8	0
1930–69	15	0
pre-1930	45	0




In flower June to September

Alpine Bartsia

Bartsia alpina

Native	GB	IR
2000–19	13	0
1987–99	13	0
1970–86	17	0
1930–69	17	0
pre-1930	15	0




In flower June to August

Yellow Bartsia

Parentucellia viscosa

Native	GB	IR
2000–19	136	62
1987–99	125	50
1970–86	106	17
1930–69	105	47
pre-1930	98	26

Alien	GB	IR
2000–19	120	0
1987–99	76	0
1970–86	31	0
1930–69	28	0
pre-1930	14	0




In flower June to October

Marsh Lousewort

Pedicularis palustris

Native	GB	IR
2000–19	1123	373
1987–99	1180	428
1970–86	860	113
1930–69	1234	365
pre-1930	468	88




In flower May to September

Greater Broomrape

Orobanche rapum-genistae

Native	GB	IR
2000–19	83	10
1987–99	91	5
1970–86	90	7
1930–69	117	9
pre-1930	363	25




In flower May to August

Yarrow Broomrape

Phelipanche purpurea

Native	GB	IR
2000–19	21	0
1987–99	25	0
1970–86	16	0
1930–69	19	0
pre-1930	23	0

Alien	GB	IR
2000–19	2	0
1987–99	5	0
1970–86	5	0
1930–69	2	0
pre-1930	2	0




In flower June to July

Thistle Broomrape

Orobanche reticulata

Native	GB	IR
2000–19	7	0
1987–99	6	0
1970–86	6	0
1930–69	5	0
pre-1930	3	0




In flower June to August

Bedstraw Broomrape

Orobanche caryophyllacea

Native	GB	IR
2000–19	2	0
1987–99	4	0
1970–86	5	0
1930–69	4	0
pre-1930	5	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower May to August

Oxtongue Broomrape

Orobancha picridis

Native	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	2	0
1930–69	3	0
pre-1930	7	0




In flower June to August

Toothwort

Lathraea squamaria

Native	GB	IR
2000–19	483	131
1987–99	429	86
1970–86	398	43
1930–69	433	32
pre-1930	190	43

Alien	GB	IR
2000–19	0	1
1987–99	2	1
1970–86	0	0
1930–69	2	0
pre-1930	1	0




In flower March to June

Greater Bladderwort

Utricularia vulgaris


Native	GB	IR
2000–19	67	26
1987–99	85	42
1970–86	59	27
1930–69	59	10
pre-1930	105	15

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0



In flower July to August

Utricularia australis




In flower July to September

Lesser Bladderwort

Utricularia minor

Native	GB	IR
2000–19	346	182
1987–99	360	209
1970–86	181	56
1930–69	292	161
pre-1930	253	131




In flower June to September

Intermediate/Nordic/Pale Bladderworts

Utricularia intermedia/stygia/ochroleuca

Native	GB	IR
2000–19	5	0
1987–99	37	1
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Common Butterwort

Pinguicula vulgaris

Native	GB	IR
2000–19	1204	376
1987–99	1229	371
1970–86	816	77
1930–69	1225	300
pre-1930	346	84

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	2	0
pre-1930	0	0




In flower May to July

Large-flowered Butterwort

Pinguicula grandiflora

Native	GB	IR
2000–19	0	69
1987–99	0	65
1970–86	0	10
1930–69	0	13
pre-1930	0	16

Alien	GB	IR
2000–19	5	2
1987–99	8	2
1970–86	7	2
1930–69	2	1
pre-1930	6	2




In flower May to August

Pale Butterwort

Pinguicula lusitanica

Native	GB	IR
2000–19	404	256
1987–99	342	215
1970–86	188	40
1930–69	390	158
pre-1930	155	72




In flower June to October

Rampion Bellflower

Campanula rapunculus

Alien	GB	IR
2000–19	15	1
1987–99	10	0
1970–86	16	0
1930–69	36	0
pre-1930	92	0




In flower July to August

Peach-leaved Bellflower

Campanula persicifolia

Alien	GB	IR
2000–19	628	4
1987–99	307	1
1970–86	127	0
1930–69	65	0
pre-1930	38	0




In flower June to August

Cornish Bellflower

Campanula alliariifolia


Alien	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	13	0
1930–69	18	0
pre-1930	6	0



In flower June to September

Creeping Bellflower
Campanula rapunculoides

Alien	GB	IR
2000–19	138	3
1987–99	250	2
1970–86	211	2
1930–69	355	6
pre-1930	179	9




In flower July to September

Canterbury-bells

Campanula medium

Alien	GB	IR
2000–19	65	2
1987–99	73	0
1970–86	46	0
1930–69	44	0
pre-1930	5	0




In flower May to June

Spreading Bellflower

Campanula patula

Native	GB	IR
2000–19	31	0
1987–99	37	0
1970–86	43	0
1930–69	51	0
pre-1930	104	0

Alien	GB	IR
2000–19	14	0
1987–99	6	0
1970–86	4	0
1930–69	6	0
pre-1930	30	0




In flower July to September

Nettle-leaved Bellflower

Campanula trachelium

Native	GB	IR
2000–19	432	15
1987–99	456	10
1970–86	338	4
1930–69	392	8
pre-1930	144	12

Alien	GB	IR
2000–19	150	7
1987–99	67	3
1970–86	40	6
1930–69	37	4
pre-1930	29	5




In flower July to September

Giant Bellflower

Campanula latifolia

Native	GB	IR
2000–19	628	0
1987–99	691	0
1970–86	600	0
1930–69	667	0
pre-1930	218	0

Alien	GB	IR
2000–19	54	21
1987–99	43	24
1970–86	47	13
1930–69	54	9
pre-1930	32	4




In flower July to August

Venus's-looking-glass

Legousia hybrida

Alien	GB	IR
2000–19	238	0
1987–99	318	0
1970–86	297	0
1930–69	339	1
pre-1930	214	0




In flower May to August

Large Venus's-looking-glass

Legousia speculum-veneris

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	5	0
1930–69	5	0
pre-1930	8	0




In flower May to August

Ivy-leaved Bellflower

Wahlenbergia hederacea

Native	GB	IR
2000–19	204	15
1987–99	206	13
1970–86	158	7
1930–69	191	15
pre-1930	136	27

Alien	GB	IR
2000–19	6	0
1987–99	3	0
1970–86	0	0
1930–69	4	2
pre-1930	3	2




In flower July to August

Round-headed Rampion

Phyteuma orbiculare

Native	GB	IR
2000–19	40	0
1987–99	39	0
1970–86	33	0
1930–69	39	0
pre-1930	40	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	1	0




In flower July to August

Spiked Rampion

Phyteuma spicatum

Native	GB	IR
2000–19	4	0
1987–99	4	0
1970–86	3	0
1930–69	8	0
pre-1930	8	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	4	0
pre-1930	11	0




In flower May to June

Heath Lobelia

Lobelia urens

Native		GB	IR
2000–19	●	7	0
1987–99	●	6	0
1970–86	●	9	0
1930–69	●	11	0
pre-1930	○	9	0

Alien		GB	IR
2000–19	●	3	0
1987–99	●	2	0
1970–86	●	0	0
1930–69	●	2	0
pre-1930	●	2	0




In flower June to October

Bear's-breech

Acanthus mollis

Alien	GB	IR
2000–19	278	7
1987–99	127	1
1970–86	45	0
1930–69	39	0
pre-1930	19	0




In flower June to August

Squinancywort

Asperula cynanchica

Native	GB	IR
2000–19	247	34
1987–99	258	36
1970–86	207	12
1930–69	284	17
pre-1930	71	16

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	2	1
pre-1930	0	1




In flower June to July

Northern Bedstraw

Galium boreale

Native	GB	IR
2000–19	418	64
1987–99	403	58
1970–86	307	28
1930–69	415	37
pre-1930	127	47

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower July to August

Slender Marsh-bedstraw

Galium constrictum

Native	GB	IR
2000–19	7	0
1987–99	12	0
1970–86	13	0
1930–69	8	0
pre-1930	8	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower May to July

Limestone Bedstraw

Galium sternerii

Native	GB	IR
2000–19	189	20
1987–99	203	22
1970–86	162	23
1930–69	140	6
pre-1930	106	13




In flower June to July

Slender Bedstraw

Galium pumilum

Native	GB	IR
2000–19	20	0
1987–99	19	0
1970–86	21	0
1930–69	33	0
pre-1930	37	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	1	0
pre-1930	1	0




In flower June to August

Wall Bedstraw

Galium parisiense

Native	GB	IR
2000–19	131	0
1987–99	24	0
1970–86	25	0
1930–69	35	0
pre-1930	43	0

Alien	GB	IR
2000–19	4	1
1987–99	3	0
1970–86	1	0
1930–69	0	0
pre-1930	2	0




In flower June to July

False Cleavers

Galium spurium

Alien		GB	IR
2000–19	●	10	1
1987–99	●	4	0
1970–86	●	6	0
1930–69	●	18	0
pre-1930	○	39	0




In flower July to September

Corn Cleavers

Galium tricornutum

Alien	GB	IR
2000–19	2	0
1987–99	14	0
1970–86	22	0
1930–69	167	1
pre-1930	354	0




In flower May to September

Crosswort

Cruciata laevipes

Native	GB	IR
2000–19	1245	0
1987–99	1262	0
1970–86	950	0
1930–69	1297	0
pre-1930	204	0

Alien	GB	IR
2000–19	14	2
1987–99	11	3
1970–86	8	2
1930–69	10	1
pre-1930	12	4




In flower April to July

Wild Madder

Rubia peregrina

Native	GB	IR
2000–19	216	77
1987–99	213	68
1970–86	143	14
1930–69	172	33
pre-1930	80	26

Alien	GB	IR
2000–19	4	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower June to August

Red-berried Elder

Sambucus racemosa


Alien	GB	IR
2000–19	355	3
1987–99	283	4
1970–86	166	0
1930–69	179	0
pre-1930	33	0



Dwarf Elder

Sambucus ebulus

Alien	GB	IR
2000–19	221	82
1987–99	261	79
1970–86	183	20
1930–69	242	41
pre-1930	248	54




Twinflower

Linnaea borealis

Native	GB	IR
2000–19	61	0
1987–99	44	0
1970–86	28	0
1930–69	39	0
pre-1930	76	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	3	0
1930–69	2	0
pre-1930	4	0




In flower June to August

Perfoliate Honeysuckle

Lonicera caprifolium

Alien	GB	IR
2000–19	61	1
1987–99	53	0
1970–86	37	0
1930–69	48	1
pre-1930	110	0




In flower May to June

Fly Honeysuckle

Lonicera xylosteum

Alien	GB	IR
2000–19	178	7
1987–99	108	6
1970–86	75	3
1930–69	59	4
pre-1930	130	4




In flower April to May

Marsh Valerian

Valeriana dioica

Native	GB	IR
2000–19	739	0
1987–99	814	0
1970–86	664	0
1930–69	840	0
pre-1930	327	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower April to June

Keeled-fruited Cornsalad

Valerianella carinata

Alien	GB	IR
2000–19	869	218
1987–99	476	61
1970–86	163	0
1930–69	172	6
pre-1930	82	3




In flower April to June

Broad-fruited Cornsalad

Valerianella rimosa

Alien	GB	IR
2000–19	16	4
1987–99	18	0
1970–86	30	2
1930–69	84	12
pre-1930	161	23




In flower June to August

Narrow-fruited Cornsalad

Valerianella dentata

Alien	GB	IR
2000–19	177	6
1987–99	178	7
1970–86	207	3
1930–69	334	8
pre-1930	352	43




In flower June to July

Hairy-fruited Cornsalad

Valerianella eriocarpa

Native	GB	IR
2000–19	9	0
1987–99	10	0
1970–86	4	0
1930–69	5	0
pre-1930	5	0

Alien	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	12	0
1930–69	23	0
pre-1930	42	0




In flower April to July

Fuller's Teasel

Dipsacus sativus

Alien		GB	IR
2000–19	●	22	0
1987–99	●	17	1
1970–86	●	11	0
1930–69	●	18	0
pre-1930	●	31	1




In flower July to August

Small Teasel

Dipsacus pilosus

Native	GB	IR
2000–19	339	0
1987–99	290	0
1970–86	215	0
1930–69	241	0
pre-1930	146	0

Alien	GB	IR
2000–19	12	1
1987–99	8	0
1970–86	2	0
1930–69	4	0
pre-1930	6	1




In flower July to August

Small Scabious

Scabiosa columbaria

Native	GB	IR
2000–19	591	0
1987–99	598	0
1970–86	488	0
1930–69	636	0
pre-1930	144	0

Alien	GB	IR
2000–19	24	1
1987–99	11	0
1970–86	3	0
1930–69	4	2
pre-1930	5	0



In flower July to August