


Greater Yellow-rattle

Rhinanthus angustifolius

Alien	GB	IR
2000–19	14	0
1987–99	11	0
1970–86	11	0
1930–69	11	0
pre-1930	74	0




In flower June to September

Montane Eyebright

Euphrasia officinalis subsp. *monticola*

Native	GB	IR
2000–19	27	1
1987–99	18	0
1970–86	34	0
1930–69	34	0
pre-1930	9	1




In flower June to July

Cumbrian Eyebright

Euphrasia rivularis

Native	GB	IR
2000–19	13	0
1987–99	10	0
1970–86	7	0
1930–69	10	0
pre-1930	6	0




In flower June to September

Cornish Eyebright

Euphrasia vigursii

Native	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	25	0
1930–69	21	0
pre-1930	24	0




In flower June to September

Western Eyebright

Euphrasia tetraquetra

Native	GB	IR
2000–19	220	134
1987–99	174	84
1970–86	95	20
1930–69	237	62
pre-1930	89	16




In flower May to September

Chalk Eyebright

Euphrasia pseudokernereri

Native	GB	IR
2000–19	86	1
1987–99	81	1
1970–86	69	0
1930–69	128	3
pre-1930	65	2




In flower July to September

Confused Eyebright

Euphrasia confusa

Native	GB	IR
2000–19	645	34
1987–99	400	25
1970–86	408	7
1930–69	642	15
pre-1930	222	4




In flower July to September

Upland Eyebright

Euphrasia frigida

Native	GB	IR
2000–19	69	2
1987–99	41	2
1970–86	41	4
1930–69	90	6
pre-1930	26	4




In flower July to August

Foula Eyebright

Euphrasia foulaensis

Native	GB	IR
2000–19	104	1
1987–99	54	0
1970–86	48	0
1930–69	102	0
pre-1930	52	0




In flower July to August

Welsh Eyebright

Euphrasia cambrica

Native	GB	IR
2000–19	1	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	3	0




In flower June to July

Ostenfeld's Eyebright

Euphrasia ostenfeldii

Native	GB	IR
2000–19	40	1
1987–99	16	0
1970–86	20	0
1930–69	33	0
pre-1930	11	0




In flower July to September

Marshall's Eyebright

Euphrasia marshallii

Native	GB	IR
2000–19	21	0
1987–99	10	0
1970–86	16	0
1930–69	25	0
pre-1930	12	0




In flower July to August

Pugsley's Eyebright

Euphrasia rotundifolia

Native	GB	IR
2000–19	3	0
1987–99	2	0
1970–86	1	0
1930–69	3	0
pre-1930	3	0




In flower July to August

Campbell's Eyebright

Euphrasia campbelliae

Native	GB	IR
2000–19	10	0
1987–99	6	0
1970–86	3	0
1930–69	10	0
pre-1930	0	0




In flower July

Slender Eyebright

Euphrasia micrantha

Native	GB	IR
2000–19	589	123
1987–99	392	88
1970–86	354	21
1930–69	653	120
pre-1930	275	39




In flower July to September

Scottish Eyebright

Euphrasia scottica

Native	GB	IR
2000–19	472	60
1987–99	321	38
1970–86	265	12
1930–69	283	36
pre-1930	121	9




In flower July to August

Heslop-Harrison's Eyebright

Euphrasia heslop-harrisonii

Native	GB	IR
2000–19	31	1
1987–99	15	0
1970–86	8	0
1930–69	11	0
pre-1930	6	0




In flower August

Irish Eyebright

Euphrasia salisburgensis

Native	GB	IR
2000–19	●	0 47
1987–99	●	0 31
1970–86	●	0 20
1930–69	●	0 17
pre-1930	○	0 31




In flower July to August

Small Cow-wheat

Melampyrum sylvaticum

Native	GB	IR
2000-19	21	1
1987-99	22	3
1970-86	19	3
1930-69	32	4
pre-1930	56	16

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower June to August

Field Cow-wheat

Melampyrum arvense

Alien	GB	IR
2000–19	5	0
1987–99	8	0
1970–86	8	0
1930–69	15	0
pre-1930	45	0




In flower June to September

Alpine Bartsia

Bartsia alpina

Native	GB	IR
2000-19	13	0
1987-99	13	0
1970-86	17	0
1930-69	17	0
pre-1930	15	0




In flower June to August

Yellow Bartsia

Parentucellia viscosa

Native	GB	IR
2000–19	136	62
1987–99	125	50
1970–86	106	17
1930–69	105	47
pre-1930	98	26

Alien	GB	IR
2000–19	120	0
1987–99	76	0
1970–86	31	0
1930–69	28	0
pre-1930	14	0




In flower June to October

Marsh Lousewort

Pedicularis palustris

Native	GB	IR
2000–19	1123	373
1987–99	1180	428
1970–86	860	113
1930–69	1234	365
pre-1930	468	88




In flower May to September

Ivy Broomrape

Orobanche hederace

Native	GB	IR
2000–19	● 239	● 137
1987–99	● 148	● 94
1970–86	● 118	● 16
1930–69	● 117	● 33
pre-1930	○ 64	○ 44




In flower May to October

Greater Broomrape

Orobanche rapum-genistae

Native	GB	IR
2000–19	83	10
1987–99	91	5
1970–86	90	7
1930–69	117	9
pre-1930	363	25




In flower May to August

Yarrow Broomrape

Phelipanche purpurea

Native	GB	IR
2000-19	21	0
1987-99	25	0
1970-86	16	0
1930-69	19	0
pre-1930	23	0

Alien	GB	IR
2000-19	2	0
1987-99	5	0
1970-86	5	0
1930-69	2	0
pre-1930	2	0




In flower June to July

Thistle Broomrape

Orobanche reticulata

Native	GB	IR
2000–19	7	0
1987–99	6	0
1970–86	6	0
1930–69	5	0
pre-1930	3	0




In flower June to August

Bedstraw Broomrape

Orobanche caryophyllacea

Native	GB	IR
2000-19	2	0
1987-99	4	0
1970-86	5	0
1930-69	4	0
pre-1930	5	0

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0




In flower May to August

Oxtongue Broomrape

Orobanche picridis

Native	GB	IR
2000–19	●	3 0
1987–99	●	2 0
1970–86	●	2 0
1930–69	○	3 0
pre-1930	○	7 0




In flower June to August

Toothwort

Lathraea squamaria

Native	GB	IR
2000-19	483	131
1987-99	429	86
1970-86	398	43
1930-69	433	32
pre-1930	190	43

Alien	GB	IR
2000-19	0	1
1987-99	2	1
1970-86	0	0
1930-69	2	0
pre-1930	1	0




In flower March to June

Greater Bladderwort

Utricularia vulgaris

Native	GB	IR
2000–19	67	26
1987–99	85	42
1970–86	59	27
1930–69	59	10
pre-1930	105	15

Alien	GB	IR
2000–19	2	0
1987–99	3	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




In flower July to August

Bladderwort

Utricularia australis

Native	GB	IR
2000–19	79	25
1987–99	79	17
1970–86	56	11
1930–69	43	12
pre-1930	75	13

Alien	GB	IR
2000–19	4	0
1987–99	5	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower July to September

Lesser Bladderwort

Utricularia minor

Native	GB	IR
2000–19	346	182
1987–99	360	209
1970–86	181	56
1930–69	292	161
pre-1930	253	131




In flower June to September

Intermediate/Nordic/Pale Bladderworts

Utricularia intermedia/stygia/ochroleuca

Native	GB	IR
2000–19	5	0
1987–99	37	1
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Common Butterwort

Pinguicula vulgaris

Native	GB	IR
2000-19	1204	376
1987-99	1229	371
1970-86	816	77
1930-69	1225	300
pre-1930	346	84

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	1	0
1930-69	2	0
pre-1930	0	0




In flower May to July

Large-flowered Butterwort

Pinguicula grandiflora

Native	GB	IR
2000–19	0	69
1987–99	0	65
1970–86	0	10
1930–69	0	13
pre-1930	0	16

Alien	GB	IR
2000–19	5	2
1987–99	8	2
1970–86	7	2
1930–69	2	1
pre-1930	6	2




In flower May to August

Pale Butterwort

Pinguicula lusitanica

Native	GB	IR
2000–19	404	256
1987–99	342	215
1970–86	188	40
1930–69	390	158
pre-1930	155	72




In flower June to October

Rampion Bellflower

Campanula rapunculus

Alien	GB	IR
2000–19	15	1
1987–99	10	0
1970–86	16	0
1930–69	36	0
pre-1930	92	0




In flower July to August

Peach-leaved Bellflower

Campanula persicifolia

Alien	GB	IR
2000–19	628	4
1987–99	307	1
1970–86	127	0
1930–69	65	0
pre-1930	38	0




In flower June to August

Cornish Bellflower

Campanula alliariifolia

Alien	GB	IR
2000–19	11	0
1987–99	8	0
1970–86	13	0
1930–69	18	0
pre-1930	6	0




In flower June to September

Creeping Bellflower

Campanula rapunculoides

Alien	GB	IR
2000–19	138	3
1987–99	250	2
1970–86	211	2
1930–69	355	6
pre-1930	179	9




In flower July to September

Canterbury-bells

Campanula medium

Alien	GB	IR
2000–19	65	2
1987–99	73	0
1970–86	46	0
1930–69	44	0
pre-1930	5	0




In flower May to June

Spreading Bellflower

Campanula patula

Native	GB	IR
2000–19	31	0
1987–99	37	0
1970–86	43	0
1930–69	51	0
pre-1930	104	0

Alien	GB	IR
2000–19	14	0
1987–99	6	0
1970–86	4	0
1930–69	6	0
pre-1930	30	0




In flower July to September

Nettle-leaved Bellflower

Campanula trachelium

Native		GB	IR
2000-19	●	432	15
1987-99	●	456	10
1970-86	●	338	4
1930-69	●	392	8
pre-1930	○	144	12

Alien		GB	IR
2000-19	●	150	7
1987-99	●	67	3
1970-86	●	40	6
1930-69	●	37	4
pre-1930	○	29	5




In flower July to September

Giant Bellflower

Campanula latifolia

Native	GB	IR
2000–19	628	0
1987–99	691	0
1970–86	600	0
1930–69	667	0
pre-1930	218	0

Alien	GB	IR
2000–19	54	21
1987–99	43	24
1970–86	47	13
1930–69	54	9
pre-1930	32	4




In flower July to August

Adria Bellflower

Campanula portenschlagiana

Alien	GB	IR
2000–19	787	73
1987–99	352	13
1970–86	34	1
1930–69	4	1
pre-1930	3	0




In flower June to December

Venus's-looking-glass

Legousia hybrida

Alien	GB	IR
2000–19	238	0
1987–99	318	0
1970–86	297	0
1930–69	339	1
pre-1930	214	0




In flower May to August

Large Venus's-looking-glass

Legousia speculum-veneris

Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	5	0
1930–69	5	0
pre-1930	8	0




In flower May to August

Ivy-leaved Bellflower

Wahlenbergia hederacea

Native	GB	IR
2000–19	204	15
1987–99	206	13
1970–86	158	7
1930–69	191	15
pre-1930	136	27

Alien	GB	IR
2000–19	6	0
1987–99	3	0
1970–86	0	0
1930–69	4	2
pre-1930	3	2




In flower July to August

Round-headed Rampion

Phyteuma orbiculare

Native	GB	IR
2000-19	40	0
1987-99	39	0
1970-86	33	0
1930-69	39	0
pre-1930	40	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	1	0




In flower July to August

Spiked Rampion

Phyteuma spicatum

Native	GB	IR
2000-19	4	0
1987-99	4	0
1970-86	3	0
1930-69	8	0
pre-1930	8	0

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	1	0
1930-69	4	0
pre-1930	11	0




In flower May to June

Heath Lobelia

Lobelia urens

Native	GB	IR
2000-19	7	0
1987-99	6	0
1970-86	9	0
1930-69	11	0
pre-1930	9	0

Alien	GB	IR
2000-19	3	0
1987-99	2	0
1970-86	0	0
1930-69	2	0
pre-1930	2	0




In flower June to October

Bear's-breech

Acanthus mollis

Alien	GB	IR
2000–19	278	7
1987–99	127	1
1970–86	45	0
1930–69	39	0
pre-1930	19	0




In flower June to August

Squinancywort

Asperula cynanchica

Native	GB	IR
2000–19	247	34
1987–99	258	36
1970–86	207	12
1930–69	284	17
pre-1930	71	16

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	2	1
pre-1930	0	1




In flower June to July

Northern Bedstraw

Galium boreale

Native	GB	IR
2000–19	418	64
1987–99	403	58
1970–86	307	28
1930–69	415	37
pre-1930	127	47

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower July to August

Slender Marsh-bedstraw

Galium constrictum

Native	GB	IR
2000-19	7	0
1987-99	12	0
1970-86	13	0
1930-69	8	0
pre-1930	8	0

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower May to July

Limestone Bedstraw

Galium sternerii

Native	GB	IR
2000–19	● 189	○ 20
1987–99	● 203	○ 22
1970–86	● 162	○ 23
1930–69	● 140	○ 6
pre-1930	● 106	○ 13




In flower June to July

Slender Bedstraw

Galium pumilum

Native	GB	IR
2000-19	20	0
1987-99	19	0
1970-86	21	0
1930-69	33	0
pre-1930	37	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0




In flower June to August

Wall Bedstraw

Galium parisiense

Native	GB	IR
2000–19	131	0
1987–99	24	0
1970–86	25	0
1930–69	35	0
pre-1930	43	0

Alien	GB	IR
2000–19	4	1
1987–99	3	0
1970–86	1	0
1930–69	0	0
pre-1930	2	0




In flower June to July

False Cleavers

Galium spurium

Alien	GB	IR
2000–19	10	1
1987–99	4	0
1970–86	6	0
1930–69	18	0
pre-1930	39	0




In flower July to September

Corn Cleavers

Galium tricornutum

Alien	GB	IR
2000–19	2	0
1987–99	14	0
1970–86	22	0
1930–69	167	1
pre-1930	354	0




In flower May to September

Crosswort

Cruciata laevipes

Native	GB	IR
2000-19	1245	0
1987-99	1262	0
1970-86	950	0
1930-69	1297	0
pre-1930	204	0

Alien	GB	IR
2000-19	14	2
1987-99	11	3
1970-86	8	2
1930-69	10	1
pre-1930	12	4




In flower April to July

Wild Madder

Rubia peregrina

Native	GB	IR
2000-19	216	77
1987-99	213	68
1970-86	143	14
1930-69	172	33
pre-1930	80	26

Alien	GB	IR
2000-19	4	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower June to August

Red-berried Elder

Sambucus racemosa


Alien	GB	IR
2000–19	355	3
1987–99	283	4
1970–86	166	0
1930–69	179	0
pre-1930	33	0



Dwarf Elder

Sambucus ebulus

Alien	GB	IR
2000–19	221	82
1987–99	261	79
1970–86	183	20
1930–69	242	41
pre-1930	248	54




Twinflower

Linnaea borealis

Native	GB	IR
2000-19	61	0
1987-99	44	0
1970-86	28	0
1930-69	39	0
pre-1930	76	0

Alien	GB	IR
2000-19	2	0
1987-99	2	0
1970-86	3	0
1930-69	2	0
pre-1930	4	0




In flower June to August

Perfoliate Honeysuckle

Lonicera caprifolium

Alien	GB	IR
2000–19	61	1
1987–99	53	0
1970–86	37	0
1930–69	48	1
pre-1930	110	0




In flower May to June

Fly Honeysuckle

Lonicera xylosteum

Alien	GB	IR
2000–19	178	7
1987–99	108	6
1970–86	75	3
1930–69	59	4
pre-1930	130	4




In flower April to May

Marsh Valerian

Valeriana dioica

Native	GB	IR
2000–19	739	0
1987–99	814	0
1970–86	664	0
1930–69	840	0
pre-1930	327	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower April to June

Keeled-fruited Cornsalad

Valerianella carinata

Alien	GB	IR
2000–19	869	218
1987–99	476	61
1970–86	163	0
1930–69	172	6
pre-1930	82	3




In flower April to June

Broad-fruited Cornsalad

Valerianella rimosa

Alien	GB	IR
2000–19	16	4
1987–99	18	0
1970–86	30	2
1930–69	84	12
pre-1930	161	23




In flower June to August

Narrow-fruited Cornsalad

Valerianella dentata

Alien	GB	IR
2000–19	177	6
1987–99	178	7
1970–86	207	3
1930–69	334	8
pre-1930	352	43




In flower June to July

Hairy-fruited Cornsalad

Valerianella eriocarpa

Native	GB	IR
2000–19	9	0
1987–99	10	0
1970–86	4	0
1930–69	5	0
pre-1930	5	0

Alien	GB	IR
2000–19	8	0
1987–99	8	0
1970–86	12	0
1930–69	23	0
pre-1930	42	0




In flower April to July

Fuller's Teasel

Dipsacus sativus

Alien	GB	IR
2000–19	22	0
1987–99	17	1
1970–86	11	0
1930–69	18	0
pre-1930	31	1




In flower July to August

Small Teasel

Dipsacus pilosus

Native		GB	IR
2000–19	●	339	0
1987–99	●	290	0
1970–86	●	215	0
1930–69	●	241	0
pre-1930	○	146	0

Alien		GB	IR
2000–19	●	12	1
1987–99	●	8	0
1970–86	●	2	0
1930–69	●	4	0
pre-1930	○	6	1




In flower July to August

Small Scabious

Scabiosa columbaria

Native	GB	IR
2000–19	591	0
1987–99	598	0
1970–86	488	0
1930–69	636	0
pre-1930	144	0

Alien	GB	IR
2000–19	24	1
1987–99	11	0
1970–86	3	0
1930–69	4	2
pre-1930	5	0



In flower July to August