


Alpine Saw-wort

Saussurea alpina

Native	GB	IR
2000–19	173	12
1987–99	164	10
1970–86	116	8
1930–69	172	6
pre-1930	44	19




In flower July to September

Plymouth Thistle

Carduus pycnocephalus

Alien	GB	IR
2000–19	1	0
1987–99	5	0
1970–86	15	0
1930–69	18	0
pre-1930	14	1




In flower June to August

Woolly Thistle

Cirsium eriophorum

Native	GB	IR
2000-19	317	0
1987-99	318	0
1970-86	243	0
1930-69	298	0
pre-1930	134	0

Alien	GB	IR
2000-19	3	0
1987-99	2	0
1970-86	1	0
1930-69	3	0
pre-1930	9	0




In flower July to September

Meadow Thistle

Cirsium dissectum

Native	GB	IR
2000-19	290	515
1987-99	372	422
1970-86	293	82
1930-69	360	358
pre-1930	161	117

Alien	GB	IR
2000-19	1	0
1987-99	3	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower June to August

Tuberous Thistle

Cirsium tuberosum

Native	GB	IR
2000-19	17	0
1987-99	18	0
1970-86	14	0
1930-69	8	0
pre-1930	7	0

Alien	GB	IR
2000-19	2	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	2	0




In flower June to August

Melancholy Thistle

Cirsium heterophyllum

Native	GB	IR
2000–19	577	1
1987–99	536	1
1970–86	396	1
1930–69	550	1
pre-1930	182	0

Alien	GB	IR
2000–19	14	0
1987–99	16	2
1970–86	5	0
1930–69	10	0
pre-1930	5	0




In flower July to August

Cabbage Thistle

Cirsium oleraceum

Alien	GB	IR
2000–19	9	2
1987–99	6	2
1970–86	8	1
1930–69	9	1
pre-1930	9	0




In flower July to September

Milk Thistle

Silybum marianum

Alien	GB	IR
2000–19	376	9
1987–99	252	14
1970–86	195	15
1930–69	227	13
pre-1930	223	44




In flower June to August

Saw-wort

Serratula tinctoria

Native		GB	IR
2000-19	●	601	0
1987-99	●	679	0
1970-86	●	516	0
1930-69	●	643	0
pre-1930	○	298	0

Alien		GB	IR
2000-19	●	2	0
1987-99	●	1	0
1970-86	●	0	0
1930-69	●	1	1
pre-1930	○	4	2




In flower July to September

Red Star-thistle

Centaurea calcitrapa

Alien	GB	IR
2000–19	13	0
1987–99	11	0
1970–86	21	0
1930–69	50	0
pre-1930	133	1




In flower July to September

Rough Star-thistle

Centaurea aspera

Alien	GB	IR
2000–19	7	0
1987–99	9	0
1970–86	5	0
1930–69	9	0
pre-1930	8	0




In flower July to September

Yellow Star-thistle

Centaurea solstitialis

Alien	GB	IR
2000–19	7	0
1987–99	7	0
1970–86	32	0
1930–69	95	0
pre-1930	190	1




In flower July to September

Brown Knapweed

Centaurea jacea

Alien	GB	IR
2000–19	14	1
1987–99	12	0
1970–86	2	0
1930–69	11	0
pre-1930	33	1




In flower August to September

Lamb's Succory

Arnososeris minima

Alien	GB	IR
2000–19	0	0
1987–99	2	0
1970–86	3	0
1930–69	26	0
pre-1930	79	0




In flower June to August

Smooth Cat's-ear

Hypochaeris glabra

Native	GB	IR
2000-19	195	2
1987-99	137	3
1970-86	138	1
1930-69	172	4
pre-1930	143	2

Alien	GB	IR
2000-19	1	0
1987-99	2	0
1970-86	3	0
1930-69	2	0
pre-1930	7	0




In flower June to October

Spotted Cat's-ear

Hypochaeris maculata

Native	GB	IR
2000-19	8	0
1987-99	10	0
1970-86	9	0
1930-69	12	0
pre-1930	17	0

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	1	0
pre-1930	1	0




In flower May to August

Viper's-grass

Scorzonera humilis

Native	GB	IR
2000-19	4	0
1987-99	3	0
1970-86	1	0
1930-69	1	0
pre-1930	3	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0




In flower May to July

Alpine Blue-sow-thistle

Cicerbita alpina

Native	GB	IR
2000–19	3	0
1987–99	4	0
1970–86	4	0
1930–69	4	0
pre-1930	3	0

Alien	GB	IR
2000–19	2	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Common Blue-sow-thistle

Cicerbita macrophylla

Alien	GB	IR
2000–19	622	31
1987–99	552	23
1970–86	410	21
1930–69	269	12
pre-1930	44	2




In flower June to August

Hairless Blue-sow-thistle

Cicerbita plumieri

Alien	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	8	0
1930–69	8	0
pre-1930	8	2




In flower June to September

Least Lettuce

Lactuca saligna

Native	GB	IR
2000-19	5	0
1987-99	3	0
1970-86	5	0
1930-69	11	0
pre-1930	30	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	1	0
1930-69	1	0
pre-1930	7	0




In flower July to September

Marsh Hawk's-beard

Crepis paludosa

Native	GB	IR
2000–19	1037	343
1987–99	989	262
1970–86	672	88
1930–69	912	161
pre-1930	174	78




In flower July to September

Northern Hawk's-beard

Crepis mollis

Native	GB	IR
2000-19	30	0
1987-99	18	0
1970-86	27	0
1930-69	29	0
pre-1930	59	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	1
pre-1930	1	0




In flower June to August

Rough Hawk's-beard

Crepis biennis

Native	GB	IR
2000-19	233	0
1987-99	173	0
1970-86	141	0
1930-69	177	0
pre-1930	74	0

Alien	GB	IR
2000-19	265	163
1987-99	173	109
1970-86	121	21
1930-69	96	34
pre-1930	95	23




In flower June to September

Stinking Hawk's-beard

Crepis foetida

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	4	0
pre-1930	34	0




In flower June to August

Leafless Hawk's-beard

Crepis praemorsa

Native	GB	IR
2000-19	● 1	○ 0
1987-99	● 1	○ 0
1970-86	● 0	○ 0
1930-69	○ 0	○ 0
pre-1930	○ 0	○ 0




In flower June

Narrow-leaved Hawk's-beard

Crepis tectorum

Alien	GB	IR
2000–19	6	0
1987–99	12	5
1970–86	14	0
1930–69	1	0
pre-1930	3	0




In flower May to August

Shaggy Mouse-ear-hawkweed

Pilosella peleteriana

Native	GB	IR
2000-19	21	0
1987-99	18	0
1970-86	11	0
1930-69	14	0
pre-1930	14	0




In flower May to July

Fox-and-cubs

Pilosella aurantiaca

Alien	GB	IR
2000–19	1951	197
1987–99	1205	60
1970–86	604	18
1930–69	367	8
pre-1930	179	6




In flower May to July

Mountain Everlasting

Antennaria dioica

Native	GB	IR
2000-19	627	192
1987-99	620	212
1970-86	405	59
1930-69	684	195
pre-1930	271	119

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower June to July

Pearly Everlasting

Anaphalis margaritacea

Alien	GB	IR
2000–19	134	4
1987–99	120	1
1970–86	92	1
1930–69	99	1
pre-1930	81	10




In flower August to September

Broad-leaved Cudweed

Filago pyramidata

Alien	GB	IR
2000–19	17	0
1987–99	15	0
1970–86	14	0
1930–69	40	0
pre-1930	128	0




In flower July to August

Narrow-leaved Cudweed

Logfia gallica

Alien	GB	IR
2000–19	3	0
1987–99	6	0
1970–86	3	0
1930–69	9	0
pre-1930	20	0




In flower July to September

Heath Cudweed

Omalotheca sylvatica

Native	GB	IR
2000–19	349	11
1987–99	336	17
1970–86	349	15
1930–69	687	30
pre-1930	435	128

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Highland Cudweed

Omalotheca norvegica

Native	GB	IR
2000–19	6	0
1987–99	16	0
1970–86	8	0
1930–69	8	0
pre-1930	10	0




In flower August

Dwarf Cudweed

Omalotheca supina

Native	GB	IR
2000–19	127	0
1987–99	127	0
1970–86	81	0
1930–69	148	0
pre-1930	38	0




In flower July to August

Jersey Cudweed

Laphangium luteoalbum

Alien	GB	IR
2000–19	107	18
1987–99	18	0
1970–86	7	0
1930–69	16	0
pre-1930	18	0




In flower June to August

Cape Cudweed

Pseudognaphalium undulatum

Alien	GB	IR
2000–19	20	0
1987–99	18	0
1970–86	10	0
1930–69	8	0
pre-1930	4	0




In flower June to August

Irish Fleabane

Inula salicina

Native	GB	IR
2000-19	0	1
1987-99	0	1
1970-86	0	1
1930-69	0	3
pre-1930	0	3

Alien	GB	IR
2000-19	0	0
1987-99	0	1
1970-86	0	0
1930-69	0	1
pre-1930	0	1




In flower July to August

Elecampane

Inula helenium

Alien	GB	IR
2000–19	359	67
1987–99	275	45
1970–86	188	11
1930–69	323	33
pre-1930	238	35




In flower July to August

Golden-samphire

Limbarda crithmoides

Native	GB	IR
2000–19	133	24
1987–99	103	20
1970–86	87	5
1930–69	87	14
pre-1930	47	12

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




In flower July to October

Small Fleabane

Pulicaria vulgaris

Native	GB	IR
2000-19	7	0
1987-99	9	0
1970-86	8	0
1930-69	25	0
pre-1930	117	0

Alien	GB	IR
2000-19	0	0
1987-99	2	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0




In flower August to September

Goldenrod

Solidago virgaurea

Native	GB	IR
2000–19	1604	449
1987–99	1659	394
1970–86	1101	61
1930–69	1700	309
pre-1930	353	108

Alien	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	3	0
1930–69	2	0
pre-1930	0	0




In flower June to September

Early Goldenrod

Solidago gigantea

Alien	GB	IR
2000–19	797	15
1987–99	566	2
1970–86	287	0
1930–69	110	1
pre-1930	39	0




In flower July to October

Alpine Fleabane

Erigeron borealis

Native	GB	IR
2000–19	5	0
1987–99	6	0
1970–86	5	0
1930–69	6	0
pre-1930	8	0




In flower July to August

Guernsey Fleabane

Erigeron sumatrensis

Alien	GB	IR
2000–19	759	24
1987–99	175	1
1970–86	9	0
1930–69	4	0
pre-1930	1	0




In flower July to September

Hairy Michaelmas-daisy

Symphyotrichum novae-angliae

Alien	GB	IR
2000–19	46	0
1987–99	48	1
1970–86	24	0
1930–69	30	0
pre-1930	13	0




In flower September to October

Confused Michaelmas Daisy

Symphyotrichum novi-belgii


Alien	GB	IR
2000–19	450	12
1987–99	472	5
1970–86	276	7
1930–69	196	5
pre-1930	47	0



In flower September to November

Late Michaelmas Daisy

Symphotrichum laeve x novi-belgii




In flower October to November

Narrow-leaved Michaelmas Daisy

Symphyotrichum lanceolatum

Alien	GB	IR
2000–19	266	14
1987–99	185	3
1970–86	51	2
1930–69	39	1
pre-1930	15	0




In flower September to November

Goldilocks Aster

Galatella linosyris

Native	GB	IR
2000–19	7	0
1987–99	7	0
1970–86	7	0
1930–69	7	0
pre-1930	5	0

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	2	0
pre-1930	4	0




In flower August to October

Corn Marigold

Glebionis segetum

Alien	GB	IR
2000–19	1064	192
1987–99	946	241
1970–86	707	58
1930–69	1268	323
pre-1930	397	100




In flower June to August

Chinese Mugwort

Artemisia verlotiorum

Alien	GB	IR
2000–19	97	0
1987–99	61	0
1970–86	53	0
1930–69	61	0
pre-1930	10	0




In flower September to December

Norwegian Mugwort

Artemisia norvegica

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	3	0
pre-1930	0	0




In flower July to September

Hoary Mugwort

Artemisia stelleriana

Alien	GB	IR
2000–19	12	1
1987–99	15	0
1970–86	7	1
1930–69	6	0
pre-1930	7	1




In flower July to September

Cottonweed

Achillea maritima

Native	GB	IR
2000-19	0	1
1987-99	0	2
1970-86	0	1
1930-69	3	2
pre-1930	28	5

Alien	GB	IR
2000-19	0	0
1987-99	0	1
1970-86	0	0
1930-69	0	0
pre-1930	0	0




In flower August to October

Chamomile

Chamaemelum nobile

Native	GB	IR
2000–19	158	65
1987–99	150	60
1970–86	120	5
1930–69	218	57
pre-1930	193	58

Alien	GB	IR
2000–19	31	0
1987–99	21	0
1970–86	14	0
1930–69	27	1
pre-1930	56	3




In flower June to July

Corn Chamomile

Anthemis arvensis

Alien	GB	IR
2000–19	238	11
1987–99	235	3
1970–86	207	0
1930–69	442	5
pre-1930	314	17




In flower May to August

Stinking Chamomile

Anthemis cotula

Alien	GB	IR
2000–19	472	8
1987–99	571	9
1970–86	426	4
1930–69	848	18
pre-1930	296	40




In flower July to September

Yellow Chamomile

Cota tinctoria

Alien	GB	IR
2000–19	120	6
1987–99	84	4
1970–86	74	0
1930–69	77	0
pre-1930	67	0




In flower June to August

Buttonweed

Cotula coronopifolia

Alien	GB	IR
2000–19	75	4
1987–99	38	0
1970–86	11	1
1930–69	6	0
pre-1930	10	1




In flower July to August

Silver Ragwort

Jacobaea maritima

Alien	GB	IR
2000–19	311	15
1987–99	242	8
1970–86	79	0
1930–69	31	0
pre-1930	23	0




In flower June to August

Broad-leaved Ragwort

Senecio sarracenicus

Alien	GB	IR
2000–19	89	7
1987–99	94	9
1970–86	60	5
1930–69	95	11
pre-1930	78	12




In flower July to September

Fen Ragwort

Jacobaea paludosa

Native	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	8

Alien	GB	IR
2000–19	4	0
1987–99	5	0
1970–86	0	0
1930–69	0	0
pre-1930	2	0




In flower May to July

Marsh Ragwort

Jacobaea aquatica

Native	GB	IR
2000–19	1903	898
1987–99	1883	864
1970–86	1301	161
1930–69	1932	722
pre-1930	338	133

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




In flower July to August

Welsh Groundsel

Senecio cambrensis

	GB	IR
2000–19	● 7	0
1987–99	● 8	0
1970–86	● 8	0
1930–69	● 4	0
pre-1930	○ 1	0




In flower May to October

Eastern Groundsel

Senecio vernalis

Alien	GB	IR
2000–19	14	5
1987–99	7	0
1970–86	16	0
1930–69	4	0
pre-1930	2	0




In flower May to November

Narrow-leaved Ragwort

Senecio inaequidens

Alien	GB	IR
2000–19	527	46
1987–99	23	2
1970–86	4	0
1930–69	10	0
pre-1930	6	0




In flower June to October

Leopard's-bane

Doronicum pardalianches

Alien	GB	IR
2000–19	683	6
1987–99	648	7
1970–86	449	5
1930–69	413	1
pre-1930	157	5




In flower May to July

Giant Butterbur

Petasites japonicus

Alien	GB	IR
2000–19	186	3
1987–99	113	3
1970–86	70	0
1930–69	36	0
pre-1930	10	0




In flower March to April

White Butterbur

Petasites albus

Alien	GB	IR
2000–19	269	6
1987–99	222	6
1970–86	117	1
1930–69	200	3
pre-1930	67	4




In flower March to May

Purple Colt's-foot

Homogyne alpina

Native	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	1	0
pre-1930	1	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0




In flower May to August

Field Marigold

Calendula arvensis

Alien	GB	IR
2000–19	33	0
1987–99	22	0
1970–86	14	0
1930–69	13	1
pre-1930	11	0




In flower May to August

Ragweed

Ambrosia artemisiifolia

Alien	GB	IR
2000–19	320	13
1987–99	98	0
1970–86	39	0
1930–69	52	0
pre-1930	82	1




In flower August to October

Jerusalem Artichoke

Helianthus tuberosus


Alien	GB	IR
2000–19	137	2
1987–99	98	1
1970–86	60	0
1930–69	57	0
pre-1930	21	0



In flower April to October

Perennial Sunflower

Helianthus pauciflorus x tuberosus




In flower September to October

Gallant Soldier

Galinsoga parviflora

Alien	GB	IR
2000–19	343	6
1987–99	298	1
1970–86	201	1
1930–69	218	1
pre-1930	65	0




In flower May to October

Nodding Bur-marigold

Bidens cernua

Native	GB	IR
2000–19	497	172
1987–99	553	198
1970–86	403	58
1930–69	572	90
pre-1930	255	66

Alien	GB	IR
2000–19	1	0
1987–99	0	1
1970–86	0	0
1930–69	0	0
pre-1930	0	0




In flower July to September

Trifid Bur-marigold

Bidens tripartita

Native	GB	IR
2000-19	652	136
1987-99	729	137
1970-86	532	39
1930-69	716	76
pre-1930	253	66

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	1	0
1930-69	0	0
pre-1930	1	0




In flower July to September

Beggarticks

Bidens frondosa

Alien	GB	IR
2000–19	105	1
1987–99	75	0
1970–86	25	0
1930–69	16	0
pre-1930	13	0



In flower July to September