


# Lesser Water-plantain

*Baldellia ranunculoides*

Native	GB	IR
2000–19	203	239
1987–99	212	242
1970–86	198	70
1930–69	274	150
pre-1930	360	72

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




# Floating Water-plantain

*Luronium natans*

Native	GB	IR
2000–19	52	3
1987–99	56	1
1970–86	38	0
1930–69	51	0
pre-1930	46	0

Alien	GB	IR
2000–19	7	0
1987–99	8	0
1970–86	6	0
1930–69	4	0
pre-1930	1	0




# Water-plantain

*Alisma plantago-aquatica*

Native	GB	IR
2000–19	1607	586
1987–99	1596	572
1970–86	1188	109
1930–69	1462	355
pre-1930	236	90

Alien	GB	IR
2000–19	15	1
1987–99	10	0
1970–86	4	0
1930–69	3	0
pre-1930	3	0




# Narrow-leaved Water-plantain

*Alisma lanceolatum*

Native	GB	IR
2000–19	324	40
1987–99	297	27
1970–86	203	17
1930–69	256	8
pre-1930	95	3

Alien	GB	IR
2000–19	18	0
1987–99	6	0
1970–86	3	0
1930–69	4	0
pre-1930	1	0




# Ribbon-leaved Water-plantain

*Alisma gramineum*

Native	GB	IR
2000-19	4	0
1987-99	2	0
1970-86	4	0
1930-69	3	0
pre-1930	0	0

Alien	GB	IR
2000-19	0	0
1987-99	3	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




# Starfruit

*Damasonium alisma*

Native	GB	IR
2000-19	2	0
1987-99	4	0
1970-86	3	0
1930-69	9	0
pre-1930	52	0

Alien	GB	IR
2000-19	4	0
1987-99	3	0
1970-86	0	0
1930-69	4	0
pre-1930	4	0




# Frogbit

*Hydrocharis morsus-ranae*

Native	GB	IR
2000–19	159	70
1987–99	158	58
1970–86	136	19
1930–69	220	20
pre-1930	164	27

Alien	GB	IR
2000–19	78	0
1987–99	31	0
1970–86	12	0
1930–69	15	0
pre-1930	16	0




# Water-soldier

*Stratiotes aloides*

Native	GB	IR
2000–19	31	0
1987–99	17	0
1970–86	16	0
1930–69	18	0
pre-1930	59	0

Alien	GB	IR
2000–19	277	10
1987–99	196	7
1970–86	74	2
1930–69	52	2
pre-1930	87	6






# Esthwaite Waterweed

*Hydrilla verticillata*


Native	GB	IR
2000–19	●	1 2
1987–99	●	1 1
1970–86	●	0 1
1930–69	●	1 1
pre-1930	○	1 0



# Curly Waterweed

*Lagarosiphon major*


Alien	GB	IR
2000–19	521	54
1987–99	426	13
1970–86	137	0
1930–69	57	1
pre-1930	20	0



# Cape-pondweed

*Aponogeton distachyos*

Alien	GB	IR
2000–19	87	4
1987–99	48	0
1970–86	21	0
1930–69	12	0
pre-1930	13	0




# Rannoch-rush

*Scheuchzeria palustris*

Native	GB	IR
2000-19	8	0
1987-99	5	0
1970-86	4	0
1930-69	3	1
pre-1930	11	0


Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0



# Marsh Arrowgrass

*Triglochin palustris*

Native	GB	IR
2000–19	1588	569
1987–99	1685	602
1970–86	1195	124
1930–69	1576	394
pre-1930	450	99




# Bog Pondweed

*Potamogeton polygonifolius*

Native	GB	IR
2000–19	1681	650
1987–99	1588	545
1970–86	1059	115
1930–69	780	64
pre-1930	656	76

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




# Loddon Pondweed

*Potamogeton nodosus*

Native	GB	IR
2000-19	16	0
1987-99	9	0
1970-86	11	0
1930-69	12	0
pre-1930	7	0


Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0



# Shining Pondweed

*Potamogeton lucens*

Native	GB	IR
2000–19	218	160
1987–99	284	126
1970–86	221	52
1930–69	259	31
pre-1930	246	54






# Various-leaved Pondweed

*Potamogeton gramineus*


Native	GB	IR
2000–19	219	132
1987–99	266	112
1970–86	217	55
1930–69	187	43
pre-1930	223	69



# Long-stalked Pondweed

*Potamogeton praelongus*


Native	GB	IR
2000–19	114	93
1987–99	117	59
1970–86	82	27
1930–69	122	14
pre-1930	140	23



# Perfoliate Pondweed

*Potamogeton perfoliatus*

Native	GB	IR
2000–19	571	308
1987–99	738	249
1970–86	550	88
1930–69	497	44
pre-1930	449	55




# American Pondweed

*Potamogeton epihydrus*

Native	GB	IR
2000-19	2	0
1987-99	3	0
1970-86	1	0
1930-69	2	0
pre-1930	0	0


Alien	GB	IR
2000-19	4	0
1987-99	8	0
1970-86	4	0
1930-69	4	0
pre-1930	2	0



# Flat-stalked Pondweed

*Potamogeton friesii*


Native	GB	IR
2000–19	107	35
1987–99	100	25
1970–86	107	12
1930–69	144	7
pre-1930	157	7



# Shetland Pondweed

*Potamogeton rutilus*


Native	GB	IR
2000–19	14	0
1987–99	11	0
1970–86	8	0
1930–69	7	0
pre-1930	3	0



# Lesser Pondweed

*Potamogeton pusillus*

Native	GB	IR
2000–19	632	103
1987–99	545	135
1970–86	384	24
1930–69	366	18
pre-1930	264	22




# Blunt-leaved Pondweed

*Potamogeton obtusifolius*

Native	GB	IR
2000-19	298	175
1987-99	345	127
1970-86	303	46
1930-69	214	20
pre-1930	228	38

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	1	0
1930-69	0	0
pre-1930	0	0






# Small Pondweed

*Potamogeton berchtoldii*

Native	GB	IR
2000–19	990	335
1987–99	1004	265
1970–86	660	87
1930–69	543	72
pre-1930	457	57




# Hairlike Pondweed

*Potamogeton trichoides*

Native	GB	IR
2000–19	185	0
1987–99	120	0
1970–86	76	0
1930–69	82	0
pre-1930	50	0


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



# Grass-wrack Pondweed

*Potamogeton compressus*


Native	GB	IR
2000–19	35	0
1987–99	38	0
1970–86	43	0
1930–69	78	0
pre-1930	93	0



# Sharp-leaved Pondweed

*Potamogeton acutifolius*

Native	GB	IR
2000–19	10	0
1987–99	14	0
1970–86	14	0
1930–69	13	0
pre-1930	26	0




# Curled Pondweed

*Potamogeton crispus*

Native	GB	IR
2000-19	1225	271
1987-99	1237	322
1970-86	937	91
1930-69	783	58
pre-1930	550	48

Alien	GB	IR
2000-19	3	0
1987-99	3	0
1970-86	2	0
1930-69	1	0
pre-1930	2	0




# Slender-leaved Pondweed

*Stuckenia filiformis*

Native	GB	IR
2000–19	86	64
1987–99	104	50
1970–86	83	22
1930–69	68	21
pre-1930	70	16

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




# Fennel Pondweed

*Stuckenia pectinata*

Native	GB	IR
2000–19	908	208
1987–99	958	209
1970–86	701	67
1930–69	613	53
pre-1930	493	68

Alien	GB	IR
2000–19	0	1
1987–99	2	1
1970–86	0	0
1930–69	1	0
pre-1930	1	0




# Opposite-leaved Pondweed

*Groenlandia densa*

Native	GB	IR
2000–19	157	22
1987–99	214	20
1970–86	221	7
1930–69	308	8
pre-1930	425	31

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	2	0
pre-1930	1	0






# Horned Pondweed

*Zannichellia palustris*

Native	GB	IR
2000–19	682	90
1987–99	773	146
1970–86	645	56
1930–69	650	44
pre-1930	619	50

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0




# Beaked Tasselweed

*Ruppia maritima*

Native	GB	IR
2000–19	190	60
1987–99	177	44
1970–86	154	17
1930–69	201	19
pre-1930	201	49


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0



# Spiral Tasselweed

*Ruppia spiralis*

Native	GB	IR
2000–19	57	17
1987–99	57	11
1970–86	50	4
1930–69	53	6
pre-1930	74	15




# Slender Naiad

*Najas flexilis*

Native	GB	IR
2000–19	20	36
1987–99	19	22
1970–86	14	21
1930–69	10	10
pre-1930	8	14


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	1	0



# Holly-leaved Naiad

*Najas marina*


Native	GB	IR
2000–19	7	0
1987–99	3	0
1970–86	4	0
1930–69	3	0
pre-1930	2	0



# Sweet-flag

*Acorus calamus*


Alien	GB	IR
2000–19	458	7
1987–99	401	10
1970–86	244	3
1930–69	284	7
pre-1930	105	10



# Rootless Duckweed

*Wolffia arrhiza*


	GB	IR
2000–19	● 30	○ 0
1987–99	● 27	○ 0
1970–86	● 28	○ 0
1930–69	● 26	○ 0
pre-1930	○ 18	○ 0



# Pipewort

*Eriocaulon aquaticum*

Native	GB	IR
2000–19	8	57
1987–99	10	45
1970–86	9	17
1930–69	7	42
pre-1930	4	39






# Heath Rush

*Juncus squarrosus*


Native	GB	IR
2000–19	1709	467
1987–99	1654	430
1970–86	993	64
1930–69	1195	186
pre-1930	271	72



# Slender Rush

*Juncus tenuis*

Alien	GB	IR
2000–19	1294	266
1987–99	828	122
1970–86	470	9
1930–69	561	10
pre-1930	188	55




# Round-fruited Rush

*Juncus compressus*

Native	GB	IR
2000–19	219	3
1987–99	192	1
1970–86	206	2
1930–69	257	1
pre-1930	144	1

Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




# Saltmarsh Rush

*Juncus gerardii*

Native	GB	IR
2000–19	859	270
1987–99	792	228
1970–86	454	101
1930–69	695	160
pre-1930	151	50


Alien	GB	IR
2000–19	15	0
1987–99	18	0
1970–86	17	0
1930–69	5	0
pre-1930	5	0



# Three-leaved Rush

*Juncus trifidus*


Native	GB	IR
2000–19	141	0
1987–99	138	0
1970–86	87	0
1930–69	141	0
pre-1930	31	0



# Toad Rush

*Juncus bufonius*


Native	GB	IR
2000–19	2724	945
1987–99	2632	866
1970–86	1724	150
1930–69	2413	645
pre-1930	348	138



# Leafy Rush

*Juncus foliosus*

Native	GB	IR
2000–19	173	144
1987–99	184	59
1970–86	75	13
1930–69	16	16
pre-1930	22	10




# Frog Rush

*Juncus ranarius*

Native	GB	IR
2000–19	240	63
1987–99	122	38
1970–86	70	13
1930–69	28	5
pre-1930	43	8

Alien	GB	IR
2000–19	4	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0






# Broad-leaved Rush

*Juncus planifolius*

Alien	GB	IR
2000–19	●	0 20
1987–99	●	0 3
1970–86	●	0 4
1930–69	●	0 0
pre-1930	●	0 0




# Dwarf Rush

*Juncus capitatus*

Native	GB	IR
2000-19	13	0
1987-99	16	0
1970-86	11	0
1930-69	11	0
pre-1930	14	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	3	0




# Blunt-flowered Rush

*Juncus subnodulosus*

Native	GB	IR
2000–19	465	138
1987–99	489	143
1970–86	348	48
1930–69	390	67
pre-1930	199	63


Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



# Alpine Rush

*Juncus alpinoarticulatus*

Native	GB	IR
2000–19	33	0
1987–99	29	0
1970–86	34	0
1930–69	25	0
pre-1930	21	0




# Sharp-flowered Rush

*Juncus acutiflorus*

Native	GB	IR
2000-19	2385	920
1987-99	2299	781
1970-86	1633	159
1930-69	1878	539
pre-1930	310	129


Alien	GB	IR
2000-19	9	0
1987-99	12	0
1970-86	4	0
1930-69	3	0
pre-1930	1	0



# Bulbous Rush

*Juncus bulbosus*


Native	GB	IR
2000–19	2086	811
1987–99	2026	722
1970–86	1332	142
1930–69	1757	514
pre-1930	362	111



# Pigmy Rush

*Juncus pygmaeus*


Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	3	0
1930–69	4	0
pre-1930	3	0



# Two-flowered Rush

*Juncus biglumis*

Native	GB	IR
2000–19	24	0
1987–99	18	0
1970–86	18	0
1930–69	21	0
pre-1930	16	0






# Three-flowered Rush

*Juncus triglumis*


Native	GB	IR
2000–19	143	0
1987–99	140	0
1970–86	106	0
1930–69	144	0
pre-1930	42	0



# Chestnut Rush

*Juncus castaneus*

Native	GB	IR
2000–19	28	0
1987–99	18	0
1970–86	20	0
1930–69	27	0
pre-1930	23	0




# Sharp Rush

*Juncus acutus*

Native	GB	IR
2000-19	44	21
1987-99	39	26
1970-86	26	9
1930-69	37	12
pre-1930	27	18

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




# Baltic Rush

*Juncus balticus*

Native	GB	IR
2000–19	67	0
1987–99	59	0
1970–86	42	0
1930–69	61	0
pre-1930	41	0


Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



# Thread Rush

*Juncus filiformis*

Native	GB	IR
2000–19	32	1
1987–99	22	0
1970–86	22	0
1930–69	8	0
pre-1930	5	0




# Hairy Wood-rush

*Luzula pilosa*

Native	GB	IR
2000–19	1899	292
1987–99	1782	228
1970–86	1205	78
1930–69	1679	63
pre-1930	287	40

Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




# Southern Wood-rush

*Luzula forsteri*

Native	GB	IR
2000–19	264	0
1987–99	251	0
1970–86	158	0
1930–69	208	0
pre-1930	76	0

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




# Great Wood-rush

*Luzula sylvatica*

Native	GB	IR
2000-19	1954	666
1987-99	1876	554
1970-86	1135	116
1930-69	1667	313
pre-1930	296	94

Alien	GB	IR
2000-19	21	0
1987-99	5	0
1970-86	0	0
1930-69	2	0
pre-1930	3	0






# Fen Wood-rush

*Luzula pallescens*

Native	GB	IR
2000-19	2	0
1987-99	2	0
1970-86	2	1
1930-69	2	0
pre-1930	1	0


Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0



# Curved Wood-rush

*Luzula arcuata*

Native	GB	IR
2000–19	11	0
1987–99	10	0
1970–86	14	0
1930–69	15	0
pre-1930	12	0



# Spiked Wood-rush

*Luzula spicata*

Native	GB	IR
2000–19	142	0
1987–99	134	0
1970–86	91	0
1930–69	156	0
pre-1930	47	0

