


Broad-leaved Cottongrass

Eriophorum latifolium


Native	GB	IR
2000–19	387	54
1987–99	331	61
1970–86	251	16
1930–69	254	34
pre-1930	180	26



Slender Cottongrass

Eriophorum gracile

Native	GB	IR
2000–19	7	13
1987–99	8	14
1970–86	6	9
1930–69	10	8
pre-1930	12	0




Hare's-tail Cottongrass

Eriophorum vaginatum

Native	GB	IR
2000–19	1386	567
1987–99	1305	471
1970–86	757	113
1930–69	1204	324
pre-1930	265	59


Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	1	0



Northern Deergrass

Trichophorum cespitosum


Native	GB	IR
2000–19	47	21
1987–99	6	0
1970–86	1	0
1930–69	1	0
pre-1930	5	4



Deergrass

Trichophorum germanicum

Native	GB	IR
2000–19	1133	509
1987–99	339	99
1970–86	85	35
1930–69	73	27
pre-1930	29	0




Sea Club-rush

Bolboschoenus maritimus

Native	GB	IR
2000-19	700	222
1987-99	638	193
1970-86	411	59
1930-69	548	96
pre-1930	172	47

Alien	GB	IR
2000-19	46	0
1987-99	27	0
1970-86	11	0
1930-69	13	0
pre-1930	7	0




Wood Club-rush

Scirpus sylvaticus

Native	GB	IR
2000–19	598	34
1987–99	552	56
1970–86	469	36
1930–69	493	23
pre-1930	256	44


Alien	GB	IR
2000–19	7	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Northern Spike-rush

Eleocharis mamillata subsp. *austriaca*

Native	GB	IR
2000–19	13	0
1987–99	12	0
1970–86	11	0
1930–69	9	0
pre-1930	1	0




Slender Spike-rush

Eleocharis uniglumis

Native	GB	IR
2000–19	461	112
1987–99	383	82
1970–86	230	19
1930–69	260	25
pre-1930	116	19


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Many-stalked Spike-rush

Eleocharis multicaulis


Native	GB	IR
2000–19	688	292
1987–99	687	261
1970–86	379	44
1930–69	516	161
pre-1930	239	79



Few-flowered Spike-rush

Eleocharis quinqueflora


Native	GB	IR
2000–19	982	179
1987–99	882	178
1970–86	554	60
1930–69	746	90
pre-1930	280	87



Needle Spike-rush

Eleocharis acicularis


Native	GB	IR
2000–19	156	56
1987–99	150	43
1970–86	123	26
1930–69	145	32
pre-1930	233	43



Dwarf Spike-rush

Eleocharis parvula

Native	GB	IR
2000–19	●	8 0
1987–99	●	8 2
1970–86	●	7 1
1930–69	○	9 4
pre-1930	○	12 3




Round-headed Club-rush

Scirpoides holoschoenus

Native	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	2	0
1930–69	2	0
pre-1930	4	0

Alien	GB	IR
2000–19	9	0
1987–99	7	0
1970–86	3	0
1930–69	3	0
pre-1930	2	0




False Sedge

Carex simpliciuscula

Native	GB	IR
2000–19	19	0
1987–99	15	0
1970–86	14	0
1930–69	8	0
pre-1930	6	0

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




Grey Club-rush

Schoenoplectus tabernaemontani

Native	GB	IR
2000–19	649	164
1987–99	539	165
1970–86	369	42
1930–69	362	70
pre-1930	158	44

Alien	GB	IR
2000–19	23	0
1987–99	10	0
1970–86	1	0
1930–69	5	0
pre-1930	2	0




Triangular Club-rush

Schoenoplectus triqueter

Native	GB	IR
2000-19	1	4
1987-99	1	4
1970-86	1	2
1930-69	5	1
pre-1930	8	3

Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




Bristle Club-rush

Isolepis setacea

Native	GB	IR
2000-19	1767	660
1987-99	1588	531
1970-86	992	71
1930-69	1299	259
pre-1930	355	85

Alien	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0




Slender Club-rush

Isolepis cernua

Native	GB	IR
2000–19	249	209
1987–99	177	158
1970–86	82	13
1930–69	132	92
pre-1930	99	51

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Floating Club-rush

Eleogiton fluitans

Native	GB	IR
2000–19	586	178
1987–99	566	174
1970–86	337	37
1930–69	441	122
pre-1930	333	94


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	1	0
pre-1930	0	0



Flat-sedge

Blysmus compressus


Native	GB	IR
2000–19	120	0
1987–99	144	0
1970–86	155	0
1930–69	194	0
pre-1930	252	0



Saltmarsh Flat-sedge

Blysmus rufus

Native	GB	IR
2000–19	282	52
1987–99	208	38
1970–86	133	17
1930–69	226	38
pre-1930	148	42




Galingale

Cyperus longus

Native	GB	IR
2000–19	38	0
1987–99	31	0
1970–86	21	0
1930–69	27	0
pre-1930	30	0

Alien	GB	IR
2000–19	499	4
1987–99	280	0
1970–86	117	0
1930–69	61	0
pre-1930	34	0




Brown Galingale

Cyperus fuscus

Native	GB	IR
2000-19	8	0
1987-99	7	0
1970-86	5	0
1930-69	7	0
pre-1930	10	0


Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0



Pale Galingale

Cyperus eragrostis

Alien	GB	IR
2000–19	346	22
1987–99	67	3
1970–86	18	0
1930–69	12	0
pre-1930	9	0




Black Bog-rush

Schoenus nigricans

Native	GB	IR
2000–19	598	412
1987–99	543	398
1970–86	313	96
1930–69	536	278
pre-1930	242	97


Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



Brown Bog-rush

Schoenus ferrugineus


Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	2	0
1930–69	2	0
pre-1930	2	0



Brown Beak-sedge

Rhynchospora fusca

Native	GB	IR
2000–19	30	40
1987–99	29	32
1970–86	26	18
1930–69	27	27
pre-1930	27	54




Great Fen-sedge

Cladium mariscus

Native	GB	IR
2000–19	144	181
1987–99	148	194
1970–86	103	62
1930–69	125	97
pre-1930	127	97

Alien	GB	IR
2000–19	12	0
1987–99	6	0
1970–86	3	0
1930–69	2	0
pre-1930	0	0




Greater Tussock-sedge

Carex paniculata

Native	GB	IR
2000-19	1198	493
1987-99	1175	402
1970-86	928	101
1930-69	1027	189
pre-1930	314	82

Alien	GB	IR
2000-19	8	1
1987-99	1	0
1970-86	1	0
1930-69	0	0
pre-1930	0	0




Fibrous Tussock-sedge

Carex appropinquata

Native	GB	IR
2000–19	22	5
1987–99	25	8
1970–86	28	12
1930–69	25	6
pre-1930	19	3

Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Lesser Tussock-sedge

Carex diandra

Native	GB	IR
2000–19	174	201
1987–99	188	209
1970–86	165	63
1930–69	145	96
pre-1930	174	93

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




False Fox-sedge

Carex otrubae

Native	GB	IR
2000-19	1544	398
1987-99	1476	307
1970-86	1000	69
1930-69	1305	196
pre-1930	213	93

Alien	GB	IR
2000-19	0	0
1987-99	1	0
1970-86	0	0
1930-69	1	0
pre-1930	1	0




True Fox-sedge

Carex vulpina

Native	GB	IR
2000-19	13	0
1987-99	12	0
1970-86	13	0
1930-69	18	0
pre-1930	7	0

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	1	0
1930-69	1	0
pre-1930	0	0




Spiked Sedge

Carex spicata

Native	GB	IR
2000–19	1054	32
1987–99	874	22
1970–86	610	19
1930–69	491	17
pre-1930	179	10

Alien	GB	IR
2000–19	5	0
1987–99	1	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0




Grey Sedge

Carex divulsa subsp. *divulsa*

Native	GB	IR
2000–19	766	248
1987–99	602	207
1970–86	427	40
1930–69	241	37
pre-1930	102	37

Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Many-leaved Sedge

Carex divulsa subsp. *leersii*

Native	GB	IR
2000–19	297	0
1987–99	172	0
1970–86	125	0
1930–69	82	0
pre-1930	47	0


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



Large-fruited Prickly-sedge

Carex muricata subsp. *muricata*

Native	GB	IR
2000–19	9	0
1987–99	6	0
1970–86	5	0
1930–69	1	0
pre-1930	4	0




Small-fruited Prickly-sedge

Carex muricata subsp. *pairae*

Native	GB	IR
2000–19	827	57
1987–99	643	36
1970–86	476	7
1930–69	215	10
pre-1930	192	15


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0



Brown Sedge

Carex disticha


Native	GB	IR
2000–19	973	480
1987–99	952	412
1970–86	692	82
1930–69	799	187
pre-1930	236	95



String Sedge

Carex chordorrhiza

Native	GB	IR
2000–19	3	0
1987–99	3	0
1970–86	4	0
1930–69	1	0
pre-1930	1	0




Divided Sedge

Carex divisa

Native	GB	IR
2000–19	95	2
1987–99	96	2
1970–86	81	0
1930–69	94	1
pre-1930	87	5

Alien	GB	IR
2000–19	1	0
1987–99	2	0
1970–86	1	0
1930–69	2	0
pre-1930	4	0




Curved Sedge

Carex maritima

Native	GB	IR
2000–19	51	0
1987–99	25	0
1970–86	43	0
1930–69	48	0
pre-1930	55	0


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Remote Sedge

Carex remota


Native	GB	IR
2000–19	1905	771
1987–99	1719	616
1970–86	1227	117
1930–69	1508	334
pre-1930	292	88



Oval Sedge

Carex leporina

Native	GB	IR
2000–19	2274	781
1987–99	2141	622
1970–86	1352	98
1930–69	1997	441
pre-1930	332	115




Star Sedge

Carex echinata

Native	GB	IR
2000–19	1796	777
1987–99	1773	694
1970–86	1165	161
1930–69	1772	555
pre-1930	345	121


Alien	GB	IR
2000–19	1	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Dioecious Sedge

Carex dioica


Native	GB	IR
2000–19	901	141
1987–99	779	158
1970–86	560	56
1930–69	737	55
pre-1930	181	48



Elongated Sedge

Carex elongata


Native	GB	IR
2000–19	39	15
1987–99	32	11
1970–86	34	15
1930–69	34	6
pre-1930	47	2



Hare's-foot Sedge

Carex lachenalii


Native	GB	IR
2000–19	6	0
1987–99	6	0
1970–86	5	0
1930–69	7	0
pre-1930	7	0



White Sedge

Carex canescens

Native	GB	IR
2000–19	917	136
1987–99	886	161
1970–86	652	66
1930–69	724	70
pre-1930	216	58




Hairy Sedge

Carex hirta

Native	GB	IR
2000-19	1900	629
1987-99	1790	500
1970-86	1262	116
1930-69	1532	268
pre-1930	260	91


Alien	GB	IR
2000-19	1	0
1987-99	1	0
1970-86	1	0
1930-69	0	0
pre-1930	0	0



Slender Sedge

Carex lasiocarpa

Native	GB	IR
2000–19	● 324	88
1987–99	● 313	116
1970–86	● 197	35
1930–69	● 198	59
pre-1930	○ 142	61




Cyperus Sedge

Carex pseudocyperus

Native	GB	IR
2000-19	600	63
1987-99	495	35
1970-86	361	17
1930-69	470	16
pre-1930	123	35

Alien	GB	IR
2000-19	47	0
1987-99	9	0
1970-86	1	0
1930-69	2	0
pre-1930	2	0




Bottle Sedge

Carex rostrata

Native	GB	IR
2000–19	1582	702
1987–99	1581	673
1970–86	1106	161
1930–69	1420	431
pre-1930	399	94

Alien	GB	IR
2000–19	3	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0




Bladder-sedge

Carex vesicaria

Native	GB	IR
2000–19	573	202
1987–99	540	160
1970–86	446	54
1930–69	554	70
pre-1930	244	76


Alien	GB	IR
2000–19	4	0
1987–99	2	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Russet Sedge

Carex saxatilis

Native	GB	IR
2000–19	54	0
1987–99	43	0
1970–86	41	0
1930–69	50	0
pre-1930	29	0




Thin-spiked Wood-sedge

Carex strigosa

Native	GB	IR
2000-19	413	114
1987-99	328	66
1970-86	236	33
1930-69	238	29
pre-1930	62	28

Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0




Hair Sedge

Carex capillaris

Native	GB	IR
2000-19	90	0
1987-99	87	0
1970-86	79	0
1930-69	84	0
pre-1930	47	0

Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	1	0
1930-69	1	0
pre-1930	0	0




Carnation Sedge

Carex panicea

Native	GB	IR
2000–19	2281	892
1987–99	2302	845
1970–86	1513	195
1930–69	2173	645
pre-1930	298	130


Alien	GB	IR
2000–19	1	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Sheathed Sedge

Carex vaginata

Native	GB	IR
2000–19	86	0
1987–99	55	0
1970–86	59	0
1930–69	49	0
pre-1930	29	0




Starved Wood-sedge

Carex depauperata

Native	GB	IR
2000-19	2	1
1987-99	2	1
1970-86	2	1
1930-69	3	0
pre-1930	8	0


Alien	GB	IR
2000-19	2	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	1	0



Smooth-stalked Sedge

Carex laevigata

Native	GB	IR
2000–19	818	296
1987–99	739	225
1970–86	565	55
1930–69	621	91
pre-1930	215	65




Green-ribbed Sedge

Carex binervis

Native	GB	IR
2000–19	1799	648
1987–99	1678	556
1970–86	1022	87
1930–69	1527	361
pre-1930	284	104


Alien	GB	IR
2000–19	0	0
1987–99	0	1
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Dotted Sedge


Carex punctata

Native	GB	IR
2000-19	54	25
1987-99	38	15
1970-86	37	25
1930-69	30	14
pre-1930	37	24



Tawny Sedge


Carex hostiana



Long-bracted Sedge

Carex extensa

Native	GB	IR
2000–19	442	205
1987–99	306	144
1970–86	189	60
1930–69	289	67
pre-1930	145	67




Large Yellow-sedge

Carex flava

Native	GB	IR
2000-19	2	0
1987-99	1	0
1970-86	1	0
1930-69	2	0
pre-1930	2	0


Alien	GB	IR
2000-19	1	0
1987-99	0	0
1970-86	0	0
1930-69	0	0
pre-1930	0	0



Long-stalked Yellow-sedge

Carex lepidocarpa


Native	GB	IR
2000–19	974	316
1987–99	879	354
1970–86	672	105
1930–69	597	186
pre-1930	162	28



Common Yellow-sedge

Carex demissa

Native	GB	IR
2000–19	2040	778
1987–99	1979	644
1970–86	1253	148
1930–69	1726	495
pre-1930	272	75




Small-fruited Yellow-sedge

Carex viridula

Native	GB	IR
2000–19	214	104
1987–99	258	113
1970–86	170	43
1930–69	133	50
pre-1930	159	31


Alien	GB	IR
2000–19	0	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Pale Sedge

Carex pallescens

Native	GB	IR
2000–19	1212	132
1987–99	1135	97
1970–86	813	49
1930–69	1110	68
pre-1930	311	63




Fingered Sedge

Carex digitata

Native	GB	IR
2000–19	26	0
1987–99	24	0
1970–86	25	0
1930–69	20	0
pre-1930	28	0


Alien	GB	IR
2000–19	2	0
1987–99	1	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Bird's-foot Sedge

Carex ornithopoda


Native	GB	IR
2000–19	13	0
1987–99	14	0
1970–86	12	0
1930–69	9	0
pre-1930	9	0



Dwarf Sedge

Carex humilis


Native	GB	IR
2000–19	29	0
1987–99	25	0
1970–86	27	0
1930–69	24	0
pre-1930	16	0



Downy-fruited Sedge

Carex filiformis


Native	GB	IR
2000–19	● 13	○ 0
1987–99	● 12	○ 0
1970–86	● 11	○ 0
1930–69	● 11	○ 0
pre-1930	○ 13	○ 0



Rare Spring-sedge

Carex ericetorum


Native	GB	IR
2000–19	19	0
1987–99	20	0
1970–86	27	0
1930–69	25	0
pre-1930	9	0



Pill Sedge

Carex pilulifera

Native	GB	IR
2000–19	1971	462
1987–99	1780	353
1970–86	1099	75
1930–69	1563	137
pre-1930	272	81




Soft-leaved Sedge

Carex montana

Native	GB	IR
2000–19	36	0
1987–99	40	0
1970–86	35	0
1930–69	21	0
pre-1930	23	0

Alien	GB	IR
2000–19	2	0
1987–99	2	0
1970–86	1	0
1930–69	0	0
pre-1930	0	0




Scorched Alpine-sedge

Carex atrofusca

Native	GB	IR
2000-19	4	0
1987-99	4	0
1970-86	5	0
1930-69	5	0
pre-1930	4	0


Alien	GB	IR
2000-19	0	0
1987-99	0	0
1970-86	0	0
1930-69	1	0
pre-1930	0	0



Bog-sedge

Carex limosa


Native	GB	IR
2000–19	296	119
1987–99	272	140
1970–86	158	52
1930–69	218	61
pre-1930	129	73



Mountain Bog-sedge

Carex rariflora


Native	GB	IR
2000–19	14	0
1987–99	15	0
1970–86	15	0
1930–69	9	0
pre-1930	8	0



Tall Bog-sedge

Carex magellanica

Native	GB	IR
2000–19	76	7
1987–99	71	6
1970–86	70	4
1930–69	58	3
pre-1930	46	3




Black Alpine-sedge

Carex atrata

Native	GB	IR
2000–19	31	0
1987–99	36	0
1970–86	38	0
1930–69	35	0
pre-1930	26	0


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0



Club Sedge

Carex buxbaumii

Native	GB	IR
2000-19	3	0
1987-99	3	0
1970-86	3	0
1930-69	2	0
pre-1930	1	1




Close-headed Alpine-sedge

Carex norvegica

Native	GB	IR
2000–19	5	0
1987–99	6	0
1970–86	5	0
1930–69	4	0
pre-1930	3	0


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0



Estuarine Sedge

Carex recta


Native	GB	IR
2000–19	6	0
1987–99	4	0
1970–86	4	0
1930–69	3	0
pre-1930	2	0



Saltmarsh Sedge

Carex salina


Native	GB	IR
2000–19	4	0
1987–99	0	0
1970–86	0	0
1930–69	0	0
pre-1930	0	0



Water Sedge

Carex aquatilis


Native	GB	IR
2000–19	179	28
1987–99	152	19
1970–86	133	9
1930–69	92	7
pre-1930	73	15



Stiff Sedge

Carex bigelowii


Native	GB	IR
2000–19	368	41
1987–99	309	19
1970–86	221	7
1930–69	283	19
pre-1930	62	32



Bristle Sedge

Carex microglochin

Native	GB	IR
2000–19	●	1 0
1987–99	●	1 0
1970–86	●	1 0
1930–69	●	1 0
pre-1930	○	1 0




Few-flowered Sedge

Carex pauciflora

Native	GB	IR
2000–19	308	3
1987–99	250	3
1970–86	168	2
1930–69	268	3
pre-1930	55	3


Alien	GB	IR
2000–19	0	0
1987–99	0	0
1970–86	0	0
1930–69	1	0
pre-1930	0	0



Rock Sedge

Carex rupestris

Native	GB	IR
2000–19	25	0
1987–99	24	0
1970–86	28	0
1930–69	20	0
pre-1930	10	0



Flea Sedge

Carex pulicaris

Native	GB	IR
2000–19	1559	563
1987–99	1515	528
1970–86	992	116
1930–69	1447	381
pre-1930	325	95

